

Appendix 1. The list of vascular plants in Mt. Baekseok

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
Equisetaceae 속새과							
<i>Equisetum arvense</i> L. 쇠뜨기 KWNNU99969			LC				E,P
<i>Equisetum hyemale</i> L. 속새 KWNNU99903			LC	III	N		M,P
Ophioglossaceae 고사리삼과							
<i>Botrychium robustum</i> (Rupr. ex Milde) Underw. 산고사리삼 KWNNU99775		LC	LC	IV			U
<i>Botrychium ternatum</i> (Thunb.) Sw. 고사리삼 KWNNU99644			LC				M
Osmundaceae 고비과							
<i>Osmunda cinnamomea</i> L. 평고비 KWNNU100048			LC	II			U
<i>Osmunda japonica</i> Thunb. 고비 KWNNU100054			LC				E,M
Dennstaedtiaceae 잔고사리과							
<i>Dennstaedtia wilfordii</i> (T.Moore) Christ 황고사리 KWNNU100058			LC				U
<i>Pteridium aquilinum</i> var. <i>latiusculum</i> (Desv.) Underw. ex A. Heller 고사리 KWNNU100080			LC				E,M
Pteridaceae 봉의꼬리과							
<i>Coniogramme intermedia</i> Hieron. 고비고사리 KWNNU100081			LC	II			U
Aspleniaceae 꼬리고사리과							
<i>Asplenium incisum</i> Thunb. 꼬리고사리 KWNNU100082			LC	III			U
<i>Asplenium ruprechtii</i> Sa.Kurata 거미고사리 KWNNU99538			LC				U
Thelypteridaceae 처녀고사리과							
<i>Phegopteris connectilis</i> (Michx.) D.Watt 가래고사리 KWNNU100083			LC	II			U
<i>Thelypteris palustris</i> (A.Gray) Schott 처녀고사리 KWNNU100052			LC				U
Athyriaceae 개고사리과							
<i>Athyrium brevifrons</i> Nakai ex Kitag. 참새발고사리 KWNNU99541			LC				E,M
<i>Athyrium niponicum</i> (Mett.) Hance 개고사리 KWNNU99656			LC				E
<i>Athyrium yokoscense</i> (Franch. & Sav.) Christ 뱀고사리 KWNNU99433			LC				E
<i>Deparia coreana</i> (Christ) M.Kato 곱새고사리 KWNNU99884			LC				U
<i>Deparia pycnosora</i> (Christ) M.Kato 털고사리 KWNNU99490			LC				U
Dryopteridaceae 관중과							
<i>Dryopteris bissetiana</i> (Baker) C.Chr. 산족제비고사리 KWNNU100084			LC				U
<i>Dryopteris chinensis</i> (Baker) Koidz. 가는잎족제비고사리 KWNNU100085			LC				U
<i>Dryopteris crassirhizoma</i> Nakai 관중 KWNNU99771			LC				E,M
<i>Polystichum tripterum</i> (Kunze) C.Presl 십자고사리 KWNNU99650			LC				U
Woodsiaceae 우드풀과							
<i>Woodsia manchuriensis</i> Hook. 만주우드풀 KWNNU99670			LC				U
<i>Woodsia polystichoides</i> D.C.Eaton 우드풀 KWNNU99442			LC				U
Onocleaceae 야산고비과							
<i>Matteuccia struthiopteris</i> (L.) Tod. 청나래고사리 KWNNU99481			LC	II			E
<i>Onoclea interrupta</i> (Maxim.) Ching & P.C.Chiu 야산고비 KWNNU99484			LC	I			E
<i>Pentarhizidium orientale</i> (Hook.) Hayata 개면마 KWNNU99523			LC				U
Polypodiaceae 고란초과							
<i>Lepisorus ussuriensis</i> (Regel & Maack) Ching 산일엽초 KWNNU99599			LC				U

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Pyrrhosia linearifolia</i> (Hook.) Ching 우단일엽 <i>KWNU100086</i>			LC				U
Pinaceae 소나무과			LC				
<i>Abies holophylla</i> Maxim. 전나무 <i>KWNU99800</i>				II	N		O,T
<i>Abies nephrolepis</i> (Trautv. ex Maxim.) Maxim. 분비나무 <i>KWNU99818</i>			LC	III	N		O,T
<i>Larix kaempferi</i> (Lamb.) Carrière 일본잎갈나무(재) <i>KWNU99959</i>						CAP	T
<i>Picea abies</i> (L.) H.Karst. 독일가문비나무(재) <i>KWNU100087</i>							O
<i>Pinus densiflora</i> Siebold & Zucc. 소나무 <i>KWNU99483</i>			LC				E,M,O,T
<i>Pinus koraiensis</i> Siebold & Zucc. 잣나무 <i>KWNU100067</i>			LC	II			E,M,O,T
Juglandaceae 가래나무과							
<i>Juglans mandshurica</i> Maxim. 가래나무 <i>KWNU99912</i>			LC	I			E,F,T
Salicaceae 버드나무과							
<i>Populus tremula</i> var. <i> davidiana</i> (Dode) C.K.Schneid. 사시나무 <i>KWNU100088</i>			LC				M,P
<i>Salix caprea</i> L. 호랑버들 <i>KWNU99809</i>			LC				P
<i>Salix gracilistyla</i> Miq. 갯버들 <i>KWNU100089</i>			LC				P
<i>Salix koriyanagi</i> Kimura ex Goerz 키버들 <i>KWNU100090</i>	○		LC				S
<i>Salix pierotii</i> Miq. 버드나무 <i>KWNU100091</i>			LC				P
Betulaceae 자작나무과							
<i>Alnus incana</i> subsp. <i> hirsuta</i> (Turcz. ex Spach) Á.Löve & D.Löve 물오리나무 <i>KWNU100092</i>			LC				S
<i>Betula chinensis</i> Maxim. 개박달나무 <i>KWNU99457</i>			LC	III			T
<i>Betula davurica</i> Pall. 물박달나무 <i>KWNU100093</i>			LC	III			M,T
<i>Betula ermanii</i> Cham. 사스래나무 <i>KWNU99784</i>			LC	II			M,T
<i>Betula pendula</i> Roth 자작나무 <i>KWNU99463</i>							O
<i>Carpinus cordata</i> Blume 까치박달 <i>KWNU99601</i>			LC				P,T
<i>Carpinus laxiflora</i> (Siebold & Zucc.) Blume 서어나무 <i>KWNU100094</i>			LC				O,S
<i>Corylus heterophylla</i> Fisch. ex Trautv. 개암나무 <i>KWNU100095</i>			LC				E,M,P
<i>Corylus sieboldiana</i> Blume 참개암나무 <i>KWNU99643</i>			LC				E,M
<i>Corylus sieboldiana</i> var. <i> mandshurica</i> (Maxim.) C.K.Schneid. 물개암나무 <i>KWNU99929</i>			LC				E,M
Fagaceae 참나무과							
<i>Castanea crenata</i> Siebold & Zucc. 밤나무(재) <i>KWNU99517</i>			LC				E,M,S,T
<i>Quercus dentata</i> Thunb. 떡갈나무 <i>KWNU99493</i>			LC				E,M,S,T
<i>Quercus mongolica</i> Fisch. ex Ledeb. 신갈나무 <i>KWNU99582</i>			LC				E,P,T
<i>Quercus serrata</i> Murray 졸참나무 <i>KWNU100096</i>			LC				E,M,P,T
<i>Quercus variabilis</i> Blume 굴참나무 <i>KWNU100097</i>			LC				E,M,R,T
Ulmaceae 느릅나무과							
<i>Celtis aurantiaca</i> Nakai 산팽나무 <i>KWNU99698</i>							E
<i>Ulmus davidiana</i> var. <i> japonica</i> (Rehder) Nakai 느릅나무 <i>KWNU99928</i>			LC	I			E,F,M,T
<i>Ulmus laciniata</i> (Trautv.) Mayr 난티나무 <i>KWNU100098</i>			LC	III			E,F,M,T
Eucommiaceae 두충과							
<i>Eucommia ulmoides</i> Oliv. 두충(재) <i>KWNU100099</i>							M
Moraceae 뽕나무과							

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Morus australis</i> Poir. 산뽕나무 <i>KWNU100100</i>			LC				U
Cannabaceae 삼과							
<i>Humulus scandens</i> (Lour.) Merr. 환삼덩굴 <i>KWNU99583</i>			LC				E,M,P
Urticaceae 쐯개과							
<i>Achudemia japonica</i> Maxim. 산물통이 <i>KWNU99470</i>			LC	I			U
<i>Boehmeria japonica</i> (L.f.) Miq. 왜모시풀 <i>KWNU99651</i>			LC				F
<i>Boehmeria spicata</i> (Thunb.) Thunb. 쯤개잎나무 <i>KWNU99577</i>			LC				F
<i>Boehmeria tricuspis</i> (Hance) Makino 거북꼬리 <i>KWNU99431</i>			LC				E,F
<i>Laportea bulbifera</i> (Siebold & Zucc.) Wedd. 흑쐯개과 <i>KWNU99857</i>			LC				M
<i>Laportea cuspidata</i> (Wedd.) Friis 큰쐯개과 <i>KWNU100101</i>			LC	IV			U
<i>Pilea peploides</i> (Gaudich.) Hook. & Arn. 물통이 <i>KWNU100070</i>			LC				U
<i>Pilea pumila</i> (L.) A.Gray 모시물통이 <i>KWNU99473</i>			LC				P
<i>Urtica angustifolia</i> Fisch. ex Hornem. 가는잎쐯개과 <i>KWNU99733</i>			LC	III			U
<i>Urtica laetevirens</i> Maxim. 애기쐯개과 <i>KWNU100102</i>			LC				U
Viscaceae 겨우살이과							
<i>Viscum album</i> var. <i>lutescens</i> Makino 겨우살이 <i>KWNU100103</i>			LC				M
Polygonaceae 마디풀과							
<i>Aconogonon alpinum</i> (All.) Schur 싱아 <i>KWNU99476</i>			LC				E
<i>Bistorta officinalis</i> subsp. <i>japonica</i> (H.Hara) Yonek. 범꼬리 <i>KWNU99823</i>			LC	II			M,P
<i>Fallopia dumetorum</i> (L.) Holub 닭의덩굴 <i>KWNU99506</i>			LC				U
<i>Persicaria dissitiflora</i> (Hemsl.) H.Gross ex T.Mori 가시여뀌 <i>KWNU99748</i>			LC				U
<i>Persicaria filiformis</i> (Thunb.) Nakai ex T.Mori 이삭여뀌 <i>KWNU99776</i>			LC				M
<i>Persicaria hydropiper</i> (L.) Delarbre 여뀌 <i>KWNU100104</i>			LC				M,P
<i>Persicaria japonica</i> (Meisn.) Nakai 흰꽃여뀌 <i>KWNU99910</i>			LC				U
<i>Persicaria lapathifolia</i> (L.) Delarbre 흰여뀌 <i>KWNU99446</i>			LC				U
<i>Persicaria longiseta</i> (Brujin) Kitag. 개여뀌 <i>KWNU99532</i>			LC				M
<i>Persicaria nepalensis</i> (Meisn.) H.Gross 산여뀌 <i>KWNU99468</i>			LC				P
<i>Persicaria perfoliata</i> (L.) H.Gross 머느리배꼽 <i>KWNU99940</i>			LC				E
<i>Persicaria posumbu</i> (Buch.-Ham. ex D.Don) H.Gross 장대여뀌 <i>KWNU99699</i>			LC				U
<i>Persicaria sagittata</i> (L.) H.Gross 미꾸리납시 <i>KWNU99579</i>			LC				P
<i>Persicaria senticosa</i> (Meisn.) H.Gross ex Nakai 머느리밑씻개 <i>KWNU99632</i>			LC				E,P
<i>Persicaria thunbergii</i> (Siebold & Zucc.) H.Gross 고마리 <i>KWNU99477</i>			LC				P
<i>Persicaria viscofera</i> (Makino) H.Gross 끈끈이여뀌 <i>KWNU100033</i>			LC				P
<i>Polygonum aviculare</i> L. 마디풀 <i>KWNU99961</i>			LC				E,M
<i>Rumex acetosa</i> L. 수영 <i>KWNU100105</i>			LC				M
<i>Rumex acetosella</i> L. 애기수영 <i>KWNU100106</i>						NP	E
<i>Rumex crispus</i> L. 소리쟁이 <i>KWNU100107</i>						NP	E,M,P
Portulacaceae 쇠비름과							
<i>Portulaca oleracea</i> L. 쇠비름 <i>KWNU100055</i>			LC				E,M,P
Caryophyllaceae 석죽과							
<i>Arenaria serpyllifolia</i> L. 벼룩이자리 <i>KWNU100108</i>			LC				E

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Cerastium glomeratum</i> Thuill. 유럽점나도나물 <i>KWNU100066</i>						NP	U
<i>Cerastium holosteoides</i> subsp. <i>vulgare</i> (Hartm.) I.V.Sokolova 점나도나물 <i>KWNU100109</i>			LC				E
<i>Lychnis cognata</i> Maxim. 동자꽃 <i>KWNU99788</i>			LC	II			O,P
<i>Pseudostellaria davidii</i> (Franch.) Pax ex Pax & Hoffm. 덩굴개별꽃 <i>KWNU100110</i>			LC				E,M
<i>Pseudostellaria heterophylla</i> (Miq.) Pax 개별꽃 <i>KWNU99817</i>			LC				E,M
<i>Pseudostellaria japonica</i> (Korsh.) Pax 긴개별꽃 <i>KWNU100111</i>			NT		N		O
<i>Pseudostellaria palibiniana</i> (Takeda) Ohwi 큰개별꽃 <i>KWNU99780</i>			LC				E
<i>Sagina japonica</i> (Sw.) Ohwi 개미자리 <i>KWNU100112</i>			LC				M
<i>Silene baccifera</i> (L.) Roth 덩굴별꽃 <i>KWNU99564</i>			LC				U
<i>Silene firma</i> Siebold & Zucc. 장구채 <i>KWNU99608</i>			LC				E,M,P
<i>Silene firma</i> f. <i>pubescens</i> (Makino) Ohwi & H. Ohashi 털장구채 <i>KWNU100113</i>							M,P
<i>Stellaria aquatica</i> (L.) Scop. 쇠별꽃 <i>KWNU100059</i>			LC				E,M
<i>Stellaria media</i> (L.) Vill. 별꽃 <i>KWNU100114</i>						NP	E
Chenopodiaceae 명아주과							
<i>Chenopodium album</i> var. <i>centrorubrum</i> Makino 명아주 <i>KWNU99554</i>			LC				E,P
<i>Chenopodium ficifolium</i> Sm. 좁명아주 <i>KWNU99504</i>						NP	E,P
Amaranthaceae 비름과							
<i>Achyranthes bidentata</i> var. <i>japonica</i> Miq. 쇠무릎 <i>KWNU99530</i>			LC				E,M,P
<i>Amaranthus blitum</i> subsp. <i>oleraceus</i> (L.) Costea 개비름 <i>KWNU99521</i>						Arc.	E,M,P
<i>Amaranthus patulus</i> Bertol. 가는털비름 <i>KWNU100005</i>						NP	U
Magnoliaceae 목련과							
<i>Magnolia denudata</i> Desr. 백목련(재) <i>KWNU100115</i>							O
<i>Magnolia sieboldii</i> K.Koch 함박꽃나무 <i>KWNU99716</i>			LC	II			O
Schisandraceae 오미자과							
<i>Schisandra chinensis</i> (Turcz.) Baill. 오미자 <i>KWNU99994</i>			LC	II			E,M
Lauraceae 녹나무과							
<i>Lindera obtusiloba</i> Blume 생강나무 <i>KWNU99975</i>			LC				E,M,O
Ranunculaceae 미나리아재비과							
<i>Aconitum ciliare</i> DC. 늦젓가락나물 <i>KWNU99487</i>			LC				M
<i>Aconitum jaluense</i> Kom. 투구꽃 <i>KWNU99690</i>			LC	I			M
<i>Aconitum longecassidatum</i> Nakai 흰진범 <i>KWNU100116</i>			LC	I			M
<i>Aconitum pseudolaeve</i> Nakai 진범 <i>KWNU99860</i>	○		LC				M
<i>Actaea asiatica</i> H.Hara 노루삼 <i>KWNU100117</i>			LC	III			U
<i>Actaea dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) Franch. 눈빛승마 <i>KWNU99627</i>			LC				M,E
<i>Actaea simplex</i> (DC.) Wormsk. ex Prantl 촛대승마 <i>KWNU99765</i>			LC	I			M
<i>Anemone koraiensis</i> Nakai 홀아비바람꽃 <i>KWNU100118</i>	○	LC	LC	IV			U
<i>Anemone raddeana</i> Regel 평의바람꽃 <i>KWNU100119</i>			LC				O
<i>Anemone reflexa</i> Steph. ex Willd. 회리바람꽃 <i>KWNU100120</i>			LC	IV			U
<i>Aquilegia buergeriana</i> var. <i>oxysepala</i> (Trautv. & C.A.Mey.) Kitam. 매발톱 <i>KWNU99464</i>			LC	III			O
<i>Clematis apiifolia</i> DC. 사위질빵 <i>KWNU100121</i>			LC				U
<i>Clematis fusca</i> Turcz. 검종덩굴 <i>KWNU99427</i>			LC	III	N		U

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Clematis fusca</i> var. <i>flabellata</i> (Nakai) J.S.Kim 요강나물 <i>KWNU99754</i>			LC	III			U
<i>Clematis serratifolia</i> Rehder 개버무리 <i>KWNU99519</i>			LC	IV	N		O
<i>Clematis terniflora</i> var. <i>mandshurica</i> (Rupr.) Ohwi 으아리 <i>KWNU99973</i>			LC				M
<i>Clematis trichotoma</i> Nakai 할미밀망 <i>KWNU99510</i>	○		LC				U
<i>Clematis urticifolia</i> Nakai ex Kitag. 병조희풀 <i>KWNU99430</i>			LC	III			M
<i>Enemion raddeanum</i> Regel 나도바람꽃 <i>KWNU100122</i>			LC	III			U
<i>Eranthis stellata</i> Maxim. 너도바람꽃 <i>KWNU100123</i>			LC	III	N		U
<i>Hepatica asiatica</i> Nakai 노루귀 <i>KWNU99828</i>			LC	I			O
<i>Pulsatilla koreana</i> (Y.Yabe ex Nakai) Nakai ex T.Mori 할미꽃 <i>KWNU100124</i>			LC				M
<i>Ranunculus chinensis</i> Bunge 젓가락나물 <i>KWNU99556</i>			LC				U
<i>Ranunculus japonicus</i> Thunb. 미나리아재비 <i>KWNU99898</i>			LC				M,P
<i>Thalictrum aquilegifolium</i> var. <i>sibiricum</i> Regel & Tiling 아시아평의다리 <i>KWNU100125</i>							E,M,P
<i>Thalictrum tuberiferum</i> Maxim. 산평의다리 <i>KWNU100126</i>			LC				M
Berberidaceae 매자나무과							
<i>Berberis amurensis</i> Rupr. 매발톱나무 <i>KWNU99719</i>			LC	II			M,O,S
<i>Caulophyllum robustum</i> Maxim. 평의다리아재비 <i>KWNU99781</i>			LC	II			E,M
Menispermaceae 방기과							
<i>Menispermum dauricum</i> DC. 새모래덩굴 <i>KWNU100064</i>			LC				U
Chloranthaceae 홀아비꽃대과							
<i>Chloranthus japonicus</i> Siebold 홀아비꽃대 <i>KWNU99801</i>			LC	I			U
Aristolochiaceae 쥐방울덩굴과							
<i>Aristolochia contorta</i> Bunge 쥐방울덩굴 <i>KWNU100127</i>			LC	I			M
<i>Aristolochia manshuriensis</i> Kom. 등취 <i>KWNU100128</i>			LC	II	N		M
<i>Asarum sieboldii</i> Miq. 족도리풀 <i>KWNU99825</i>			LC				M
Actinidiaceae 다래나무과							
<i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq. 다래 <i>KWNU99990</i>			LC				E,M
<i>Actinidia kolomikta</i> (Maxim. & Rupr.) Maxim. 쥐다래 <i>KWNU99942</i>			LC	III			E
<i>Actinidia polygama</i> (Siebold & Zucc.) Planch. ex Maxim. 개다래 <i>KWNU99437</i>			LC				E,M
Clusiaceae 물레나물과							
<i>Hypericum ascyron</i> L. 물레나물 <i>KWNU100129</i>			LC				E,O
<i>Hypericum erectum</i> Thunb. 고추나물 <i>KWNU99648</i>			LC				M,P
Papaveraceae 양귀비과							
<i>Chelidonium majus</i> subsp. <i>asiaticum</i> H.Hara 애기똥풀 <i>KWNU99629</i>			LC				M
<i>Corydalis pauciovulata</i> Ohwi 선괴불주머니 <i>KWNU99606</i>			LC				U
<i>Corydalis remota</i> Fisch. ex Maxim. 현호색 <i>KWNU100130</i>			LC				M
<i>Corydalis speciosa</i> Maxim. 산괴불주머니 <i>KWNU99432</i>			LC				U
<i>Hylomecon vernalis</i> Maxim. 피나물 <i>KWNU99808</i>			LC	II	N		O,M
Brassicaceae 십자화과							
<i>Arabidopsis lyrata</i> (L.) O'Kane & Al-Shehbaz 뫇장대 <i>KWNU99423</i>							U
<i>Arabis hirsuta</i> (L.) Scop. 털장대 <i>KWNU99870</i>			LC				E
<i>Barbarea vulgaris</i> W.T.Aiton 유럽나도냉이 <i>KWNU100131</i>						NP	U

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Capsella bursa-pastoris</i> (L.) Medik. 냉이 <i>KWNU100132</i>			LC				E,M
<i>Cardamine amariformis</i> Nakai 꽃황새냉이 <i>KWNU100133</i>	○		LC	III	N		E
<i>Cardamine flexuosa</i> With. 황새냉이 <i>KWNU99540</i>			LC				E
<i>Cardamine impatiens</i> L. 싸리냉이 <i>KWNU99642</i>			LC				E
<i>Cardamine leucantha</i> (Tausch) O.E.Schulz 미나리냉이 <i>KWNU99723</i>			LC				E
<i>Catolobus pendulus</i> (L.) Al-Shehbaz 느러진장대 <i>KWNU99659</i>			LC	III			E
<i>Draba nemorosa</i> L. 꽃다지 <i>KWNU100134</i>			LC				E,M
<i>Lepidium apetalum</i> Willd. 다닥냉이 <i>KWNU99438</i>							E,M
<i>Rorippa palustris</i> (L.) Besser 속속이풀 <i>KWNU99978</i>			LC				E
<i>Sisymbrium luteum</i> (Maxim.) O.E.Schulz 노란장대 <i>KWNU99766</i>			LC	I			U
<i>Thlaspi arvense</i> L. 말냉이 <i>KWNU100135</i>						Arc.	E
<i>Turritis glabra</i> L. 장대나물 <i>KWNU99462</i>			LC				E
Crassulaceae 돌나물과							
<i>Hylotelephium verticillatum</i> (L.) H.Ohba 세잎평의비름 <i>KWNU99724</i>			LC	II			U
<i>Hylotelephium viviparum</i> (Maxim.) H.Ohba 새끼평의비름 <i>KWNU99619</i>			LC	II			O
<i>Phedimus kamschaticus</i> (Fisch. & C.A.Mey.) 't Hart 기린초 <i>KWNU99518</i>			LC				E
<i>Sedum sarmentosum</i> Bunge 돌나물 <i>KWNU99960</i>			LC				E,M
Saxifragaceae 범의귀과							
<i>Astilbe chinensis</i> (Maxim.) Franch. & Sav. 노루오줌 <i>KWNU99602</i>			LC				M,P
<i>Chrysosplenium barbatum</i> Nakai 흰털괘이는 <i>KWNU100136</i>			LC				U
<i>Chrysosplenium flagelliferum</i> F.Schmidt 애기괘이는 <i>KWNU99793</i>			LC				U
<i>Chrysosplenium flaviflorum</i> Ohwi 누른괘이는 <i>KWNU100137</i>	○		LC				U
<i>Chrysosplenium japonicum</i> (Maxim.) Makino 산괘이는 <i>KWNU100138</i>			LC	I			U
<i>Chrysosplenium ramosum</i> Maxim. 가지괘이는 <i>KWNU99822</i>			LC	IV			U
<i>Chrysosplenium sinicum</i> Maxim. 선괘이는 <i>KWNU99458</i>			LC	I			U
<i>Mukdenia rossii</i> (Oliv.) Koidz. 돌단풍(재) <i>KWNU100139</i>			LC	II	N		O
<i>Rodgersia podophylla</i> A.Gray 도깨비부채 <i>KWNU99806</i>		LC	LC	IV	N		U
<i>Saxifraga fortunei</i> Hook. 바위떡풀 <i>KWNU99703</i>			LC				E
Hydrangeaceae 수국과							
<i>Deutzia glabrata</i> Kom. 물참대 <i>KWNU99731</i>			LC	I			O
<i>Deutzia parviflora</i> Bunge 말발도리 <i>KWNU100140</i>			LC	I			O
<i>Deutzia uniflora</i> Shirai 매화말발도리 <i>KWNU100141</i>			LC	I			O
<i>Hydrangea macrophylla</i> subsp. <i>serrata</i> (Thunb.) Makino 산수국 <i>KWNU99587</i>			LC				O
<i>Philadelphus schrenkii</i> Rupr. 고향나무 <i>KWNU100008</i>			LC	III			O,P
<i>Philadelphus tenuifolius</i> Rupr. & Maxim. 얇은잎고향나무 <i>KWNU100142</i>			LC				O
Grossulariaceae 까치밥나무과							
<i>Ribes mandshuricum</i> (Maxim.) Kom. 까치밥나무 <i>KWNU99610</i>			LC	III			E,O
Rosaceae 장미과							
<i>Agrimonia coreana</i> Nakai 산짚신나물 <i>KWNU99876</i>			LC				E,M
<i>Agrimonia pilosa</i> Ledeb. 짚신나물 <i>KWNU99704</i>			LC				E,M
<i>Aria alnifolia</i> (Siebold & Zucc.) Decne. 팔배나무 <i>KWNU99826</i>			LC				E,P

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Aruncus dioicus</i> (Walter) Fernald 눈개승마 <i>KWNU99936</i>			LC	III			U
<i>Crataegus pinnatifida</i> Bunge 산사나무 <i>KWNU99782</i>			LC				E,M
<i>Duchesnea indica</i> (Andrews) Teschem. 뱀딸기 <i>KWNU99866</i>			LC				E,M
<i>Filipendula glaberrima</i> Nakai 터리풀 <i>KWNU99930</i>			LC	I			O,P
<i>Geum aleppicum</i> Jacq. 큰뱀무 <i>KWNU99705</i>			LC				E,P
<i>Malus baccata</i> (L.) Borkh. 야광나무 <i>KWNU100143</i>			LC	I	N		E,O
<i>Potentilla centigrana</i> Maxim. 줌딸기 <i>KWNU99424</i>			LC	III	N		U
<i>Potentilla cryptotaeniae</i> Maxim. 물양지꽃 <i>KWNU99666</i>			LC	III			P
<i>Potentilla fragarioides</i> L. 양지꽃 <i>KWNU100144</i>			LC				E,M
<i>Prunus × yedoensis</i> Matsum. 왕벚나무(재) <i>KWNU100145</i>							O
<i>Prunus armeniaca</i> L. 살구나무(재) <i>KWNU100146</i>							E,M,O
<i>Prunus maackii</i> Rupr. 개벚지나무 <i>KWNU99443</i>			LC	III	N		U
<i>Prunus maximowiczii</i> Rupr. 산개벚지나무 <i>KWNU100147</i>			LC	II			U
<i>Prunus padus</i> L. 귀룽나무 <i>KWNU99853</i>			LC				E,M
<i>Prunus persica</i> (L.) Batsch 복사나무(재) <i>KWNU99964</i>						Arc.	E,P
<i>Prunus salicina</i> Lindl. 자두나무(재) <i>KWNU100148</i>			DD				E
<i>Prunus sargentii</i> Rehder 산벚나무 <i>KWNU100149</i>			LC	III			O,P
<i>Pyrus ussuriensis</i> Maxim. ex Rupr. 산돌배 <i>KWNU99779</i>			LC	I			E
<i>Rosa acicularis</i> Lindl. 인가목 <i>KWNU99727</i>			LC	II	N		O
<i>Rosa multiflora</i> Thunb. 찔레꽃 <i>KWNU99573</i>			LC				E,M,P
<i>Rubus crataegifolius</i> Bunge 산딸기 <i>KWNU99764</i>			LC				E,M,P
<i>Rubus phoenicolasius</i> Maxim. 곰딸기 <i>KWNU99963</i>			LC				E
<i>Rubus pungens</i> Cambess. 줄딸기 <i>KWNU99611</i>			LC				E
<i>Sanguisorba officinalis</i> L. 오이풀 <i>KWNU99482</i>			LC				M,P
<i>Sorbaria sorbifolia</i> var. <i>stellipila</i> Maxim. 쉬땅나무 <i>KWNU99693</i>			LC	III			E,P
<i>Sorbus commixta</i> Hedl. 마가목 <i>KWNU99896</i>			LC	II			M,O
<i>Spiraea chamaedryfolia</i> L. 인가목조팝나무 <i>KWNU99712</i>			LC	III			O
<i>Spiraea fritschiana</i> C.K.Schneid. 참조팝나무 <i>KWNU99740</i>			LC	III			O
<i>Spiraea prunifolia</i> f. <i>simpliciflora</i> Nakai 조팝나무 <i>KWNU100150</i>			LC				E,M,O
<i>Spiraea salicifolia</i> L. 꼬리조팝나무 <i>KWNU100016</i>			LC	II	N		E,M,O
<i>Stephanandra incisa</i> (Thunb.) Zabel 국수나무 <i>KWNU99869</i>			LC				S
Fabaceae 콩과							
<i>Amphicarpaea bracteata</i> subsp. <i>edgeworthii</i> (Benth.) H.Ohashi 새콩 <i>KWNU99501</i>			LC				E,P
<i>Chamaecrista nomame</i> (Makino) H.Ohashi 차풀 <i>KWNU99668</i>			LC				E,M,P
<i>Glycine max</i> subsp. <i>soja</i> (Siebold & Zucc.) H.Ohashi 돌콩 <i>KWNU99987</i>			LC				E,P
<i>Hylodesmum oldhamii</i> (Oliv.) H.Ohashi & R.R.Mill 큰도둑놈의갈고리 <i>KWNU99798</i>			LC				P
<i>Hylodesmum podocarpum</i> subsp. <i>oxyphyllum</i> (DC.) H.Ohashi & R.R.Mill 도둑놈의갈고리 <i>KWNU99918</i>			LC				U
<i>Kummerowia striata</i> (Thunb.) Schindl. 매듭풀 <i>KWNU99503</i>			LC				P
<i>Lathyrus davidii</i> Hance 활량나물 <i>KWNU99630</i>			LC				E,M
<i>Lespedeza bicolor</i> Turcz. 싸리 <i>KWNU99472</i>			LC				O,P

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Lеспедеза cuneata</i> (Dum.Cours.) G.Don 비수리 <i>KWNU99575</i>			LC				P
<i>Lеспедеза cyrtobotrya</i> Miq. 참싸리 <i>KWNU99955</i>			LC				F,O
<i>Lеспедеза maximowiczii</i> C.K.Schneid. 조록싸리 <i>KWNU99581</i>			LC				O,P
<i>Lеспедеза virgata</i> (Thunb.) DC. 줌싸리 <i>KWNU99674</i>			LC				O,P
<i>Maackia amurensis</i> Rupr. 다릅나무 <i>KWNU99962</i>			LC				T
<i>Pueraria lobata</i> (Willd.) Ohwi 칩 <i>KWNU99967</i>			LC				E,M,P,S
<i>Robinia pseudoacacia</i> L. 아까시나무(재) <i>KWNU99507</i>						NP	P,T
<i>Trifolium pratense</i> L. 붉은토끼풀 <i>KWNU99471</i>						NP	P
<i>Trifolium repens</i> L. 토끼풀 <i>KWNU99845</i>							P
<i>Vicia amurensis</i> Oett. 벌완두 <i>KWNU99526</i>			LC				E,P
<i>Vicia chosenensis</i> Ohwi 노랑갈퀴 <i>KWNU99762</i>	○		LC	III			P
<i>Vicia unijuga</i> A.Braun 나비나무 <i>KWNU99816</i>			LC				E,P
<i>Vicia venosa</i> var. <i>cuspidata</i> Maxim. 광릉갈퀴 <i>KWNU99445</i>			LC				E
<i>Vigna angularis</i> var. <i>nipponensis</i> (Ohwi) Ohwi & H.Obashi 새팥 <i>KWNU99589</i>			LC				E
Oxalidaceae 팽이밥과							
<i>Oxalis acetosella</i> L. 애기팽이밥 <i>KWNU99499</i>			LC	III			E,M
<i>Oxalis corniculata</i> L. 팽이밥 <i>KWNU99832</i>			LC			Arc.	E,M
<i>Oxalis obtriangulata</i> Maxim. 큰팽이밥 <i>KWNU99819</i>			LC				E
<i>Oxalis stricta</i> L. 선팽이밥 <i>KWNU100004</i>			LC				E
Geraniaceae 쥐손이풀과							
<i>Geranium koreanum</i> Kom. 둥근이질풀 <i>KWNU99653</i>			LC	II			M,P
<i>Geranium platyanthum</i> Duthie 꽃쥐손이 <i>KWNU99923</i>			LC	III			M
<i>Geranium sibiricum</i> L. 쥐손이풀 <i>KWNU99753</i>			LC				M,P
<i>Geranium thunbergii</i> Siebold ex Lindl. & Paxton 이질풀 <i>KWNU99495</i>			LC				M,P
Euphorbiaceae 대극과							
<i>Acalypha australis</i> L. 깨풀 <i>KWNU99957</i>			LC				E
<i>Euphorbia hypericifolia</i> L. 큰땅빈대 <i>KWNU99488</i>						NP	U
<i>Euphorbia sieboldiana</i> Morren & Decne. 개감수 <i>KWNU100151</i>			LC				M
<i>Euphorbia maculata</i> L. 애기땅빈대 <i>KWNU99999</i>						NP	U
<i>Phyllanthus ussuriensis</i> Rupr. & Maxim. 여우주머니 <i>KWNU100043</i>			LC				U
<i>Securinega suffruticosa</i> (Pall.) Rehder 광대싸리 <i>KWNU100044</i>			LC				M
Rutaceae 윤향과							
<i>Phellodendron amurense</i> Rupr. 황벽나무 <i>KWNU100046</i>			LC	II			M,P
Simaroubaceae 소태나무과							
<i>Picrasma quassioides</i> (D.Don) Benn. 소태나무 <i>KWNU99469</i>			LC				F,M
Anacardiaceae 옷나무과							
<i>Rhus chinensis</i> Mill. 붉나무 <i>KWNU99948</i>			LC				E,M,R
<i>Toxicodendron trichocarpum</i> (Miq.) Kuntze 개옷나무 <i>KWNU100038</i>			LC				M
Aceraceae 단풍나무과							
<i>Acer barbinerve</i> Maxim. 청시닥나무 <i>KWNU99783</i>			LC	III			M
<i>Acer komarovii</i> Pojark. 시닥나무 <i>KWNU99944</i>			LC	III			O

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Acer mandshuricum</i> Maxim. 복장나무 <i>KWNU99811</i>			LC	III	N		O
<i>Acer pictum</i> var. <i>mono</i> (Maxim.) Maxim. ex Franch. 고로쇠나무 <i>KWNU99965</i>			LC				M,O,P
<i>Acer pseudosieboldianum</i> (Pax) Kom. 당단풍나무 <i>KWNU99899</i>			LC				O
<i>Acer tataricum</i> subsp. <i>ginnala</i> (Maxim.) Wesm. 신나무 <i>KWNU99839</i>			LC				P
<i>Acer tegmentosum</i> Maxim. 산겨릅나무 <i>KWNU99492</i>			LC	IV	N		O
<i>Acer triflorum</i> Kom. 복자기 <i>KWNU100152</i>			LC	III	N		O
<i>Acer ukurunduense</i> Trautv. & C.A.Mey. 부계꽃나무 <i>KWNU99447</i>			LC	III	N		O
Balsaminaceae 봉선화과							
<i>Impatiens noli-tangere</i> L. 노랑물봉선 <i>KWNU99996</i>			LC	I			P
<i>Impatiens textorii</i> Miq. 물봉선 <i>KWNU99865</i>			LC				M
<i>Impatiens textori</i> var. <i>koreana</i> (Nakai) Nakai 흰물봉선 <i>KWNU99516</i>							U
Celastraceae 노박덩굴과							
<i>Celastrus flagellaris</i> Rupr. 푼지나무 <i>KWNU100153</i>			LC				U
<i>Celastrus orbiculatus</i> Thunb. 노박덩굴 <i>KWNU99997</i>			LC				E,O
<i>Euonymus alatus</i> f. <i>ciliato-dentatus</i> (Franch. & Sav.) Hiyama 회잎나무 <i>KWNU99597</i>							E,P
<i>Euonymus hamiltonianus</i> Wall. 참빛살나무 <i>KWNU99452</i>			LC				M,P
<i>Euonymus macropterus</i> Rupr. 나래회나무 <i>KWNU99752</i>			LC	II			P
<i>Euonymus sachalinensis</i> (F.Schmidt) Maxim. 회나무 <i>KWNU99714</i>			LC	I			U
<i>Tripterygium regelii</i> Sprague & Takeda 미역줄나무 <i>KWNU99715</i>			LC	II			U
Staphyleaceae 고추나무과							
<i>Staphylea bumalda</i> DC. 고추나무 <i>KWNU99648</i>			LC				E
Rhamnaceae 갈매나무과							
<i>Rhamnus davurica</i> Pall. 갈매나무 <i>KWNU99815</i>			LC	IV			S
<i>Rhamnus yoshinoi</i> Makino 짝자래나무 <i>KWNU99684</i>			LC				U
<i>Zizyphus jujuba</i> var. <i>inermis</i> (Bunge) Rehder 대추나무(재) <i>KWNU99956</i>							E,M
Vitaceae 포도과							
<i>Ampelopsis brevipedunculata</i> f. <i>ciliata</i> (Nakai) T.B.Lee 털개머루 <i>KWNU100073</i>							U
<i>Ampelopsis glandulosa</i> var. <i>brevipedunculata</i> (Maxim.) Momiy 개머루 <i>KWNU99455</i>			LC				U
<i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch. 담쟁이덩굴 <i>KWNU100065</i>			LC				O,P
Tiliaceae 피나무과							
<i>Corchoropsis tomentosa</i> (Thunb.) Makino 수까치깨 <i>KWNU99584</i>			LC				U
<i>Tilia amurensis</i> Rupr. 피나무 <i>KWNU99812</i>			LC	II			P,T
<i>Tilia mandshurica</i> Rupr. & Maxim. 찰피나무 <i>KWNU99976</i>			LC	II			P,T
Malvaceae 아욱과							
<i>Hibiscus syriacus</i> L. 무궁화(재) <i>KWNU99970</i>							M,O
Elaeagnaceae 보리수나무과							
<i>Elaeagnus glabra</i> Thunb. 보리장나무(재) <i>KWNU100154</i>			LC	III	S		E,P
Violaceae 제비꽃과							
<i>Viola acuminata</i> Ledeb. 줄방제비꽃 <i>KWNU99678</i>			LC				E
<i>Viola albida</i> Palib. 태백제비꽃 <i>KWNU99746</i>			LC				U
<i>Viola albida</i> var. <i>chaerophylloides</i> (Regel) F.Maek. ex H.Hara 남산제비꽃 <i>KWNU100155</i>			LC				U

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Viola albida</i> var. <i>takahashii</i> (Makino) Nakai 단풍제비꽃 <i>KWNU100156</i>							U
<i>Viola arcuata</i> Blume 콩제비꽃 <i>KWNU100031</i>							E,P
<i>Viola collina</i> Besser 둥근털제비꽃 <i>KWNU100157</i>							U
<i>Viola diamantiaca</i> Nakai 금강제비꽃 <i>KWNU99804</i>			LC	LC	III	N	U
<i>Viola keiskei</i> Miq. 잔털제비꽃 <i>KWNU99835</i>							U
<i>Viola orientalis</i> (Maxim.) W.Becker 노랑제비꽃 <i>KWNU99789</i>					LC	II	U
<i>Viola phalacrocarpa</i> Maxim. 털제비꽃 <i>KWNU100158</i>							U
<i>Viola philippica</i> Cav. 호제비꽃 <i>KWNU100159</i>							U
<i>Viola rossii</i> Hemsl. 고깔제비꽃 <i>KWNU99620</i>							M
<i>Viola selkirkii</i> Pursh ex Goldie 뫼제비꽃 <i>KWNU100160</i>							U
<i>Viola seoulensis</i> Nakai 서울제비꽃 <i>KWNU100161</i>		○					U
<i>Viola tokubuchiana</i> var. <i>takedana</i> (Makino) F.Maek. 민둥뫼제비꽃 <i>KWNU100162</i>					LC	II	U
<i>Viola variegata</i> Fisch. ex Link, 알록제비꽃 <i>KWNU100163</i>							E,O
Cucurbitaceae 박과							
<i>Schizopepon bryoniifolius</i> Maxim. 산외 <i>KWNU99466</i>					LC	IV	U
Lythraceae 부처꽃과							
<i>Lythrum salicaria</i> subsp. <i>anceps</i> (Koehne) H.Hara 부처꽃 <i>KWNU99995</i>							M,O
Onagraceae 바늘꽃과							
<i>Circaea alpina</i> L. 쥐털이슬 <i>KWNU100164</i>					LC	II	U
<i>Circaea cordata</i> Royle 쇠털이슬 <i>KWNU100165</i>					LC	I	P
<i>Circaea lutetiana</i> subsp. <i>quadrisulcata</i> (Maxim.) Asch. & Magnus 말털이슬 <i>KWNU99725</i>					LC	II	P
<i>Circaea mollis</i> Siebold & Zucc. 털이슬 <i>KWNU99548</i>					LC		P
<i>Epilobium pyrricholophum</i> Franch. & Sav. 바늘꽃 <i>KWNU99763</i>					LC		U
<i>Oenothera biennis</i> L. 달맞이꽃 <i>KWNU99729</i>						NP	O,P
Alangiaceae 박쥐나무과							
<i>Alangium platanifolium</i> var. <i>trilobum</i> (Miq.) Ohwi 박쥐나무 <i>KWNU99595</i>					LC		E,P
Cornaceae 층층나무과							
<i>Cornus controversa</i> Hemsl. 층층나무 <i>KWNU99849</i>					LC		U
<i>Cornus officinalis</i> Siebold & Zucc. 산수유(재) <i>KWNU100166</i>							M,O
Araliaceae 두릅나무과							
<i>Aralia cordata</i> var. <i>continentalis</i> (Kitag.) Y.C.Chu 독활 <i>KWNU99623</i>					LC		E,M
<i>Aralia elata</i> (Miq.) Seem. 두릅나무 <i>KWNU100003</i>					LC		E,M
<i>Eleutherococcus senticosus</i> (Rupr. & Maxim.) Maxim. 가시오갈피(재) <i>KWNU100167</i>		VU	EN	V			M
<i>Eleutherococcus sessiliflorus</i> (Rupr. & Maxim.) S.Y.Hu 오갈피나무 <i>KWNU99796</i>			LC	I			E,M
<i>Kalopanax septemlobus</i> (Thunb.) Koidz. 음나무 <i>KWNU99787</i>			LC				E,P
Apiaceae 산형과							
<i>Angelica acutiloba</i> (Siebold & Zucc.) Kitag. 왜당귀(재) <i>KWNU100168</i>							U
<i>Angelica anomala</i> Avé-Lall. 개구릿대 <i>KWNU99742</i>			LC	I			U
<i>Angelica cartilaginomarginata</i> (Makino ex Y.Yabe) Nakai 처녀바디 <i>KWNU99633</i>			LC				U
<i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. & Hook.f. ex Franch. & Sav. 구릿대 <i>KWNU99759</i>			LC				E,P

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Angelica decursiva</i> (Miq.) Franch. & Sav. 바디나물 <i>KWNU100169</i>			LC				E,M
<i>Angelica gigas</i> Nakai 참당귀 <i>KWNU99571</i>			LC	III			E,M
<i>Angelica polymorpha</i> Maxim. 궁궁이 <i>KWNU99480</i>			LC				E,M
<i>Angelica tenuissima</i> Nakai 고본 <i>KWNU100170</i>			LC	II			M
<i>Anthriscus sylvestris</i> (L.) Hoffm. 전호 <i>KWNU99422</i>			LC				M,P
<i>Bupleurum longiradiatum</i> Turcz. 개시호 <i>KWNU99887</i>			LC	II			E,M
<i>Cryptotaenia japonica</i> Hassk. 파드득나물 <i>KWNU99974</i>			LC				E
<i>Cymopterus melanotilingia</i> (H.Boissieu) C.Y.Yoon 큰참나물 <i>KWNU99814</i>			LC	II			E
<i>Heraclium moellendorffii</i> Hance 어수리 <i>KWNU99635</i>			LC				E,P
<i>Ostericum grosseserratum</i> (Maxim.) Kitag. 신감채 <i>KWNU99574</i>			LC				P
<i>Ostericum sieboldii</i> (Miq.) Nakai 뿔미나리 <i>KWNU100171</i>			LC				E
<i>Peucedanum terebinthaceum</i> (Fisch. ex Trevir.) Fisch. ex Turcz. 기름나물 <i>KWNU100172</i>			LC				E
<i>Pimpinella brachycarpa</i> (Kom.) Nakai 참나물 <i>KWNU99735</i>			LC				E,P
<i>Pleurospermum uralense</i> Hoffm. 왜우산풀 <i>KWNU99434</i>			LC				U
<i>Sanicula chinensis</i> Bunge 참반디 <i>KWNU99947</i>			LC				E,M,P
Ericaceae 진달래과							
<i>Chimaphila japonica</i> Miq. 매화노루발 <i>KWNU100173</i>			LC				U
<i>Pyrola japonica</i> Klenze ex Alef. 노루발 <i>KWNU99634</i>			LC				M
<i>Rhododendron mucronulatum</i> Turcz. 진달래 <i>KWNU100174</i>			LC				E,O
<i>Rhododendron mucronulatum</i> var. <i>ciliatum</i> Nakai 털진달래 <i>KWNU99931</i>							O
<i>Rhododendron schlippenbachii</i> Maxim. 철쭉 <i>KWNU99709</i>			LC				O
<i>Vaccinium hirtum</i> var. <i>koreanum</i> (Nakai) Kitam. 산앵도나무 <i>KWNU99702</i>			LC	III			E
Primulaceae 앵초과							
<i>Lysimachia clethroides</i> Duby 큰까치수염 <i>KWNU99672</i>			LC				E,P
<i>Lysimachia coreana</i> Nakai 참좁쌀풀 <i>KWNU99525</i>	○	LC	LC	IV			U
<i>Lysimachia vulgaris</i> var. <i>davurica</i> (Ledeb.) R.Knuth 좁쌀풀 <i>KWNU99953</i>			LC	III			U
<i>Primula jesoana</i> Miq. 큰앵초 <i>KWNU100175</i>			LC	II			E,O
Styracaceae 매죽나무과							
<i>Styrax obassis</i> Siebold & Zucc. 쪽동백나무 <i>KWNU100176</i>			LC				O,P
Symplocaceae 노린재나무과							
<i>Symplocos sawafutagi</i> Nagam. 노린재나무 <i>KWNU99919</i>			LC				P
Oleaceae 물푸레나무과							
<i>Forsythia koreana</i> (Rehder) Nakai 개나리(재) <i>KWNU100177</i>	○		LC				M,O
<i>Fraxinus mandshurica</i> Rupr. 들메나무 <i>KWNU100178</i>			LC	I			P,T
<i>Fraxinus rhynchophylla</i> Hance 물푸레나무 <i>KWNU99950</i>			LC				M,P
<i>Syringa reticulata</i> (Blume) H.Hara 개회나무 <i>KWNU100179</i>		LC	LC	III			U
<i>Syringa villosa</i> subsp. <i>wolfii</i> (C.K.Schneid.) Y.Chen & D.Y.Hong 꽃개회나무 <i>KWNU99756</i>			LC	IV			U
Gentianaceae 용담과							
<i>Gentiana squarrosa</i> Ledeb. 구슬봉이 <i>KWNU100180</i>			LC				U
<i>Gentiana triflora</i> var. <i>japonica</i> (Kusn.) H.Hara 과남풀 <i>KWNU99640</i>			LC		N		U

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Gentiana zollingeri</i> Fawc. 큰구슬봉이 <i>KWNU100181</i>			LC				U
<i>Halenia coreana</i> S.M.Han, H.Won & C.E.Lim 참달꽃 <i>KWNU99772</i>		VU	EN				U
Apocynaceae 협죽도과							
<i>Cynanchum ascyrifolium</i> (Franch. & Sav.) Matsum. 민백미꽃 <i>KWNU99820</i>			LC	I			M
<i>Metaplexis japonica</i> (Thunb.) Makino 박주가리 <i>KWNU100017</i>			LC				E,M,P
Rubiaceae 꼭두서니과							
<i>Galium bungei</i> var. <i>trachyspermum</i> (A.Gray) Cufod. 네잎갈퀴 <i>KWNU99558</i>			LC				U
<i>Galium dahuricum</i> Turcz. ex Ledeb. 큰잎갈퀴 <i>KWNU99426</i>			LC				U
<i>Galium odoratum</i> (L.) Scop. 선갈퀴 <i>KWNU99677</i>			LC	III			U
<i>Galium paradoxum</i> Maxim. 두메갈퀴 <i>KWNU99794</i>			LC	II			U
<i>Galium trifloriforme</i> Kom. 개선갈퀴 <i>KWNU99533</i>			DD				U
<i>Rubia argyi</i> (H.Lév. & Vaniot) H.Hara ex Lauener 꼭두서니 <i>KWNU99479</i>			LC				M,P
<i>Rubia chinensis</i> Regel & Maack 큰꼭두서니 <i>KWNU99761</i>			LC	II			M
<i>Rubia cordifolia</i> L. 갈퀴꼭두서니 <i>KWNU99785</i>			LC				E,M,P
Convolvulaceae 메꽃과							
<i>Calystegia pubescens</i> Lindl. 메꽃 <i>KWNU99977</i>			LC				E,P
<i>Cuscuta australis</i> R.Br. 실새삼 <i>KWNU100182</i>			LC				U
<i>Cuscuta japonica</i> Choisy 새삼 <i>KWNU99718</i>			LC				M
Boraginaceae 지치과							
<i>Brachybotrys paridiformis</i> Maxim. ex Oliv. 당개지치 <i>KWNU99813</i>			LC	III	N		U
<i>Symphytum officinale</i> L. 컴프리(재) <i>KWNU100183</i>						NP	U
<i>Trigonotis peduncularis</i> (Trevis.) Benth. ex Baker & S.Moore 꽃마리 <i>KWNU100184</i>			LC				E
<i>Trigonotis radicans</i> var. <i>sericea</i> (Maxim.) H.Hara 참꽃마리 <i>KWNU100185</i>			LC				E
Verbenaceae 마편초과							
<i>Callicarpa japonica</i> Thunb. 작살나무 <i>KWNU99662</i>			LC				O
Lamiaceae 꿀풀과							
<i>Agastache rugosa</i> (Fisch. & C.A.Mey.) Kuntze 배초향 <i>KWNU99872</i>			LC				E
<i>Clinopodium chinense</i> var. <i>parviflorum</i> (Kudô) H.Hara 층층이꽃 <i>KWNU99917</i>			LC				E
<i>Clinopodium chinense</i> var. <i>shibetchense</i> (H.Lév.) Koidz. 산층층이 <i>KWNU99694</i>			LC				E
<i>Clinopodium micranthum</i> (Regel) H.Hara 두메층층이 <i>KWNU99618</i>			LC				U
<i>Clinopodium multicaule</i> (Maxim.) Kuntze 탐꽃 <i>KWNU99935</i>			LC				U
<i>Elsholtzia ciliata</i> (Thunb.) Hyl. 향유 <i>KWNU99689</i>			LC				M
<i>Elsholtzia splendens</i> Nakai ex Maekawa 꽃향유 <i>KWNU99591</i>			LC				M
<i>Isodon excisus</i> (Maxim.) Kudô 오리방풀 <i>KWNU99639</i>			LC				E
<i>Isodon inflexus</i> (Thunb.) Kudô 산박하 <i>KWNU99494</i>			LC				E
<i>Isodon japonicus</i> (Burm.f.) H.Hara 방아풀 <i>KWNU99585</i>			LC				E
<i>Lamium album</i> subsp. <i>barbatum</i> (Siebold & Zucc.) Mennema 광대수염 <i>KWNU99926</i>			LC				E,P
<i>Leonurus japonicus</i> Houtt. 익모초 <i>KWNU100056</i>			LC				M
<i>Lycopus lucidus</i> Turcz. ex Benth. 썩싸리 <i>KWNU99864</i>			LC				M
<i>Meehania urticifolia</i> (Miq.) Makino 별깨덩굴 <i>KWNU100186</i>			LC				E,P
<i>Mosla scabra</i> (Thunb.) C.Y.Wu & H.W.Li 들깨풀 <i>KWNU99671</i>			LC				M

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Phlomis umbrosa</i> Turcz. 속단 <i>KWNU99877</i>			LC				E,M
<i>Prunella vulgaris</i> subsp. <i>asiatica</i> (Nakai) H.Hara 꿀풀 <i>KWNU99456</i>			LC				E,M
<i>Scutellaria pekinensis</i> var. <i>transitra</i> (Makino) H.Hara 산골무꽃 <i>KWNU99920</i>			LC				U
<i>Stachys riederi</i> var. <i>japonica</i> (Miq.) H.Hara 석잠풀 <i>KWNU99708</i>			LC				P
<i>Teucrium viscidum</i> var. <i>miquelianum</i> (Maxim.) H.Hara 덩굴곽향 <i>KWNU100187</i>			LC				U
Solanaceae 가지과							
<i>Solanum nigrum</i> L. 까마중 <i>KWNU99531</i>						Arc.	E,M,P
Scrophulariaceae 현삼과							
<i>Mazus pumilus</i> (Burm.f.) Steenis 주름잎 <i>KWNU99522</i>			LC				E
<i>Melampyrum roseum</i> Maxim. 꽃머느리밥풀 <i>KWNU99676</i>			LC				U
<i>Pedicularis resupinata</i> L. 송이풀 <i>KWNU99646</i>			LC				E,M,P
<i>Phtheirospermum japonicum</i> (Thunb.) Kanitz 나도송이풀 <i>KWNU99527</i>			LC				U
<i>Pseudolysimachion rotundum</i> var. <i>subintegrum</i> (Nakai) T.Yamaz. 산꼬리풀 <i>KWNU99916</i>			LC				U
<i>Scrophularia kakudensis</i> Franch. 큰개현삼 <i>KWNU99685</i>			LC	II			M
<i>Verbascum thapsus</i> L. 우단담배풀 <i>KWNU99514</i>						NP	U
<i>Veronicastrum sibiricum</i> (L.) Pennell 냉초 <i>KWNU100188</i>			LC	II	N		E,M,P
Phrymaceae 파리풀과							
<i>Phryma leptostachya</i> var. <i>oblongifolia</i> (Koidz.) Honda 파리풀 <i>KWNU99680</i>			LC				M
Plantaginaceae 질경이과							
<i>Plantago asiatica</i> L. 질경이 <i>KWNU99880</i>			LC				E,M,P
Caprifoliaceae 인동과							
<i>Lonicera chrysantha</i> Turcz. ex Ledeb. 각시괴불나무 <i>KWNU99889</i>			LC	IV	N		E
<i>Lonicera maackii</i> (Rupr.) Maxim. 괴불나무 <i>KWNU100189</i>			LC	I			E
<i>Lonicera praeflorens</i> Batalin 울괴불나무 <i>KWNU99750</i>			LC				U
<i>Lonicera subsessilis</i> Rehder 청괴불나무 <i>KWNU99734</i>	○		LC	II			P
<i>Lonicera vesicaria</i> Kom. 구슬덩덩이 <i>KWNU99664</i>			LC	III	N		U
<i>Lonicera vidalii</i> Franch. & Sav. 왕괴불나무 <i>KWNU100190</i>			LC	II			U
<i>Sambucus williamsii</i> Hance 딱총나무 <i>KWNU99922</i>							E,M,P
<i>Viburnum carlesii</i> Hemsl. 분꽃나무 <i>KWNU100191</i>			LC				U
<i>Viburnum dilatatum</i> Thunb. 가막살나무 <i>KWNU99679</i>			LC				E
<i>Viburnum opulus</i> var. <i>calvescens</i> (Rehder) H.Hara 백당나무 <i>KWNU99886</i>			LC	I			O
<i>Weigela florida</i> (Bunge) A.DC. 붉은병꽃나무 <i>KWNU99758</i>			LC	II			O,P
<i>Weigela subsessilis</i> (Nakai) L.H.Bailey 병꽃나무 <i>KWNU99555</i>	○		LC				O,P
Adoxaceae 연복초과							
<i>Adoxa moschatellina</i> L. 연복초 <i>KWNU100192</i>			LC	I			U
Valerianaceae 마타리과							
<i>Patrinia scabiosifolia</i> Fisch. ex Trevir. 마타리 <i>KWNU99985</i>			LC				E,M,P
<i>Patrinia villosa</i> (Thunb.) Juss. 독갈 <i>KWNU99972</i>			LC				E
<i>Valeriana fauriei</i> Briq. 쥐오줌풀 <i>KWNU100193</i>			LC				E
Campanulaceae 초롱꽃과							
<i>Adenophora divaricata</i> Franch. & Sav. 넓은잔대 <i>KWNU99900</i>			LC				E

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Adenophora remotiflora</i> (Siebold & Zucc.) Miq. 모시대 <i>KWNU99738</i>			LC				E,M
<i>Asyneuma japonicum</i> (Miq.) Briq. 영아자 <i>KWNU99770</i>			LC				E
<i>Campanula punctata</i> Lam. 초롱꽃 <i>KWNU99439</i>			LC	I			O
<i>Codonopsis lanceolata</i> (Siebold & Zucc.) Benth. & Hook.f. ex Trautv. 터덕 <i>KWNU100194</i>			LC				E,M,P
<i>Codonopsis pilosula</i> (Franch.) Nannf. 만삼 <i>KWNU100195</i>			NT	III	N		E,M
<i>Platycodon grandiflorus</i> (Jacq.) A.DC. 도라지 <i>KWNU99988</i>			LC				E,M,O
Asteraceae 국화과							
<i>Achillea alpina</i> L. 톱풀 <i>KWNU100196</i>			LC	II			E,M
<i>Adenocaulon himalaicum</i> Edgew. 멸가치 <i>KWNU99563</i>			LC				E
<i>Ainsliaea acerifolia</i> Sch.Bip. 단풍취 <i>KWNU99831</i>			LC				E
<i>Arctium lappa</i> L. 우엉(재) <i>KWNU100197</i>							E
<i>Artemisia capillaris</i> Thunb. 사철쭉 <i>KWNU99576</i>			LC				E,P
<i>Artemisia indica</i> Willd. 쭉 <i>KWNU100198</i>			LC				U
<i>Artemisia japonica</i> Thunb. 제비쭉 <i>KWNU100019</i>			LC				E,P
<i>Artemisia keiskeana</i> Miq. 맑은대쭉 <i>KWNU99667</i>			LC				E,M,P
<i>Artemisia lancea</i> Vaniot 뺨쭉 <i>KWNU100037</i>			LC				P
<i>Artemisia sacrorum</i> var. <i>iwayomogi</i> (Kitam.) M.S.Park & G.Y.Chung 더위지기 <i>KWNU99636</i>			LC				M,P
<i>Artemisia stolonifera</i> (Maxim.) Kom. 넓은잎외잎쭉 <i>KWNU99649</i>			LC				E,P
<i>Aster ageratoides</i> Turcz. 까실쭉부쟁이 <i>KWNU99467</i>			LC				U
<i>Aster koraiensis</i> Nakai 벌개미취(재) <i>KWNU99572</i>	○		LC				E
<i>Aster meendorffii</i> (Regel & Maack) Voss 개쭉부쟁이 <i>KWNU99567</i>			LC				U
<i>Aster pekinensis</i> (Hance) F.H.Chen 가는쭉부쟁이 <i>KWNU99904</i>							E
<i>Aster scaber</i> Thunb. 참취 <i>KWNU99838</i>			LC				E,P
<i>Aster tataricus</i> L.f. 개미취 <i>KWNU99986</i>			LC				E,M,P
<i>Atractylodes ovata</i> (Thunb.) DC. 삼주 <i>KWNU100199</i>			LC				E,M,P
<i>Bidens bipinnata</i> L. 도깨비바늘 <i>KWNU99515</i>			LC				E,M,P
<i>Bidens frondosa</i> L. 미국가막사리 <i>KWNU99465</i>						NP	P
<i>Bidens tripartita</i> L. 가막사리 <i>KWNU99543</i>			LC				E,M
<i>Carduus crispus</i> L. 지느러미영경귀 <i>KWNU99946</i>						NP	E,M
<i>Carpesium macrocephalum</i> Franch. & Sav. 여우오줌 <i>KWNU99795</i>			LC	I	N		M
<i>Carpesium triste</i> Maxim. 두메담배풀 <i>KWNU99695</i>			LC				U
<i>Centipeda minima</i> (L.) A.Braun & Asch. 중대가리풀 <i>KWNU100068</i>			LC				P
<i>Chrysanthemum boreale</i> (Makino) Makino 산국 <i>KWNU99547</i>			LC				M,P
<i>Chrysanthemum zawadskii</i> Herbich 산구절초 <i>KWNU100200</i>			LC				M,P
<i>Cirsium japonicum</i> var. <i>maackii</i> (Maxim.) Matsum. 영경귀 <i>KWNU100201</i>			LC				E,M,P
<i>Cirsium pendulum</i> Fisch. ex DC. 큰영경귀 <i>KWNU99497</i>			LC	I	N		E
<i>Cirsium setidens</i> (Dunn) Nakai 고려영경귀 <i>KWNU99760</i>	○		LC	I			E
<i>Coryza canadensis</i> (L.) Cronquist 망초 <i>KWNU99615</i>						NP	E
<i>Coreopsis lanceolata</i> L. 큰금계국(재) <i>KWNU100202</i>						NP	O

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Crepidiastrum chelidoniifolium</i> (Makino) J.H.Pak & Kawano 까치고들빼기 <i>KWNU99560</i>			LC				E
<i>Crepidiastrum denticulatum</i> (Houtt.) J.H.Pak & Kawano 이고들빼기 <i>KWNU99546</i>			LC				E,P
<i>Crepidiastrum sonchifolium</i> (Maxim.) J.H.Pak & Kawano 고들빼기 <i>KWNU99511</i>			LC				E,P
<i>Crepis tectorum</i> L. 나도민들레 <i>KWNU100203</i>						NP	U
<i>Echinops setifer</i> Iljin 절굿대 <i>KWNU100204</i>			LC				M
<i>Erigeron annuus</i> (L.) Pers. 개망초 <i>KWNU99878</i>						NP	E
<i>Eupatorium japonicum</i> Thunb. 등골나물 <i>KWNU99924</i>			LC				E,P
<i>Galinsoga quadriradiata</i> Ruiz & Pav. 털별꽃아재비 <i>KWNU99981</i>						NP	U
<i>Hemistepta lyrata</i> (Bunge) Bunge 지칭개 <i>KWNU100205</i>			LC				E,P
<i>Hieracium umbellatum</i> L. 조밥나물 <i>KWNU99542</i>			LC				E,P
<i>Ixeris polycephala</i> Cass. 벌썸바귀 <i>KWNU100206</i>			LC				E,P
<i>Ixeris stolonifera</i> A.Gray 썸썸바귀 <i>KWNU100207</i>			LC				P
<i>Lactuca indica</i> L. 왕고들빼기 <i>KWNU99561</i>			LC				E,M,P
<i>Lactuca indica</i> var. <i>laciniata</i> f. <i>indivisa</i> (Maxim.) H.Hara 가는잎왕고들빼기 <i>KWNU99594</i>							E,P
<i>Lactuca raddeana</i> Maxim. 산썸바귀 <i>KWNU100208</i>			LC				E,P
<i>Lactuca triangulata</i> Maxim. 두메고들빼기 <i>KWNU99774</i>			LC				P
<i>Leibnitzia anandria</i> (L.) Turcz. 솜나물 <i>KWNU100209</i>			LC				E,P
<i>Leucanthemum vulgare</i> Lam. 불란서국화(재) <i>KWNU100210</i>						NP	O
<i>Ligularia fischeri</i> (Ledeb.) Turcz. 곰취 <i>KWNU99744</i>			LC	II			E
<i>Parasenecio auriculatus</i> (DC.) J.R.Grant 귀박취나물 <i>KWNU100211</i>			LC	IV			E,P
<i>Parasenecio auriculatus</i> var. <i>matsumurana</i> (Nakai) M.Kim 박취나물 <i>KWNU99810</i>							E
<i>Parasenecio firmus</i> (Kom.) Y.L.Chen 병풍쌈 <i>KWNU100212</i>			LC	IV	N		E
<i>Picris hieracioides</i> subsp. <i>japonica</i> (Thunb.) Hand.-Mazz. 쇠서나물 <i>KWNU99593</i>			LC				E,P
<i>Rudbeckia bicolor</i> Nutt. 원추천인국(재) <i>KWNU100213</i>						NP	O
<i>Saussurea calcicola</i> Nakai 사창분취 <i>KWNU99717</i>	○		NT	IV			P
<i>Saussurea gracilis</i> Maxim. 은분취 <i>KWNU99837</i>			LC				P
<i>Saussurea grandifolia</i> Maxim. 서덜취 <i>KWNU99768</i>			LC				E,P
<i>Saussurea pulchella</i> (Fisch.) Fisch. ex Colla 각시취 <i>KWNU99486</i>			LC				E
<i>Saussurea seoulensis</i> Nakai 분취 <i>KWNU99609</i>	○		LC				E,P
<i>Saussurea tanakae</i> Franch. & Sav. ex Maxim. 당분취 <i>KWNU99786</i>			LC				P
<i>Senecio vulgaris</i> L. 개썩갓 <i>KWNU100214</i>						NP	U
<i>Serratula coronata</i> subsp. <i>insularis</i> (Iljin) Kitam. 산비장이 <i>KWNU99485</i>			LC				E
<i>Sigesbeckia glabrescens</i> (Makino) Makino 진득찰 <i>KWNU99578</i>			LC				M,P
<i>Sigesbeckia orientalis</i> subsp. <i>pubescens</i> (Makino) H.Koyama 털진득찰 <i>KWNU99534</i>			LC				M,P
<i>Solidago gigantea</i> Aiton 미국미역취 <i>KWNU100215</i>						NP	U
<i>Solidago virgaurea</i> subsp. <i>asiatica</i> Kitam. ex H.Hara 미역취 <i>KWNU99637</i>			LC				E,M
<i>Symphyotrichum pilosum</i> (Willd.) G.L.Nesom 미국썩부쟁이 <i>KWNU99617</i>						NP	U
<i>Syneilesis palmata</i> (Thunb.) Maxim. 우산나물 <i>KWNU100216</i>			LC				E,P
<i>Synurus deltooides</i> (Aiton) Nakai 수리취 <i>KWNU99692</i>			LC				E,P
<i>Taraxacum coreanum</i> Nakai 흰민들레 <i>KWNU100217</i>			LC				E,M
<i>Taraxacum mongolicum</i> Hand.-Mazz. 털민들레 <i>KWNU100218</i>			LC				E

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Taraxacum officinale</i> F.H.Wigg. 서양민들레 <i>KWNU99998</i>						NP	E
<i>Tephrosieris kirilowii</i> (Turcz. ex DC.) Holub 솜방망이 <i>KWNU100219</i>			LC				E
<i>Verbesina alternifolia</i> (L.) Britton ex Kearney 나래가막사리 <i>KWNU100220</i>						NP	U
<i>Youngia japonica</i> (L.) DC. 뽕리뱅이 <i>KWNU100221</i>			LC	III			E
Liliaceae 백합과							
<i>Allium monanthum</i> Maxim. 달래 <i>KWNU100222</i>			LC				E
<i>Allium thunbergii</i> G.Don 산부추 <i>KWNU99687</i>			LC				E
<i>Asparagus oligoclonos</i> Maxim. 방울비짜루 <i>KWNU99803</i>			LC	I			E
<i>Barnardia japonica</i> (Thunb.) Schult.f. 무릇 <i>KWNU100020</i>			LC				E
<i>Clintonia udensis</i> Trautv. & C.A.Mey. 나도옥잠화 <i>KWNU99773</i>			LC	III			E
<i>Convallaria keiskei</i> Miq. 은방울꽃 <i>KWNU100223</i>			LC				M
<i>Disporum smilacinum</i> A.Gray 애기나리 <i>KWNU99741</i>			LC				E,P
<i>Disporum uniflorum</i> Baker 윤판나물 <i>KWNU100224</i>			LC				E,P
<i>Erythronium japonicum</i> Decne. 얼레지 <i>KWNU100225</i>			LC				E,M
<i>Heloniopsis koreana</i> Fuse, N.S.Lee & M.N.Tamura 처녀치마 <i>KWNU100226</i>	○		LC	II			U
<i>Hemerocallis hakuunensis</i> Nakai 백운산원추리 <i>KWNU99858</i>	○		LC				E,M,O,P
<i>Hosta capitata</i> (Koidz.) Nakai 일월비비추 <i>KWNU99829</i>			LC	I			E,P
<i>Lilium distichum</i> Nakai ex Kamib. 말나리 <i>KWNU99791</i>		LC	LC	III			E
<i>Lilium lancifolium</i> Thunb. 참나리 <i>KWNU100227</i>			LC				E,M
<i>Lilium tsingtauense</i> Gilg 하늘말나리 <i>KWNU99833</i>			LC				E,M,O,P
<i>Maianthemum bifolium</i> (L.) F.W.Schmidt 두루미꽃 <i>KWNU99807</i>			LC	II			U
<i>Maianthemum japonicum</i> (A.Gray) LaFrankie 풀솜대 <i>KWNU99777</i>			LC				E
<i>Paris verticillata</i> M.Bieb. 샷갓나물 <i>KWNU99846</i>			LC				E
<i>Polygonatum inflatum</i> Kom. 통등굴레 <i>KWNU99827</i>			LC				E,P
<i>Polygonatum involucratum</i> (Franch. & Sav.) Maxim. 용등굴레 <i>KWNU99535</i>			LC				E,P
<i>Polygonatum lasianthum</i> Maxim. 죽대 <i>KWNU100228</i>			LC				M
<i>Polygonatum odoratum</i> var. <i>pluriflorum</i> (Miq.) Ohwi 등굴레 <i>KWNU99700</i>			LC				E,P
<i>Smilax nipponica</i> Miq. 선밀나물 <i>KWNU99927</i>			LC				E,P
<i>Smilax riparia</i> A.DC. 밀나물 <i>KWNU99925</i>			LC				E,P
<i>Smilax sieboldii</i> Miq. 청가시덩굴 <i>KWNU99616</i>			LC				E,P
<i>Streptopus ovalis</i> (Ohwi) F.T.Wang & Y.C.Tang 금강애기나리 <i>KWNU100229</i>			LC	II			U
<i>Tricyrtis macropoda</i> Miq. 뼈꼭나리 <i>KWNU99604</i>		LC	LC	I			E
<i>Trillium camschatcense</i> Ker Gawl. 연영초 <i>KWNU99450</i>		LC	LC	IV	N		M
<i>Veratrum maackii</i> var. <i>japonicum</i> (Baker) Shimizu 여로 <i>KWNU100230</i>			LC	III			M
<i>Veratrum maackii</i> var. <i>parviflorum</i> (Maxim. ex Miq.) H.Hara 파란여로 <i>KWNU99938</i>			LC	IV			M
<i>Veratrum nigrum</i> var. <i>ussuriense</i> O.Loes. 참여로 <i>KWNU99854</i>			DD	III			M
<i>Veratrum oxysepalum</i> Turcz. 박새 <i>KWNU99454</i>			LC	I			M
Dioscoreaceae 마과							
<i>Dioscorea nipponica</i> Makino 부채마 <i>KWNU100231</i>			LC				E,P
<i>Dioscorea polystachya</i> Turcz. 마 <i>KWNU100232</i>			LC				E,M,P
<i>Dioscorea tokoro</i> Makino ex Miyabe 도꼬로마 <i>KWNU99568</i>			LC				E,M

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
Iridaceae 붓꽃과							
<i>Iris odaesanensis</i> Y.N.Lee 노랑무늬붓꽃 <i>KWNU100233</i>	○	LC	NT	IV	N		U
<i>Iris sanguinea</i> Donn ex Hornem. 붓꽃 <i>KWNU100234</i>			LC				M,O,P
Juncaceae 골풀과							
<i>Juncus decipiens</i> (Buchenau) Nakai 골풀 <i>KWNU99498</i>			LC				M,P
<i>Juncus tenuis</i> Willd. 길골풀 <i>KWNU99435</i>			LC				U
Commelinaceae 닭의장풀과							
<i>Commelina communis</i> L. 닭의장풀 <i>KWNU99743</i>			LC				E,M,P
<i>Commelina communis</i> var. <i>angustifolia</i> Nakai 좁닭의장풀 <i>KWNU100235</i>							E,M,P
<i>Streptolirion volubile</i> Edgew. 덩굴닭의장풀 <i>KWNU99474</i>			LC				E
Poaceae 벼과							
<i>Achnatherum pekinense</i> (Hance) Ohwi 나래새 <i>KWNU99652</i>			LC				P
<i>Agrostis clavata</i> var. <i>nukabo</i> Ohwi 겨이삭 <i>KWNU100236</i>							P
<i>Alopecurus aequalis</i> Sobol. 독새풀 <i>KWNU100237</i>			LC				P
<i>Arundinella hirta</i> (Thunb.) Tanaka 털새 <i>KWNU99626</i>							U
<i>Arundinella hirta</i> var. <i>ciliata</i> (Thunb.) Koidz. 새 <i>KWNU100238</i>			LC				P
<i>Calamagrostis arundinacea</i> (L.) Roth 실새풀 <i>KWNU99710</i>			LC				P
<i>Dactylis glomerata</i> L. 오리새 <i>KWNU99552</i>						NP	P
<i>Diarrhena fauriei</i> (Hack.) Ohwi 광릉용수염 <i>KWNU100239</i>			LC				P
<i>Diarrhena mandshurica</i> Maxim. 곱질용수염 <i>KWNU99444</i>			LC				P
<i>Digitaria ciliaris</i> (Retz.) Koeler 바랭이 <i>KWNU99945</i>			LC				P
<i>Echinochloa crus-galli</i> (L.) P.Beauv. 돌피 <i>KWNU100002</i>			LC				E,P
<i>Elymus tsukushiensis</i> var. <i>transiens</i> (Hack.) K.Osada 개밀 <i>KWNU100071</i>			LC				P
<i>Eragrostis ferruginea</i> (Thunb.) P.Beauv. 그렁 <i>KWNU99622</i>			LC				P
<i>Eragrostis multicaulis</i> Steud. 비노리 <i>KWNU100240</i>			LC				P
<i>Festuca arundinacea</i> Schreb. 큰김의털 <i>KWNU99460</i>			LC			NP	U
<i>Festuca ovina</i> L. 김의털 <i>KWNU100057</i>			LC				P
<i>Hierochloa odorata</i> (L.) P.Beauv. 향모 <i>KWNU100241</i>			LC				U
<i>Melica nutans</i> L. 왕쌀새 <i>KWNU100242</i>			LC	II			P
<i>Microstegium vimineum</i> (Trin.) A.Camus 나도바랭이새 <i>KWNU99565</i>			LC				P
<i>Milium effusum</i> L. 나도겨이삭 <i>KWNU99449</i>			LC				P
<i>Miscanthus sinensis</i> Andersson 참억새 <i>KWNU100243</i>			LC				M,S
<i>Miscanthus sinensis</i> var. <i>purpurascens</i> (Andersson) Matsum. 억새 <i>KWNU99596</i>			LC				P
<i>Muhlenbergia huegelii</i> Trin. 큰쥐꼬리새 <i>KWNU99500</i>			LC				P
<i>Muhlenbergia japonica</i> Steud. 쥐꼬리새 <i>KWNU99550</i>			LC				P
<i>Oplismenus undulatifolius</i> (Ard.) P.Beauv. 주름조개풀 <i>KWNU99539</i>			LC				P
<i>Panicum bisulcatum</i> Thunb. 개기장 <i>KWNU100244</i>			LC				E,P
<i>Panicum dichotomiflorum</i> Michx. 미국개기장 <i>KWNU99529</i>						NP	P
<i>Phleum pratense</i> L. 큰조아재비 <i>KWNU99425</i>						NP	P
<i>Phragmites japonicus</i> Steud. 달뿌리풀 <i>KWNU99489</i>			LC				M,P
<i>Poa acroleuca</i> Steud. 실포아풀 <i>KWNU99436</i>			LC				P

Appendix 1. Continued

Scientific name / Korean name / Voucher number	En ^z	Rd ^y	Rd ^x	Fl ^w	C ^v	A ^u	Use ^t
<i>Poa annua</i> L. 새포아풀 <i>KWNU99881</i>			LC				P
<i>Poa matsumurae</i> Hack. 가는포아풀 <i>KWNU99891</i>			LC	II			P
<i>Poa sphondylodes</i> Trin. 포아풀 <i>KWNU99855</i>			LC				P
<i>Sasa borealis</i> (Hack.) Makino & Shibata 조릿대 <i>KWNU99755</i>			LC				E,M,P
<i>Setaria pumila</i> (Poir.) Roem. & Schult. 금강아지풀 <i>KWNU99502</i>			LC				P
<i>Setaria viridis</i> (L.) P.Beauv. 강아지풀 <i>KWNU99966</i>			LC				P
<i>Setaria viridis</i> subsp. <i>pycnocoma</i> (Steud.) Tzvelev 수강아지풀 <i>KWNU99797</i>			LC				P
<i>Spodiopogon sibiricus</i> Trin. 큰기름새 <i>KWNU100062</i>			LC				P
Araceae 천남성과							
<i>Arisaema amurense</i> f. <i>serratum</i> (Nakai) Kitag. 천남성 <i>KWNU100077</i>							M,P
<i>Arisaema serratum</i> (Thunb.) Schott 점박이천남성 <i>KWNU99505</i>			LC				M,P
Cyperaceae 사초과							
<i>Bulbostylis densa</i> (Wall.) Hand.-Mazz. 꽃하늘지기 <i>KWNU99509</i>			LC				U
<i>Carex bostrychostigma</i> Maxim 길뚝사초 <i>KWNU100245</i>			LC				P
<i>Carex breviculmis</i> R.Br. 청사초 <i>KWNU100246</i>			LC				P
<i>Carex brevispicula</i> G.H.Nam & G.Y.Chung 좁목포사초 <i>KWNU100247</i>			LC				U
<i>Carex filipes</i> Franch. & Sav. 낚시사초 <i>KWNU100248</i>			DD	III			P
<i>Carex forficula</i> Franch. & Sav. 산뚝사초 <i>KWNU100249</i>			LC				P
<i>Carex jaluensis</i> Kom. 참삿갓사초 <i>KWNU99461</i>			LC	II			P
<i>Carex japonica</i> Thunb. 개찌버리사초 <i>KWNU100250</i>			LC				P
<i>Carex laevissima</i> Nakai 애괭이사초 <i>KWNU99440</i>			LC				P
<i>Carex lanceolata</i> Boott 그늘사초 <i>KWNU99638</i>			LC				P
<i>Carex lasiolepis</i> Franch. 난사초 <i>KWNU100251</i>			LC	III			U
<i>Carex leiorhyncha</i> C.A.Mey. 산괭이사초 <i>KWNU100252</i>			LC				P
<i>Carex neurocarpa</i> Maxim. 괭이사초 <i>KWNU100253</i>			LC				P
<i>Carex okamotoi</i> Ohwi 지리대사초 <i>KWNU99805</i>		○	LC	I			P
<i>Carex onoei</i> Franch. & Sav. 바늘사초 <i>KWNU100254</i>			LC	II			P
<i>Carex planiculmis</i> Kom. 그늘흰사초 <i>KWNU99893</i>			LC	II			P
<i>Carex polyschoena</i> H.Lév. & Vaniot 가지청사초 <i>KWNU100255</i>			LC				P
<i>Carex remotiuscula</i> Wahlenb. 층실사초 <i>KWNU99429</i>			LC	IV			P
<i>Carex siderosticta</i> Hance 대사초 <i>KWNU99491</i>			LC				P
<i>Cyperus amuricus</i> Maxim. 방동사니 <i>KWNU100256</i>			LC				M
<i>Eleocharis congesta</i> D.Don 바늘골 <i>KWNU100257</i>			LC				U
Orchidaceae 난초과							
<i>Cephalanthera longibracteata</i> Blume 은대난초 <i>KWNU100258</i>			LC				U
<i>Liparis krameri</i> Franch. & Sav. 나나벌이난초 <i>KWNU100259</i>			LC				U
<i>Oreorchis patens</i> (Lindl.) Lindl. 감자난초 <i>KWNU100260</i>			LC				U

^zEn. endemic plant, ^yRd. red list plant designated by the Ministry of Environment (VU: vulnerable, LC: least concern), ^xRd. red list plant designated by the Korea Forest Service(EN: endangered, VU: vulnerable, NT: near threatened, LC: least concern), ^wFl. floristic target species, ^vC. the target plants adaptable to climate change (N: northern plant, S: southern plant), ^uA. alien plant (PIP: potentially invasive plant, CAP: concerned alien plant, IAP: invasive alien plant, NP: naturalized plant, Arc.: archaeophyte), ^tUse. Usefulness of vascular plants (E: edible, F: fiber, M: medicinal, O: ornamental, P: pasture, R: industrial, S: stain, T: timber, U: unknown).