

Appendix 1. Regional flora and basic status of forest restoration site post-monitoring areas.

Num.	Location	Type	Area	Num. of Flora
1	Gyeongbuk Yeongju Hamang (Cheoltansan area)	Trail	1,660	180
2	Chungbuk Goesan Yeonpung Jujin (Ihwaryeong)1	Ridge line	4,340	198
3	Gyeongbuk Mungyeong Dongro Myeongjeon (Beoljae)	Ridge line	4,647	174
4	Jeonnam Jindo Jodo Gasado	Quarry area	4,222	102
5	Gyeongnam Geoje Ilun Sodong	Quarry area	19,997	143
6	Gangwon Gosung Toseong Dowon	Facilities area	8,000	89
7	Jeollabuk Jangsu Janggye Myeongdeok (Yuksimryeong)	Ridge line	10,000	100
8	Gyeongbuk Sangju Hwanam Donggwan (Bijoryeong)	Ridge line	5,962	184
9	Gyeongbuk Pohang Heunghae Odo (Sabang Memorial Park area)	Forest fire area	179,000	126
10	Jeonbuk Namwon Jucheon Gogi (Jeongnyeongchi)	Ridge line	3,676	102
11	Chungbuk Yeongdong Hwanggan Ucheon	Quarry area	17,595	89
12	Chungbuk Yeongdong Sangchon Mulhan	Trail	10,089	95
13	Jeonbuk Iksan Geumma Giyang (Mireuksan area)	Trail	20,000	55
14	Chungbuk Boeun Jangan Jangjae (Maltijae)	Ridge line	3,582	185
15	Gyeongbuk Gimcheon Eomo Neungchi (Jakjeom Pass)	Ridge line	5,009	228
16	Ulsan Ulju Sangbuk Deungeok (Sinbulsan area)	Trail	340,400	26
17	Gyeonggi Anseong Geumgwang Sangjung (Baetigo Pass)	Ridge line	2,612	141
18	Gyeongnam Namhae Samdong Yeongji	Quarry area	20,000	71
19	Jeonnam Haenam Gyegok Yeosu	Quarry area	20,000	140
20	Chungbuk Jeungpyeong Jeungpyeong Yulri (Bunjeotchi)	Ridge line	2,410	158
21	Chungbuk Goesan Yeonpung Jeokseok	Quarry area	36,741	137
22	Gyeongbuk Mungyeong Mungyeong Gwaneum (Haneul Pass)	Farmland	29,564	274
23	Jeonbuk Jangsu Janggye Daegok	Road slope	1,000,000	168
24	Chungbuk Eumseong Eumseong Hanbeol	Quarry area	17,595	159
25	Chungbuk Goesan Cheongan Munbang (Jilmajae)	Ridge line	10,000	122
26	Chungbuk Cheongju Sangdang Miwon Gyewon	Quarry area	4,541	147
27	Gyeongnam Hamyang Seosang Sangnam	Quarry area	39,000	91
28	Chungnam Asan Yeongin Sinbong	Quarry area	14,897	166
29	Chungnam Boryeong Jusan Changam	Quarry area	20,000	71
30	Gyeongbuk Mungyeong Dongro Seokhang (bottom)	Quarry area	13,455	102
31	Gangwon Inje Sangnam Misan (Guryongdeokbong)	Facilities area	13,700	115
32	Gyeongbuk Mungyeong Dongro Seokhang	Quarry area	13,167	131
33	Gyeongbuk Mungyeong Nongam Gunggi1	Quarry area	15,000	95
34	Gangwon Cheorwon Geunnam Mahyeon1	Road slope	20,000	65
35	Gangwon Hwacheon Sangseo Sanyang	Facilities area	25,000	73
36	Gyeonggi Paju Papyeong Dupo	Road slope	54,300	80
37	Gangwon Inje Inje Deokjeok	Facilities area	6,200	177
38	Gangwon Yanggu Bangsan Cheonmi1	Road slope	60,000	37
39	Gyeongbuk Mungyeong Nongam Gunggi2	Quarry area	28,403	61
40	Busan Haeundaegu (Jangsan)	Infertile land	40,000	109
41	Busan Suyeong-gu Gwangan (Geumnyeonsan)	Trail	10,000	83
42	Chungbuk Chungju Jongmin	Trail	3,000	130
43	Chungbuk Goesan Cheongan Munbang	Farmland	10,000	85
44	Chungbuk Cheongwon Munui Munsan	Trail	13,300	114
45	Chungbuk Cheongwon Naesu Deokam	Trail	3,900	151
46	Chungbuk Danyang Danseong Gasan	Trail	200	108
47	Chungnam Geumsan Jinsan Makhyun	Forest wetland	5,000	126
48	Busan Busanjin-gu Choeup-dong	Trail	30,000	79
49	Ulsan Ulju Duseo Naewa	Trail	30,000	122
50	Ulsan Ulju Sangbuk Soho	Trail	10,000	77

Appendix 1. Continued

Num.	Location	Type	Area	Num. of Flora
51	Gyeongbuk Pohang Buk Singwang (Bihaksan)	Trail	10,000	238
52	Gangwon Cheorwon Wondong Sehyeon1	Road slope	45,000	117
53	Gangwon Cheorwon Wonnam Jinhyeon1	Road slope	24,900	88
54	Gyeonggi Paju Jinseo Geumneung1	Facilities area	46,000	75
55	Gangwon Yanggu Bangsan Geonsol	Road slope	8,000	89
56	Chungbuk Yeongdong Sangchon Mulhan	Trail	8,000	140
57	Chungnam Boryeong Jusan Hwapyeong	Quarry area	15,000	83
58	Gyeongbuk Ulleung Seomyeon Namseo (around the water tunnel)	Landslide area	20,000	50
59	Gyeongbuk Ulleung Seomyeon Southwest (around Saetdaegam Tunnel)	Landslide area	5,000	50
60	Chungbuk Chungju Angseong Neungam	Quarry area	6,066	147
61	Chungnam Gongju Sinpung Bonggap	Forest wetland	12,954	165
62	Chungnam Boryeong Seongju Seongju1	Quarry area	60,000	135
63	Chungnam Boryeong Jugyo Songhak	Facilities area	7,409	99
64	Chungnam Asan Yeomchi Gangcheong	Quarry area	10,737	95
65	Chungbuk Jecheon Goam	Forest fire area	20,000	245
66	Chungnam Boryeong Misan Dohwadam	Quarry area	20,000	159
67	Gyeongnam Jinju Okbong1	Farmland	20,000	92
68	Gyeongnam Miryang Danjang Gucheon1	Forest wetland	15,000	119
69	Busan Saha-gu Dangri-dong	Infertile land	115,000	89
70	Chungnam Boryeong Seongju Seongju2	Quarry area	5,467	104
71	Gyeonggi Yeoncheon Baekhak Galhyeon	Facilities area	20,000	165
72	Gyeonggi Paju Jinseo Eoryong1	Road slope	20,000	157
73	Chungbuk Goesan Yeonpung Jujin (Ihwaryeong)2	Ridge line	4,340	138
74	Chungnam Boryeong Seongju Gaehwa1	Quarry area	27,600	85
75	Chungnam Boryeong Seongju Gaehwa2	Quarry area	40,000	85
76	Chungnam Boryeong Seongju Seongju3	Quarry area	9,000	83
77	Chungnam Boryeong Seongju Gaehwa (Stream)	Forest wetland	6,000	82
78	Gyeongnam Jinju Okbong2	Forest wetland	10,000	71
79	Gyeongnam Miryang Danjang Gucheon2	Forest wetland	15,000	225
80	Chungnam Geumsan Boksu Mokso	Landslide area	20,000	106
81	Jeonnam Suncheon Songgwang Jangan	Facilities area	3,500	119
82	Jeonnam Hadong Geumman Daesong	Facilities area	8,300	77
83	Gyeongbuk Ulleung Ulleung Taeha	Facilities area	438	49
84	Gyeongbuk Ulleung Ulleung Dokdo	Infertile land	440	123
85	Gangwon Hwacheon Hwacheon Pungsan1	Road slope	26,000	48
86	Gangwon Cheorwon Wonnam Nodong1	Road slope	17,500	90
87	Gangwon Yanggu Bangsan Geonsol	Road slope	24,000	113
88	Gangwon Cheorwon Wonnam Jinhyeon2	Road slope	3,000	52
89	Gangwon Cheorwon Cheorwon Jungjeong	Road slope	5,000	74
90	Gangwon Hwacheon Sangseo Sanyang	Road slope	10,000	87
91	Gangwon Yanggu Bangsan Hyeon	Road slope	2,800	46
92	Gangwon Cheorwon Wondong Sehyeon2	Closed road	21,000	113
93	Gyeonggi Paju Jinseo Geumneung2	Road slope	30,000	69
94	Incheon Junggu Unbuk	Facilities area	10,000	102
95	Gangwon Inje Seohwa Seoheung	Facilities area	30,000	173
96	Gangwon Yanggu Bangsan Songhyeon1	Facilities area	14,000	45
97	Gangwon Goseong Sudong Sacheon	Road slope	20,000	86
98	Gangwon Jeongseon Imgye Gamok	Forest wetland	33,000	115
99	Gangwon Pyeongchang Daegwallyeong Hoenggye	Facilities area	77,004	78
100	Chungbuk Goesan Cheongcheon Samsong	Farmland	4,200	88

Appendix 1. Continued

Num.	Location	Type	Area	Num. of Flora
101	Gangwon Cheorwon Wonnam Nodong2	Closed road	12,600	134
102	Gangwon Cheorwon Cheorwon Yul1	Infertile land	5,000	167
103	Gyeonggi Paju Jinseo Geumneung3	Facilities area	29,000	178
104	Gangwon Inje Seohwa Simjeok (No. 1 site)	Forest wetland	19,344	143
105	Gangwon Inje Seohwa Simjeok (No. 2 site)	Forest wetland	33,624	161
106	Gangwon Cheorwon Wondong Jupa	Road slope	12,000	100
107	Gangwon Inje Seohwa Seohwa	Road slope	18,500	110
108	Gangwon Cheorwon Wondong Sehyeon3	Road slope	12,600	95
109	Gangwon Yanggu Bangsan Cheonmi2	Road slope	25,500	110
110	Gangwon Hwacheon Hwacheon Pungsan2	Road slope	17,200	45
111	Gangwon Hwacheon Hwacheon Pungsan3	Road slope	17,700	51
112	Gangwon Yanggu Haeon Oyu	Road slope	11,800	142
113	Gangwon Yanggu Bangsan Songhyeon2	Facilities area	21,000	80
114	Gangwon Cheorwon Cheorwon Sayo	Facilities area	8,000	99
115	Gangwon Cheorwon Cheorwon Daema	Landslide area	6,000	108
116	Chungnam Taean Anmyeon Seungeon	Infertile land	50,000	219
117	Jeonnam Goheung Bongrae Sayang (Aedo)	Infertile land	20,000	97
118	Jeonnam Goheung Gwayeok Baekil (Jinjido)	Infertile land	20,000	112
119	Jeonnam Yeonggwang Baeksu Daeshin	Infertile land	40,000	117
120	Jeonnam Sinan Anjwa Bokho	Infertile land	200,000	122
121	Jeonnam Sinan Jaeun Baeksan	Infertile land	107,000	110
122	Jeonnam Sinan Ja-eun Hanun	Infertile land	93,000	114
123	Gyeongnam Yangsan Pyeongsan (Cheonseongsan)	Facilities area	33,000	235
124	Jeonnam Mokpo Dal(Oedaldo)	Infertile land	100,000	109
125	Jeonnam Yeosu HwaJeong Jeokgeum	Infertile land	100,000	123
126	Jeonnam Gangjin Doam Singi	Infertile land	70,000	147
127	Jeonnam Jindo Imhoe Sangman	Infertile land	62,700	161
128	Jeonnam Gwangyang Geumho	Infertile land	250,000	150
129	Jeonnam Muan Mangun Songhyeon	Infertile land	50,000	97
130	Jeonnam Haenam Hwasan Samma	Infertile land	200,000	110
131	Jeonnam Wando Geumil Sadong	Infertile land	26,359	82
132	Jeonnam Jindo Imhoe Sangman	Infertile land	52,600	97
133	Jeonnam Sinan Docho Suhang	Infertile land	290,000	118
134	Jeonnam Wando Nohwa Bangseo	Forest fire area	60,000	93
135	Gangwon Cheorwon Cheorwon Yul2	Facilities area	20,000	48
136	Gyeonggi Paju Tanhyeon Daedong	Facilities area	20,000	72
137	Gangwon Inje Inje Simjeok(Simjeok wetland)	Forest wetland	48,000	204
138	Gangwon Yanggu Dongmyeon Bia	Road slope	13,000	67
139	Gangwon Yanggu Guktojeongjungang Won	Road slope	23,000	98
140	Gangwon Cheorwon Wondong Sehyeon4	Road slope	37,000	27
141	Gangwon Yanggu Haeon Ihyeon	Road slope	30,000	60
142	Gangwon Cheorwon Geunnam Mahyeon2	Road slope	15,000	119
143	Gangwon Cheorwon Wondong Deungdae	Road slope	32,000	54
144	Gyeonggi Paju Jinseo Eoryong2	Facilities area	15,000	77
145	Chungbuk Chungju Salmi Mureung	Facilities area	14,088.20	143
146	Chungnam Dangjin Seokmun Nanjido	Infertile land	2,067	89
147	Gyeongnam Miryang Naeil	Facilities area	3,073	60
148	Gyeongnam Changnyeong (Changnyeong Hwawangsanseong Fortress)	Infertile land	20,000	276
149	Gyeongnam Geochang Wicheon Dangsan	Forest fire area	40,000	90
150	Jeonnam Wando Geumil Wolsong	Infertile land	45,000	115

Appendix 2. The list of vascular plants of forest restoration post-monitoring site in South Korea.

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Lycopodiaceae	<i>Huperzia serrata</i> (Thunb.) Trevis. 뱀톱									○		
Selaginellaceae	<i>Selaginella rossii</i> (Baker) Warb. 구실사리									○	○	
Equisetaceae	<i>Equisetum arvense</i> L. 쇠뜨기							○	○	○	○	○
Equisetaceae	<i>Equisetum hyemale</i> L. 속새			○	III				○			
Ophioglossaceae	<i>Botrychium ternatum</i> (Thunb.) Sw. 고사리삼										○	
Osmundaceae	<i>Osmunda cinnamomea</i> L. 꿩고비				II				○		○	
Osmundaceae	<i>Osmunda japonica</i> Thunb. 고비							○	○	○		○
Lygodiaceae	<i>Lygodium japonicum</i> (Thunb.) Sw. 실고사리				I							○
Lindsaeaceae	<i>Odontosoria chinensis</i> (L.) J.Sm. 바위고사리				III							○
Dennstaedtiaceae	<i>Dennstaedtia hirsuta</i> (Sw.) Mett. ex Miq. 잔고사리							○	○		○	
Dennstaedtiaceae	<i>Dennstaedtia wilfordii</i> (T.Moore) Christ 황고사리								○	○	○	
Dennstaedtiaceae	<i>Pteridium aquilinum</i> (L.) Kuhn var. <i>latiusculum</i> (Desv.) Underw. ex A. Heller 고사리							○	○	○	○	○
Pteridaceae	<i>Adiantum pedatum</i> L. 공장고사리	NT			II				○			
Pteridaceae	<i>Pteris cretica</i> L. 큰봉의꼬리				III							○
Pteridaceae	<i>Pteris multifida</i> Poir. 봉의꼬리				I						○	○
Aspleniaceae	<i>Asplenium incisum</i> Thunb. 꼬리고사리								○	○	○	○
Aspleniaceae	<i>Asplenium ruprechtii</i> Sa.Kurata 거미고사리			○					○			
Thelypteridaceae	<i>Parathelypteris glanduligera</i> (Kunze) Ching 사다리고사리									○		○
Thelypteridaceae	<i>Parathelypteris japonica</i> (Baker) Ching 지네고사리								○			
Thelypteridaceae	<i>Phegopteris decursive-pinnata</i> (H.C.Hall) Fée 설설고사리									○		
Thelypteridaceae	<i>Thelypteris palustris</i> (A.Gray) Schott 처녀고사리								○	○	○	○
Onocleaceae	<i>Onoclea interrupta</i> (Maxim.) Ching & P.C.Chiu 야산고비				I				○	○	○	
Onocleaceae	<i>Pentarrhizidium orientale</i> (Hook.) Hayata 개면마								○		○	
Athyriaceae	<i>Athyrium iseanum</i> Rosenst. 가는잎개고사리				IV					○		
Athyriaceae	<i>Athyrium monomachii</i> Kom. 참새발고사리								○			
Athyriaceae	<i>Athyrium niponicum</i> (Mett.) Hance 개고사리								○	○	○	○
Athyriaceae	<i>Athyrium yokoscense</i> (Franch. & Sav.) Christ 뺨고사리							○	○	○	○	○
Athyriaceae	<i>Deparia conilii</i> (Franch. & Sav.) M.Kato 좁진고사리											○
Athyriaceae	<i>Deparia japonica</i> (Thunb.) M.Kato 진고사리								○	○		
Athyriaceae	<i>Deparia kiusiana</i> (Koidz.) M.Kato 털진고사리											○
Athyriaceae	<i>Deparia pycnosora</i> (Christ) M.Kato 털고사리								○	○		
Dryopteridaceae	<i>Arachniodes borealis</i> Seriz. 학살고사리									○		
Dryopteridaceae	<i>Cyrtomium falcatum</i> (L.f.) C.Presl 도깨비쇠고비									○	○	○
Dryopteridaceae	<i>Cyrtomium fortunei</i> J.Sm. 쇠고비										○	
Dryopteridaceae	<i>Dryopteris bissetiana</i> (Baker) C.Chr. 산족제비고사리									○		
Dryopteridaceae	<i>Dryopteris chinensis</i> (Baker) Koidz. 가는잎족제비고사리									○	○	○
Dryopteridaceae	<i>Dryopteris crassirhizoma</i> Nakai 관중			○					○	○	○	○
Dryopteridaceae	<i>Dryopteris erythrosora</i> (D.C.Eaton) Kuntze 홍지네고사리				I					○	○	○
Dryopteridaceae	<i>Dryopteris gymnohylla</i> (Baker) C.Chr. 금족제비고사리				I							○
Dryopteridaceae	<i>Dryopteris lacera</i> (Thunb.) Kuntze 비늘고사리									○	○	
Dryopteridaceae	<i>Dryopteris monticola</i> (Makino) C.Chr. 왕지네고사리											○
Dryopteridaceae	<i>Dryopteris paomowanensis</i> Ching & Z.Y.Liu 충충지네고사리									○		○
Dryopteridaceae	<i>Dryopteris saxifraga</i> H.Itô 바위족제비고사리										○	○
Dryopteridaceae	<i>Dryopteris uniformis</i> (Makino) Makino 곰비늘고사리									○		
Dryopteridaceae	<i>Dryopteris varia</i> (L.) Kuntze 족제비고사리								○	○		○
Dryopteridaceae	<i>Polystichum tripterum</i> (Kunze) C.Presl 삼자고사리								○		○	
Davalliaceae	<i>Davallia mariesii</i> H.J.Veitch 넉줄고사리										○	
Polypodiaceae	<i>Lepisorus thunbergianus</i> (Kaulf.) Ching 일엽초										○	
Ginkgoaceae	<i>Ginkgo biloba</i> L. 은행나무 ▼							○	○	○	○	
Pinaceae	<i>Abies holophylla</i> Maxim. 전나무			○				○	○	○	○	
Pinaceae	<i>Abies koreana</i> E.H.Wilson 구상나무 ▼	EN	○		III		○		○	○	○	○
Pinaceae	<i>Cedrus deodara</i> (Roxb. ex D.Don) G.Don 개잎갈나무 ▼											○
Pinaceae	<i>Larix kaempferi</i> (Lamb.) Carrière 일본잎갈나무 ▼							○	○	○	○	○
Pinaceae	<i>Picea abies</i> (L.) H.Karst. 독일가문비 ▼									○		
Pinaceae	<i>Pinus densiflora</i> Siebold & Zucc. 소나무 ▼			○			○	○	○	○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Pinaceae	<i>Pinus koraiensis</i> Siebold & Zucc. 잣나무 ▼			○	II		○	○	○	○	○	○
Pinaceae	<i>Pinus parviflora</i> Siebold & Zucc. 섬잣나무				IV						○	
Pinaceae	<i>Pinus rigida</i> Mill. 리기다소나무 ▼							○		○	○	○
Pinaceae	<i>Pinus strobus</i> L. 스트로브잣나무 ▼									○		
Pinaceae	<i>Pinus thunbergii</i> Parl. 곰솔 ▼									○	○	○
Pinaceae	<i>Pinus × rigitaeda</i> S.K.Hyun & Ahn 리기테에다소나무 ▼						○					○
Pinaceae	<i>Tsuga ulleungensis</i> G.P.Holman, Del Tredici, Havill, N.S.Lee & C.S.Campb. 울릉솔송나무		○								○	
Cupressaceae	<i>Chamaecyparis obtusa</i> (Siebold & Zucc.) Endl. 편백 ▼							○		○	○	○
Cupressaceae	<i>Cryptomeria japonica</i> (Thunb. ex L.f.) D.Don 삼나무 ▼										○	○
Cupressaceae	<i>Juniperus chinensis</i> L. 향나무 ▼		VU		III			○		○	○	○
Cupressaceae	<i>Juniperus rigida</i> Siebold & Zucc. 노간주나무						○			○	○	○
Cupressaceae	<i>Metasequoia glyptostroboides</i> Hu & W.C.Cheng 메타세쿼이아 ▼									○		○
Cupressaceae	<i>Platycladus orientalis</i> (L.) Franco 측백나무 ▼		VU		IV			○		○	○	
Cupressaceae	<i>Thuja occidentalis</i> L. 서양측백 ▼							○		○		
Cephalotaxaceae	<i>Cephalotaxus harringtonia</i> (Knight ex J.Forbes) K.Koch 개비자나무				I			○		○	○	
Taxaceae	<i>Taxus cuspidata</i> Siebold & Zucc. 주목 ▼			○	II				○	○	○	○
Taxaceae	<i>Torreya nucifera</i> (L.) Siebold & Zucc. 비자나무				I							○
Juglandaceae	<i>Juglans mandshurica</i> Maxim. 가래나무				I				○	○		
Juglandaceae	<i>Juglans regia</i> L. 호두나무 ▼									○		
Juglandaceae	<i>Platycarya strobilacea</i> Siebold & Zucc. 굴피나무						○	○	○	○	○	○
Salicaceae	<i>Populus suaveolens</i> Fisch. ex Poit. & A.Vilm. 황철나무				IV				○			
Salicaceae	<i>Populus tremula</i> L. var. <i>daurica</i> (Dode) C.K.Schneid. 사시나무								○			
Salicaceae	<i>Populus × tomentiglandulosa</i> T.B.Lee 은사시나무		○					○	○	○	○	○
Salicaceae	<i>Salix caprea</i> L. 호랑버들							○	○	○	○	○
Salicaceae	<i>Salix chaenomeloides</i> Kimura 왕버들				I				○	○	○	○
Salicaceae	<i>Salix gracilistyla</i> Miq. 갯버들			○				○	○	○	○	○
Salicaceae	<i>Salix integra</i> Thunb. 개키버들			○								○
Salicaceae	<i>Salix koriyanagi</i> Kimura ex Goerz 키버들							○	○	○	○	○
Salicaceae	<i>Salix pierotii</i> Miq. 버드나무						○	○	○	○	○	○
Salicaceae	<i>Salix rorida</i> Laksch. 분버들			○	III				○			
Salicaceae	<i>Salix siuzevii</i> Seem. 참오글잎버들							○	○	○		
Salicaceae	<i>Salix triandra</i> L. subsp. <i>nipponica</i> (Franch. & Sav.) A.K.Skvortsov 선버들							○	○	○		
Betulaceae	<i>Alnus firma</i> Siebold & Zucc. 사방오리 ▼								○	○	○	○
Betulaceae	<i>Alnus incana</i> (L.) Moench subsp. <i>hirsuta</i> (Turcz. ex Spach) Å.Löve & D.Löve 물오리나무			○				○	○	○	○	○
Betulaceae	<i>Alnus japonica</i> (Thunb.) Steud. 오리나무				II			○	○	○	○	
Betulaceae	<i>Betula costata</i> Trautv. 거제수나무			○	III		○		○		○	
Betulaceae	<i>Betula davurica</i> Pall. 물박달나무			○	III				○	○	○	
Betulaceae	<i>Betula ermanii</i> Cham. 사스래나무				II						○	
Betulaceae	<i>Betula pendula</i> Roth 자작나무 ▼			○				○	○	○	○	○
Betulaceae	<i>Betula schmidtii</i> Regel 박달나무			○	III		○		○	○	○	
Betulaceae	<i>Carpinus cordata</i> Blume 까치박달								○	○	○	
Betulaceae	<i>Carpinus laxiflora</i> (Siebold & Zucc.) Blume 서어나무						○	○	○	○	○	○
Betulaceae	<i>Carpinus tschonoskii</i> Maxim. 개서어나무				I		○			○	○	○
Betulaceae	<i>Carpinus turczaninowii</i> Hance 소사나무				I		○				○	○
Betulaceae	<i>Corylus heterophylla</i> Fisch. ex Trautv. 개암나무						○	○	○	○	○	
Betulaceae	<i>Corylus sieboldiana</i> Blume 참개암나무			○						○		
Betulaceae	<i>Corylus sieboldiana</i> Blume var. <i>mandshurica</i> (Maxim.) C.K.Schneid. 물개암나무								○	○		
Fagaceae	<i>Castanea crenata</i> Siebold & Zucc. 밤나무 ▼							○	○	○	○	○
Fagaceae	<i>Castanopsis sieboldii</i> (Makino) Hatus. 구실잣밤나무 ▼				III		○					○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Fagaceae	<i>Quercus acuta</i> Thunb. 붉가시나무 ▼				III		○					○
Fagaceae	<i>Quercus acutissima</i> Carruth. 상수리나무						○	○	○	○	○	○
Fagaceae	<i>Quercus aliena</i> Blume 갈참나무							○	○	○	○	○
Fagaceae	<i>Quercus dentata</i> Thunb. 떡갈나무						○	○	○	○	○	○
Fagaceae	<i>Quercus glauca</i> Thunb. 중가시나무 ▼				III		○				○	○
Fagaceae	<i>Quercus mongolica</i> Fisch. ex Ledeb. 신갈나무						○	○	○	○	○	○
Fagaceae	<i>Quercus myrsinifolia</i> Blume 가시나무 ▼				IV						○	○
Fagaceae	<i>Quercus palustris</i> Münchh. 대왕참나무 ▼											○
Fagaceae	<i>Quercus salicina</i> Blume 참가시나무 ▼				III		○				○	○
Fagaceae	<i>Quercus serrata</i> Murray 졸참나무						○	○	○	○	○	○
Fagaceae	<i>Quercus variabilis</i> Blume 굴참나무						○	○	○	○	○	○
Ulmaceae	<i>Aphananthe aspera</i> (Thunb.) Planch. 푸조나무				I						○	○
Ulmaceae	<i>Celtis biondii</i> Pamp. 쪽나무				I					○		○
Ulmaceae	<i>Celtis jessoensis</i> Koidz. 풍계나무										○	
Ulmaceae	<i>Celtis sinensis</i> Pers. 팽나무						○			○	○	○
Ulmaceae	<i>Hemiptelea davidii</i> (Hance) Planch. 시무나무				I				○		○	
Ulmaceae	<i>Ulmus davidiana</i> Planch. ex DC. var. <i>japonica</i> (Rehder) Nakai 느릅나무				I				○	○	○	○
Ulmaceae	<i>Ulmus laciniata</i> (Trautv.) Mayr 난티나무			○	III				○		○	
Ulmaceae	<i>Ulmus parvifolia</i> Jacq. 참느릅나무				I						○	○
Ulmaceae	<i>Zelkova serrata</i> (Thunb.) Makino 느티나무 ▼						○	○	○	○	○	○
Moraceae	<i>Broussonetia papyrifera</i> (L.) L'Hér. ex Vent. 꾸지나무									○	○	○
Moraceae	<i>Broussonetia</i> × <i>hanjiana</i> M.Kim 닥나무									○		○
Moraceae	<i>Cudrania tricuspidata</i> (Carrière) Bureau ex Lavallée 꾸지뽕나무									○	○	○
Moraceae	<i>Fatoua villosa</i> (Thunb.) Nakai 뽕모시풀							○	○	○		
Moraceae	<i>Ficus erecta</i> Thunb. 천선과나무				III							○
Moraceae	<i>Ficus oxyphylla</i> Miq. ex Zoll. 모람				II							○
Moraceae	<i>Morus alba</i> L. 뽕나무							○	○	○	○	○
Moraceae	<i>Morus bombycis</i> Koidz. 산뽕나무							○	○	○	○	○
Cannabaceae	<i>Humulus lupulus</i> L. 홉							○				
Cannabaceae	<i>Humulus scandens</i> (Lour.) Merr. 환삼덩굴							○	○	○	○	○
Urticaceae	<i>Boehmeria japonica</i> (L.f.) Miq. 왜모시풀							○	○	○	○	
Urticaceae	<i>Boehmeria nivea</i> (L.) Gaudich. 모시풀									○	○	○
Urticaceae	<i>Boehmeria pannosa</i> Nakai & Satake 왕모시풀				III							○
Urticaceae	<i>Boehmeria paraspicata</i> Nakai 풀거북꼬리								○	○	○	
Urticaceae	<i>Boehmeria platanifolia</i> (Maxim.) Franch. & Sav. ex C.H.Wright 개모시풀								○	○	○	○
Urticaceae	<i>Boehmeria spicata</i> (Thunb.) Thunb. 쯔깨잎나무								○	○	○	○
Urticaceae	<i>Boehmeria tricuspis</i> (Hance) Makino 거북꼬리								○	○	○	○
Urticaceae	<i>Laportea bulbifera</i> (Siebold & Zucc.) Wedd. 흑췌기풀									○		
Urticaceae	<i>Laportea cuspidata</i> (Wedd.) Friis 큰췌기풀				IV					○		
Urticaceae	<i>Pilea hamaoi</i> Makino 큰물통이							○	○			
Urticaceae	<i>Pilea japonica</i> (Maxim.) Hand.-Mazz. 산물통이				I				○			
Urticaceae	<i>Pilea pumila</i> (L.) A.Gray 모시물통이								○	○	○	
Urticaceae	<i>Urtica angustifolia</i> Fisch. ex Hornem. 가는잎췌기풀			○	III				○			
Urticaceae	<i>Urtica thunbergiana</i> Siebold & Zucc. 췌기풀				III				○			
Santalaceae	<i>Thesium chinense</i> Turcz. 제비꽃							○	○	○	○	
Polygonaceae	<i>Aconogonon alpinum</i> (All.) Schur 싱아								○		○	
Polygonaceae	<i>Fagopyrum esculentum</i> Moench 메밀									○		
Polygonaceae	<i>Fallopia convolvulus</i> (L.) Á.Löve 나도닭의덩굴					○			○			
Polygonaceae	<i>Fallopia dentatolata</i> (F.Schmidt) Holub 큰닭의덩굴								○	○	○	○
Polygonaceae	<i>Fallopia dumetorum</i> (L.) Holub 닭의덩굴							○	○	○	○	○
Polygonaceae	<i>Persicaria amphibia</i> (L.) Delarbre 물여뀌	NT			IV							○
Polygonaceae	<i>Persicaria conspicua</i> (Nakai) Nakai ex Ohki 꽃여뀌									○		
Polygonaceae	<i>Persicaria debilis</i> (Meisn.) H.Gross ex W.T.Lee 세뿔여뀌				II						○	

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Polygonaceae	<i>Persicaria filiformis</i> (Thunb.) Nakai 이삭여뀌							○	○	○	○	○
Polygonaceae	<i>Persicaria hydropiper</i> (L.) Delarbre 여뀌									○	○	○
Polygonaceae	<i>Persicaria japonica</i> (Meisn.) Nakai ex Ohki 흰꽃여뀌								○		○	○
Polygonaceae	<i>Persicaria lapathifolia</i> (L.) Delarbre 흰여뀌							○	○	○	○	○
Polygonaceae	<i>Persicaria longiseta</i> (Bruijn) Kitag. 개여뀌							○	○	○	○	○
Polygonaceae	<i>Persicaria maculosa</i> Gray 봄여뀌								○	○		
Polygonaceae	<i>Persicaria nepalensis</i> (Meisn.) H.Gross 산여뀌							○	○	○	○	○
Polygonaceae	<i>Persicaria orientalis</i> (L.) Spach 털여뀌					○			○	○		
Polygonaceae	<i>Persicaria perfoliata</i> (L.) H.Gross 머느리배꼽							○	○	○	○	○
Polygonaceae	<i>Persicaria posumbu</i> (Buch.-Ham. ex D.Don) H.Gross 장대여뀌									○	○	○
Polygonaceae	<i>Persicaria praetermissa</i> (Hook.f.) H.Hara 좁은잎미꾸리나식										○	
Polygonaceae	<i>Persicaria pubescens</i> (Blume) H.Hara 바보여뀌							○	○	○	○	
Polygonaceae	<i>Persicaria sagittata</i> (L.) H.Gross 미꾸리나식							○	○	○	○	○
Polygonaceae	<i>Persicaria senticosa</i> (Meisn.) H.Gross 머느리밀씻개							○	○	○	○	○
Polygonaceae	<i>Persicaria thunbergii</i> (Siebold & Zucc.) H.Gross 고마리							○	○	○	○	○
Polygonaceae	<i>Persicaria viscofera</i> (Makino) H.Gross 끈끈이여뀌								○			
Polygonaceae	<i>Persicaria viscofera</i> (Makino) H.Gross var. <i>robusta</i> (Makino) Hiyama 큰끈끈이여뀌								○			
Polygonaceae	<i>Persicaria viscosa</i> (Buch.-Ham. ex D.Don) H.Gross ex T.Mori 기생여뀌							○	○		○	○
Polygonaceae	<i>Polygonum aviculare</i> L. 마디풀							○	○	○	○	
Polygonaceae	<i>Reynoutria forbesii</i> (Hance) T.Yamaz. 감절대										○	
Polygonaceae	<i>Reynoutria japonica</i> Houtt. 호장근									○	○	○
Polygonaceae	<i>Reynoutria multiflora</i> (Thunb.) Moldenke 하수오					○						○
Polygonaceae	<i>Reynoutria sachalinensis</i> (F.Schmidt) Nakai 왕호장근				IV						○	
Polygonaceae	<i>Rumex acetosa</i> L. 수영							○	○	○	○	○
Polygonaceae	<i>Rumex acetosella</i> L. 애기수영					○		○		○	○	○
Polygonaceae	<i>Rumex crispus</i> L. 소리쟁이					○		○	○	○	○	○
Polygonaceae	<i>Rumex japonicus</i> Houtt. 참소리쟁이								○	○	○	○
Polygonaceae	<i>Rumex obtusifolius</i> L. 돌소리쟁이					○			○	○	○	○
Phytolaccaceae	<i>Phytolacca americana</i> L. 미국자리공					○		○	○	○	○	○
Molluginaceae	<i>Mollugo pentaphylla</i> L. 석류풀									○	○	○
Molluginaceae	<i>Mollugo verticillata</i> L. 큰석류풀					○					○	○
Aizoaceae	<i>Tetragonia tetragonioides</i> (Pall.) Kuntze 변행초				II						○	○
Aizoaceae	<i>Lampranthus spectabilis</i> (Haw.) N.E.Br. 송엽국									○	○	○
Portulacaceae	<i>Portulaca grandiflora</i> Hook. 채송화								○			
Portulacaceae	<i>Portulaca oleracea</i> L. 쇠비름							○	○	○	○	○
Caryophyllaceae	<i>Arenaria serpyllifolia</i> L. 벼룩이자리							○	○	○	○	○
Caryophyllaceae	<i>Cerastium glomeratum</i> Thuill. 유럽점나도나물					○		○	○	○	○	○
Caryophyllaceae	<i>Cerastium holosteoides</i> Fr. subsp. <i>vulgare</i> (Hartm.) I.V.Sokolova 점나도나물								○	○	○	○
Caryophyllaceae	<i>Dianthus chinensis</i> L. 패랭이꽃							○	○	○	○	○
Caryophyllaceae	<i>Dianthus deltooides</i> L. 지면패랭이꽃								○	○		○
Caryophyllaceae	<i>Dianthus longicalyx</i> Miq. 술패랭이꽃									○	○	
Caryophyllaceae	<i>Gypsophila oldhamiana</i> Miq. 대나물							○	○	○	○	
Caryophyllaceae	<i>Lychnis cognata</i> Maxim. 동자꽃			○	II			○	○	○	○	
Caryophyllaceae	<i>Pseudostellaria heterophylla</i> (Miq.) Pax 개별꽃								○	○	○	○
Caryophyllaceae	<i>Pseudostellaria palibiniana</i> (Takeda) Ohwi 큰개별꽃								○	○	○	
Caryophyllaceae	<i>Sagina japonica</i> (Sw.) Ohwi 개미자리								○		○	○
Caryophyllaceae	<i>Silene armeria</i> L. 끈끈이대나물							○	○	○		
Caryophyllaceae	<i>Silene baccifera</i> (L.) Roth 덩굴별꽃				I					○	○	
Caryophyllaceae	<i>Silene firma</i> Siebold & Zucc. 장구채							○	○	○	○	
Caryophyllaceae	<i>Spergularia rubra</i> (L.) J.Presl & C.Presl 유럽개미자리					○				○		
Caryophyllaceae	<i>Stellaria alsine</i> Grimm 벼룩나물							○	○	○	○	○
Caryophyllaceae	<i>Stellaria aquatica</i> (L.) Scop. 쇠별꽃							○	○	○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Caryophyllaceae	<i>Stellaria media</i> (L.) Vill. 별꽃					○		○	○	○	○	○
Chenopodiaceae	<i>Atriplex gmelinii</i> C.A.Mey. ex Bong. 가는갯논쟁이										○	○
Chenopodiaceae	<i>Chenopodium album</i> L. 흰명아주					○		○	○	○	○	○
Chenopodiaceae	<i>Chenopodium album</i> L. var. <i>centrorubrum</i> Makino 명아주							○	○	○	○	○
Chenopodiaceae	<i>Chenopodium album</i> L. var. <i>stenophyllum</i> Makino 가는명아주							○	○	○	○	○
Chenopodiaceae	<i>Chenopodium ficifolium</i> Sm. 좁명아주					○		○	○	○	○	○
Chenopodiaceae	<i>Chenopodium glaucum</i> L. 취명아주					○				○		○
Chenopodiaceae	<i>Chenopodium hybridum</i> L. 얇은명아주					○				○		
Chenopodiaceae	<i>Suaeda maritima</i> (L.) Dumort. 해홍나물				II							○
Amaranthaceae	<i>Achyranthes bidentata</i> Blume 털쇠무릎							○	○	○	○	○
Amaranthaceae	<i>Achyranthes bidentata</i> Blume var. <i>japonica</i> Miq. 쇠무릎							○	○	○	○	○
Amaranthaceae	<i>Amaranthus blitum</i> L. subsp. <i>oleraceus</i> (L.) Costea 개비름					○					○	
Amaranthaceae	<i>Amaranthus patulus</i> Bertol. 가는털비름					○			○		○	
Amaranthaceae	<i>Amaranthus retroflexus</i> L. 털비름					○				○	○	
Amaranthaceae	<i>Amaranthus tricolor</i> L. 비름								○		○	
Amaranthaceae	<i>Celosia argentea</i> L. 개맨드라미										○	
Cactaceae	<i>Opuntia ficus-indica</i> (L.) Mill. 선인장 ▼											○
Cactaceae	<i>Opuntia humifusa</i> (Raf.) Raf. 후미푸사선인장 ▼											○
Magnoliaceae	<i>Liriodendron tulipifera</i> L. 백합나무 ▼									○		
Magnoliaceae	<i>Magnolia denudata</i> Desr. 백목련 ▼									○		
Magnoliaceae	<i>Magnolia kobus</i> DC. 목련 ▼	DD			V						○	
Magnoliaceae	<i>Magnolia obovata</i> Thunb. 일본목련									○		
Magnoliaceae	<i>Magnolia sieboldii</i> K.Koch 함박꽃나무				II	○		○	○	○	○	○
Schisandraceae	<i>Schisandra chinensis</i> (Turcz.) Baill. 오미자			○	II			○			○	○
Illiciaceae	<i>Illicium anisatum</i> L. 붓순나무	NT			III							○
Lauraceae	<i>Cinnamomum camphora</i> (L.) J.Presl 녹나무	NT			IV							○
Lauraceae	<i>Cinnamomum yabunikei</i> H.Ohba 생달나무 ▼				III	○						○
Lauraceae	<i>Lindera erythrocarpa</i> Makino 비목나무				I	○	○	○	○	○	○	○
Lauraceae	<i>Lindera glauca</i> (Siebold & Zucc.) Blume 감태나무				I					○	○	○
Lauraceae	<i>Lindera obtusiloba</i> Blume 생강나무					○	○	○	○	○	○	○
Lauraceae	<i>Litsea japonica</i> (Thunb.) Juss. 까마귀쭝나무				III							○
Lauraceae	<i>Machilus thunbergii</i> Siebold & Zucc. 후박나무 ▼				I	○					○	○
Lauraceae	<i>Neolitsea sericea</i> (Blume) Koidz. 참식나무 ▼				I	○					○	○
Ranunculaceae	<i>Aconitum jaluense</i> Kom. 투구꽃				I				○		○	
Ranunculaceae	<i>Aconitum pseudolaeve</i> Nakai 진범		○						○			○
Ranunculaceae	<i>Actaea asiatica</i> H.Hara 노루삼				III						○	
Ranunculaceae	<i>Actaea dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) Franch. 눈빛승마								○	○		
Ranunculaceae	<i>Actaea simplex</i> (DC.) Wormsk. ex Prantl 쫓대승마				I				○			
Ranunculaceae	<i>Adonis amurensis</i> Regel & Radde 복수초			○						○		
Ranunculaceae	<i>Anemone reflexa</i> Steph. ex Willd. 회리바람꽃			○	IV				○			
Ranunculaceae	<i>Aquilegia buergeriana</i> Siebold & Zucc. var. <i>oxysepala</i> (Trautv. & C.A.Mey.) Kitam. 매발톱				III				○			
Ranunculaceae	<i>Caltha palustris</i> L. 동의나물			○	II				○	○		
Ranunculaceae	<i>Clematis apiifolia</i> DC. 사위질빵							○	○	○	○	○
Ranunculaceae	<i>Clematis brachyura</i> Maxim. 외대오아리		○		III			○	○		○	○
Ranunculaceae	<i>Clematis fusca</i> Turcz. var. <i>flabellata</i> (Nakai) J.S.Kim 요강나물		○		III			○				
Ranunculaceae	<i>Clematis patens</i> C.Morren & Decne. 큰꽃오아리				I				○	○	○	○
Ranunculaceae	<i>Clematis terniflora</i> DC. 참오아리											○
Ranunculaceae	<i>Clematis terniflora</i> DC. var. <i>mandshurica</i> (Rupr.) Ohwi 오아리							○	○	○	○	○
Ranunculaceae	<i>Clematis trichotoma</i> Nakai 할미밀망		○						○	○	○	
Ranunculaceae	<i>Clematis urticifolia</i> Nakai ex Kitag. 병조희폴		○		III				○			
Ranunculaceae	<i>Hepatica asiatica</i> Nakai 노루귀				I				○	○		
Ranunculaceae	<i>Pulsatilla koreana</i> (Y.Yabe ex Nakai) Nakai ex T.Mori 할미꽃							○	○	○	○	○
Ranunculaceae	<i>Pulsatilla tongkangensis</i> Y.N.Lee & T.C.Lee 동강할미꽃	EN	○		V					○	○	
Ranunculaceae	<i>Ranunculus chinensis</i> Bunge 젓가락나물			○				○	○	○	○	
Ranunculaceae	<i>Ranunculus japonicus</i> Thunb. 미나리아재비								○	○	○	

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Ranunculaceae	<i>Ranunculus sceleratus</i> L. 개구리자리										○	
Ranunculaceae	<i>Ranunculus tachiroei</i> Franch. & Sav. 개구리미나리			○					○	○		
Ranunculaceae	<i>Semiaquilegia adoxoides</i> (DC.) Makino 개구리발톱				I							○
Ranunculaceae	<i>Thalictrum actaeifolium</i> Siebold & Zucc. var. <i>brevistylum</i> Nakai 은평의다리		○							○		○
Ranunculaceae	<i>Thalictrum aquilegiifolium</i> L. var. <i>sibiricum</i> Regel & Tiling 평의다리			○					○		○	
Ranunculaceae	<i>Thalictrum ichangense</i> Lecoy. ex Oliv. 꼭지연잎평의다리	NT			IV					○		
Ranunculaceae	<i>Thalictrum kemense</i> Fr. 큰평의다리	DD								○		
Ranunculaceae	<i>Thalictrum minus</i> (Pamp.) Pamp. var. <i>hypoleucum</i> (Siebold & Zucc.) Miq. 좁평의다리								○	○	○	○
Ranunculaceae	<i>Thalictrum tuberiferum</i> Maxim. 산평의다리								○			
Berberidaceae	<i>Berberis amurensis</i> Rupr. 매발톱나무			○	II				○			
Berberidaceae	<i>Berberis koreana</i> Palib. 매자나무		○		IV				○			
Berberidaceae	<i>Berberis thunbergii</i> DC. 일본매자나무 ▼								○			
Berberidaceae	<i>Caulophyllum robustum</i> Maxim. 평의다리아재비			○	II				○			
Berberidaceae	<i>Epimedium koreanum</i> Nakai 삼지구엽초			○	IV				○	○		
Berberidaceae	<i>Nandina domestica</i> Thunb. 남천 ▼									○		○
Lardizabalaceae	<i>Akebia quinata</i> (Houtt.) Decne. 으름덩굴							○		○	○	○
Lardizabalaceae	<i>Stauntonia hexaphylla</i> (Thunb.) Decne. 멸꿀				III							○
Menispermaceae	<i>Cocculus orbiculatus</i> (L.) DC. 덩댕이덩굴							○	○	○	○	○
Menispermaceae	<i>Menispermum dauricum</i> DC. 새모래덩굴			○				○	○	○	○	○
Saururaceae	<i>Houttuynia cordata</i> Thunb. 약모밀										○	
Chloranthaceae	<i>Chloranthus fortunei</i> (A.Gray) Solms 옥녀꽃대				I					○	○	○
Chloranthaceae	<i>Chloranthus japonicus</i> Siebold 홀아비꽃대			○	I				○		○	
Aristolochiaceae	<i>Aristolochia contorta</i> Bunge 쥐방울덩굴				I				○	○	○	○
Aristolochiaceae	<i>Aristolochia manshuriensis</i> Kom. 등취			○	II				○		○	○
Aristolochiaceae	<i>Asarum chungbuensis</i> (C.S.Yook & J.G.Kim) B.U.Oh 무늬족도리풀		○								○	
Aristolochiaceae	<i>Asarum mandshuricum</i> (Maxim.) M.Kim & S.So var. <i>seoulense</i> (Nakai) M.Kim & S.So 서울족도리풀								○			
Aristolochiaceae	<i>Asarum misandrum</i> B.U.Oh & J.G.Kim 각시족도리풀				III					○		
Aristolochiaceae	<i>Asarum sieboldii</i> Miq. 족도리풀								○	○	○	○
Paeoniaceae	<i>Paeonia lactiflora</i> Pall. 작약 ▼	EN		○					○	○	○	
Actinidiaceae	<i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq. 다래							○	○	○	○	○
Actinidiaceae	<i>Actinidia kolomikta</i> (Maxim. & Rupr.) Maxim. 쥐다래				III				○			
Actinidiaceae	<i>Actinidia polygama</i> (Siebold & Zucc.) Planch. ex Maxim. 개다래								○	○	○	
Theaceae	<i>Camellia japonica</i> L. 동백나무 ▼				I		○			○	○	○
Theaceae	<i>Camellia sasanqua</i> Thunb. 애기동백나무 ▼											○
Theaceae	<i>Eurya japonica</i> Thunb. 사스레피나무				I		○				○	○
Theaceae	<i>Stewartia koreana</i> Nakai ex Rehder 노각나무		○		III						○	
Theaceae	<i>Ternstroemia gymnanthera</i> (Wight & Arn.) Bedd. 후피향나무 ▼				IV							○
Clusiaceae	<i>Hypericum ascyron</i> L. 물레나물			○				○	○	○	○	○
Clusiaceae	<i>Hypericum erectum</i> Thunb. 고추나물			○				○	○	○	○	○
Clusiaceae	<i>Hypericum japonicum</i> Thunb. 애기고추나물											○
Clusiaceae	<i>Hypericum laxum</i> (Blume) Koidz. 좁고추나물										○	
Droseraceae	<i>Drosera peltata</i> Thunb. var. <i>nipponica</i> (Masam.) Ohwi ex E.Walker 끈끈이귀개	VU			V							○
Droseraceae	<i>Drosera rotundifolia</i> L. 끈끈이주걱			○	III				○			
Papaveraceae	<i>Chelidonium majus</i> L. subsp. <i>asiaticum</i> H.Hara 애기똥풀							○	○	○	○	○
Papaveraceae	<i>Corydalis heterocarpa</i> Siebold & Zucc. 염주괴불주머니										○	
Papaveraceae	<i>Corydalis incisa</i> (Thunb.) Pers. 자주괴불주머니				I						○	○
Papaveraceae	<i>Corydalis pallida</i> (Thunb.) Pers. 괴불주머니								○		○	○
Papaveraceae	<i>Corydalis pauciovulata</i> Ohwi 선괴불주머니								○	○	○	○
Papaveraceae	<i>Corydalis platycarpa</i> (Maxim. ex Palib.) Makino 갯괴불주머니				III						○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Papaveraceae	<i>Corydalis remota</i> Fisch. ex Maxim. 현호색								○	○	○	○
Papaveraceae	<i>Corydalis speciosa</i> Maxim. 산괴불주머니			○					○	○	○	○
Papaveraceae	<i>Dicentra spectabilis</i> (L.) Lem. 금낭화				III					○	○	
Papaveraceae	<i>Hylomecon vernalis</i> Maxim. 피나물				II					○		
Papaveraceae	<i>Papaver rhoeas</i> L. 개양귀비							○	○	○		
Brassicaceae	<i>Arabidopsis thaliana</i> (L.) Heynh. 애기장대				IV							○
Brassicaceae	<i>Arabis hirsuta</i> (L.) Scop. 털장대								○			
Brassicaceae	<i>Barbarea orthoceras</i> Ledeb. 나도냉이			○				○	○			
Brassicaceae	<i>Barbarea vulgaris</i> W.T.Aiton 유럽나도냉이					○		○	○	○	○	
Brassicaceae	<i>Brassica juncea</i> (L.) Czern. 갓									○	○	○
Brassicaceae	<i>Brassica napus</i> L. 유채									○	○	○
Brassicaceae	<i>Capsella bursa-pastoris</i> (L.) Medik. 냉이							○	○	○	○	○
Brassicaceae	<i>Cardamine fallax</i> (O.E.Schulz) Nakai 좁쌀냉이							○	○	○	○	○
Brassicaceae	<i>Cardamine flexuosa</i> With. 황새냉이							○	○	○	○	○
Brassicaceae	<i>Cardamine impatiens</i> L. 싸리냉이								○	○	○	
Brassicaceae	<i>Cardamine komarovii</i> Nakai 논쟁이냉이				III				○			
Brassicaceae	<i>Cardamine leucantha</i> (Tausch) O.E.Schulz 미나리냉이								○	○	○	○
Brassicaceae	<i>Descurainia sophia</i> (L.) Webb ex Prantl 재취					○				○		
Brassicaceae	<i>Draba nemorosa</i> L. 꽃다지							○	○	○	○	
Brassicaceae	<i>Lepidium apetalum</i> Willd. 다닥냉이					○		○	○	○	○	
Brassicaceae	<i>Lepidium virginicum</i> L. 콩다닥냉이					○		○	○	○	○	○
Brassicaceae	<i>Raphanus sativus</i> L. 무										○	
Brassicaceae	<i>Raphanus sativus</i> var. <i>hortensis</i> f. <i>raphanistroides</i> Makino 갯무											○
Brassicaceae	<i>Rorippa cantoniensis</i> (Lour.) Ohwi 좁개장냉이									○		
Brassicaceae	<i>Rorippa indica</i> (L.) Hiern 개장냉이							○	○	○	○	
Brassicaceae	<i>Rorippa palustris</i> (L.) Besser 속속이풀								○	○	○	○
Brassicaceae	<i>Thlaspi arvense</i> L. 말냉이					○		○	○	○	○	○
Brassicaceae	<i>Turritis glabra</i> L. 장대나물								○	○	○	○
Hamamelidaceae	<i>Liquidambar styraciflua</i> L. 미국풍나무 ▼										○	
Crassulaceae	<i>Hylotelephium erythrostictum</i> (Miq.) H.Ohba 평의비름								○	○	○	
Crassulaceae	<i>Hylotelephium spectabile</i> (Boreau) H.Ohba 큰평의비름				III				○			
Crassulaceae	<i>Phedimus kamschaticus</i> (Fisch. & C.A.Mey.) 't Hart 기린초								○	○	○	○
Crassulaceae	<i>Phedimus takesimensis</i> (Nakai) 't Hart 섬기린초			○	IV						○	○
Crassulaceae	<i>Sedum bulbiferum</i> Makino 말뚝비름										○	
Crassulaceae	<i>Sedum oryzifolium</i> Makino 땅채송화										○	
Crassulaceae	<i>Sedum polytrichoides</i> Hemsl. 바위채송화										○	
Crassulaceae	<i>Sedum sarmentosum</i> Bunge 돌나물							○		○	○	○
Saxifragaceae	<i>Astilbe chinensis</i> (Maxim.) Franch. & Sav. 노루오줌								○	○	○	○
Saxifragaceae	<i>Astilbe koreana</i> (Kom.) Nakai 숙은노루오줌									○		
Saxifragaceae	<i>Chrysosplenium flagelliferum</i> F.Schmidt 애기괭이눈			○						○		
Saxifragaceae	<i>Mukdenia rossii</i> (Oliv.) Koidz. 돌단풍				II			○			○	
Saxifragaceae	<i>Rodgersia podophylla</i> A.Gray 도깨비부채				IV				○			
Saxifragaceae	<i>Saxifraga stolonifera</i> Curtis 바위취									○		
Hydrangeaceae	<i>Deutzia parviflora</i> Bunge 말발도리			○	I	○			○	○	○	
Hydrangeaceae	<i>Deutzia uniflora</i> Shirai 매화말발도리				I					○		
Hydrangeaceae	<i>Hydrangea macrophylla</i> (Thunb.) Ser. 수국 ▼											○
Hydrangeaceae	<i>Hydrangea macrophylla</i> (Thunb.) Ser. subsp. <i>serrata</i> (Thunb.) Makino 산수국									○	○	○
Hydrangeaceae	<i>Hydrangea paniculata</i> Siebold 나무수국 ▼										○	○
Hydrangeaceae	<i>Philadelphus schrenkii</i> Rupr. 고광나무				III	○			○			○
Hydrangeaceae	<i>Philadelphus tenuifolius</i> Rupr. & Maxim. 얇은잎고광나무			○					○	○	○	
Hydrangeaceae	<i>Schizophragma hydrangeoides</i> Siebold & Zucc. 바위수국				IV						○	
Parnassiaceae	<i>Parnassia palustris</i> L. 물매화			○					○			
Grossulariaceae	<i>Ribes fasciculatum</i> Siebold & Zucc. var. <i>chinense</i> Maxim. 까마귀밥나무							○		○		○
Grossulariaceae	<i>Ribes mandshuricum</i> (Maxim.) Kom. 까치밥나무			○	III						○	

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Pittosporaceae	<i>Pittosporum tobira</i> (Thunb.) W.T.Aiton 돈나무 ▼				III		○					○
Rosaceae	<i>Agrimonia coreana</i> Nakai 산쑥산나물			○					○			
Rosaceae	<i>Agrimonia pilosa</i> Ledeb. 쑥산나물							○	○	○	○	○
Rosaceae	<i>Aria alnifolia</i> (Siebold & Zucc.) Decne. 팔배나무						○	○	○	○	○	○
Rosaceae	<i>Aruncus dioicus</i> (Walter) Fernald 눈개승마				III				○		○	
Rosaceae	<i>Chaenomeles speciosa</i> (Sweet) Nakai 명자꽃									○		○
Rosaceae	<i>Crataegus pinnatifida</i> Bunge 산사나무								○	○	○	
Rosaceae	<i>Duchesnea indica</i> (Andrews) Tescem. 뱀딸기							○	○	○	○	○
Rosaceae	<i>Filipendula glaberrima</i> Nakai 터리풀			○	I				○			
Rosaceae	<i>Geum aleppicum</i> Jacq. 큰뱀무								○	○	○	○
Rosaceae	<i>Geum japonicum</i> Thunb. 뱀무								○	○	○	
Rosaceae	<i>Kerria japonica</i> (L.) DC. 황매화								○		○	
Rosaceae	<i>Malus baccata</i> (L.) Borkh. 야광나무			○	I				○		○	○
Rosaceae	<i>Photinia glabra</i> (Thunb.) Franch. & Sav. 홍가시나무 ▼											○
Rosaceae	<i>Potentilla anemonifolia</i> Lehm. 가락지나물							○	○	○	○	○
Rosaceae	<i>Potentilla chinensis</i> Ser. 딱지꽃			○				○	○	○	○	
Rosaceae	<i>Potentilla dickinsii</i> Franch. & Sav. 돌양지꽃				II						○	
Rosaceae	<i>Potentilla discolor</i> Bunge 솜양지꽃			○								○
Rosaceae	<i>Potentilla fragarioides</i> L. var. <i>major</i> Maxim. 양지꽃			○				○	○	○	○	○
Rosaceae	<i>Potentilla freyniana</i> Bornm. 세잎양지꽃							○	○	○	○	○
Rosaceae	<i>Potentilla yokusaiana</i> Makino 민눈양지꽃				II				○			
Rosaceae	<i>Potentilla supina</i> L. subsp. <i>paradoxa</i> (Nutt.) Soják 개소시랑개비					○		○	○	○		
Rosaceae	<i>Pourthiaea villosa</i> (Thunb.) Decne. 윤노리나무				I		○			○		○
Rosaceae	<i>Prunus armeniaca</i> L. 살구나무 ▼								○	○		
Rosaceae	<i>Prunus cerasifera</i> Ehrh. 자엽꽃자두 ▼									○		
Rosaceae	<i>Prunus davidiana</i> (Carrière) Franch. 산복사나무									○		
Rosaceae	<i>Prunus glandulosa</i> Thunb. 산옥매 ▼											○
Rosaceae	<i>Prunus japonica</i> Thunb. var. <i>nakaii</i> (H.Lév.) Rehder 이스라엘지								○			○
Rosaceae	<i>Prunus padus</i> L. 귀룽나무							○	○	○	○	○
Rosaceae	<i>Prunus persica</i> (L.) Batsch 복사나무 ▼							○	○	○	○	○
Rosaceae	<i>Prunus salicina</i> Lindl. 자두나무 ▼	DD									○	
Rosaceae	<i>Prunus sargentii</i> Rehder 산벚나무			○	III			○		○	○	○
Rosaceae	<i>Prunus serrulata</i> Lindl. var. <i>pubescens</i> (Makino) Nakai 산털벚나무							○	○	○	○	○
Rosaceae	<i>Prunus serrulata</i> Lindl. f. <i>spontanea</i> (E.H.Wilson) Chin S.Chang 벚나무								○	○	○	○
Rosaceae	<i>Prunus tomentosa</i> Thunb. 앵도나무									○		
Rosaceae	<i>Prunus × yedoensis</i> Matsum. 왕벚나무 ▼				IV			○	○	○	○	○
Rosaceae	<i>Pseudocdonia sinensis</i> (Thouin) C.K.Schneid. 모과나무 ▼										○	
Rosaceae	<i>Pyrus pyrifolia</i> (Burm.f.) Nakai 돌배나무								○		○	
Rosaceae	<i>Pyrus ussuriensis</i> Maxim. ex Rupr. 산돌배			○						○	○	
Rosaceae	<i>Raphiolepis indica</i> (L.) Lindl. ex Ker var. <i>umbellata</i> (Thunb. ex Murray) H.Ohashi 다정큼나무 ▼				III		○					○
Rosaceae	<i>Rosa luciae</i> Franch. & Rochebr. ex Crép. 돌가시나무				I					○	○	○
Rosaceae	<i>Rosa multiflora</i> Thunb. 찔레꽃						○	○	○	○	○	○
Rosaceae	<i>Rosa multiflora</i> Thunb. var. <i>platyphylla</i> Thory. 덩굴장미 ▼									○		
Rosaceae	<i>Rosa rugosa</i> Thunb. 해당화 ▼				II					○		○
Rosaceae	<i>Rubus corchorifolius</i> L.f. 수리딸기				I				○	○		○
Rosaceae	<i>Rubus coreanus</i> Miq. 복분자딸기									○	○	○
Rosaceae	<i>Rubus crataegifolius</i> Bunge 산딸기			○				○	○	○	○	○
Rosaceae	<i>Rubus fruticosus</i> L. 서양오엽딸기								○			
Rosaceae	<i>Rubus hirsutus</i> Thunb. 장딸기				III						○	○
Rosaceae	<i>Rubus hongnoensis</i> Nakai 가시딸기	DD	○		IV							○
Rosaceae	<i>Rubus parvifolius</i> L. 명석딸기							○	○	○	○	○
Rosaceae	<i>Rubus phoenicolasius</i> Maxim. 곰딸기							○	○	○	○	○
Rosaceae	<i>Rubus pungens</i> Cambess. 줄딸기								○	○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Rosaceae	<i>Rubus ribisoides</i> Matsum. 섬딸기	DD			IV						○	
Rosaceae	<i>Rubus takesimensis</i> Nakai 섬나무딸기		○		IV						○	
Rosaceae	<i>Sanguisorba hakusanensis</i> Makino 산오이풀				III		○				○	
Rosaceae	<i>Sanguisorba officinalis</i> L. 오이풀							○	○	○	○	○
Rosaceae	<i>Sanguisorba stipulata</i> Raf. 큰오이풀			○							○	
Rosaceae	<i>Sanguisorba</i> × <i>tenuifolia</i> Fisch. ex Link 가는오이풀			○	I			○			○	
Rosaceae	<i>Sorbaria kirilowii</i> (Regel & Tiling) Maxim. 쯔쉬땅나무											○
Rosaceae	<i>Sorbaria sorbifolia</i> (L.) A.Braun var. <i>stellipila</i> Maxim. 쉬땅나무			○	III				○		○	○
Rosaceae	<i>Sorbus commixta</i> Hedl. 마가목				II				○	○	○	
Rosaceae	<i>Spiraea fritschiana</i> C.K.Schneid. 참조팝나무			○	III				○			
Rosaceae	<i>Spiraea japonica</i> L.f. 일본조팝나무 ▼										○	
Rosaceae	<i>Spiraea prunifolia</i> Siebold & Zucc. f. <i>simpliciflora</i> Nakai 조팝나무							○	○	○	○	○
Rosaceae	<i>Spiraea salicifolia</i> L. 꼬리조팝나무			○	II			○			○	
Rosaceae	<i>Stephanandra incisa</i> (Thunb.) Zabel 국수나무						○	○	○	○	○	○
Fabaceae	<i>Aeschynomene indica</i> L. 자귀풀							○	○	○	○	
Fabaceae	<i>Albizia julibrissin</i> Durazz. 자귀나무							○	○	○	○	○
Fabaceae	<i>Amorpha fruticosa</i> L. 족제비싸리							○	○	○	○	○
Fabaceae	<i>Amphicarpaea bracteata</i> (L.) Fernald subsp. <i>edgeworthii</i> (Benth.) H.Ohashi 새콩							○	○	○	○	○
Fabaceae	<i>Astragalus sinicus</i> L. 자운영											○
Fabaceae	<i>Caesalpinia decapetala</i> (Roth) Alston 실거리나무				III							○
Fabaceae	<i>Campylotropis macrocarpa</i> (Bunge) Rehder 꽃싸리	DD			IV			○				
Fabaceae	<i>Cercis chinensis</i> Bunge 박태기나무							○	○	○		
Fabaceae	<i>Chamaecrista nomame</i> (Makino) H.Ohashi 차풀							○	○	○	○	○
Fabaceae	<i>Crotalaria sessiliflora</i> L. 활나물							○			○	○
Fabaceae	<i>Dumbaria villosa</i> (Thunb.) Makino 여우팔							○	○		○	○
Fabaceae	<i>Glycine max</i> (L.) Merr. subsp. <i>soja</i> (Siebold & Zucc.) H.Ohashi 돌콩							○	○	○	○	○
Fabaceae	<i>Hylodesmum podocarpum</i> (DC.) H.Ohashi & R.R.Mill 개도독놈의갈고리								○			
Fabaceae	<i>Hylodesmum podocarpum</i> (DC.) H.Ohashi & R.R.Mill subsp. <i>oxyphyllum</i> (DC.) H.Ohashi & R.R.Mill 도독놈의갈고리								○		○	○
Fabaceae	<i>Indigofera bungeana</i> Walp. 큰낭아초 ▼							○	○	○	○	○
Fabaceae	<i>Indigofera kirilowii</i> Maxim. ex Palib. 땅비싸리							○	○	○	○	○
Fabaceae	<i>Indigofera koreana</i> Ohwi 쯔땅비싸리		○						○	○	○	○
Fabaceae	<i>Indigofera pseudotinctoria</i> Matsum. 낭아초				III				○			
Fabaceae	<i>Kummerowia stipulacea</i> (Maxim.) Makino 둥근매듭풀							○	○	○	○	○
Fabaceae	<i>Kummerowia striata</i> (Thunb.) Schindl. 매듭풀							○	○	○	○	○
Fabaceae	<i>Lathyrus davidii</i> Hance 활랑나물								○	○	○	○
Fabaceae	<i>Lespedeza bicolor</i> Turcz. 싸리						○	○	○	○	○	○
Fabaceae	<i>Lespedeza cuneata</i> (Dum.Cours.) G.Don 비수리						○	○	○	○	○	○
Fabaceae	<i>Lespedeza cyrtobotrya</i> Miq. 참싸리					○		○	○	○	○	○
Fabaceae	<i>Lespedeza davidii</i> Franch. 큰잎싸리								○			
Fabaceae	<i>Lespedeza davurica</i> (Laxm.) Schindl. 호비수리			○	III			○	○	○	○	
Fabaceae	<i>Lespedeza juncea</i> (L.f.) Pers. 땅비수리				III			○		○		
Fabaceae	<i>Lespedeza lichiyuniae</i> T.Nemoto, H.Ohashi & T.Itô 자주비수리					○		○				
Fabaceae	<i>Lespedeza maritima</i> Nakai 해변싸리		○		I						○	○
Fabaceae	<i>Lespedeza maximowiczii</i> C.K.Schneid. 조록싸리						○	○	○	○	○	○
Fabaceae	<i>Lespedeza maximowiczii</i> C.K.Schneid. var. <i>tomentella</i> (Nakai) Nakai 털조록싸리								○	○	○	○
Fabaceae	<i>Lespedeza pilosa</i> (Thunb.) Siebold & Zucc. 팽이싸리											○
Fabaceae	<i>Lespedeza thunbergii</i> (DC.) Nakai 풀싸리									○	○	
Fabaceae	<i>Lespedeza tomentosa</i> (Thunb.) Siebold ex Maxim. 개싸리							○	○	○		○
Fabaceae	<i>Lespedeza virgata</i> (Thunb.) DC. 쯔싸리								○		○	○
Fabaceae	<i>Lotus corniculatus</i> L. 서양별노랑이					○			○	○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Fabaceae	<i>Lotus corniculatus</i> L. var. <i>japonica</i> Regel 벌노랑이										○	
Fabaceae	<i>Maackia amurensis</i> Rupr. 다릅나무			○					○	○	○	○
Fabaceae	<i>Medicago lupulina</i> L. 잔개자리					○		○	○		○	
Fabaceae	<i>Medicago polymorpha</i> L. 개자리					○					○	
Fabaceae	<i>Medicago ruthenica</i> (L.) Trautv. 노랑개자리	DD		○	V				○			
Fabaceae	<i>Medicago sativa</i> L. 자주개자리					○		○	○	○	○	○
Fabaceae	<i>Melilotus albus</i> Medik. 흰전동싸리					○					○	
Fabaceae	<i>Melilotus suaveolens</i> Ledeb. 전동싸리					○		○	○		○	
Fabaceae	<i>Pueraria lobata</i> (Willd.) Ohwi 칩							○	○	○	○	○
Fabaceae	<i>Rhynchosia acuminatifolia</i> Makino 큰여우콩				I						○	○
Fabaceae	<i>Rhynchosia volubilis</i> Lour. 여우콩										○	○
Fabaceae	<i>Robinia pseudoacacia</i> L. 아까시나무							○	○	○	○	○
Fabaceae	<i>Senna tora</i> (L.) Roxb. 결명자							○				
Fabaceae	<i>Sophora flavescens</i> Aiton 고삼							○	○	○	○	○
Fabaceae	<i>Styphnolobium japonicum</i> (L.) Schott 회화나무 ▼									○		
Fabaceae	<i>Trifolium pratense</i> L. 붉은토끼풀					○			○	○		○
Fabaceae	<i>Trifolium repens</i> L. 토끼풀					○		○	○	○	○	○
Fabaceae	<i>Vicia amoena</i> Fisch. ex Ser. 갈퀴나물			○					○	○	○	○
Fabaceae	<i>Vicia amurensis</i> Oett. 벌완두			○					○			
Fabaceae	<i>Vicia chosensis</i> Ohwi 노랑갈퀴		○		III				○			
Fabaceae	<i>Vicia dasycarpa</i> Ten. 각시갈퀴나물					○				○	○	
Fabaceae	<i>Vicia hirsuta</i> (L.) Gray 새완두											○
Fabaceae	<i>Vicia sativa</i> L. 살갈퀴								○	○	○	○
Fabaceae	<i>Vicia tetrasperma</i> (L.) Schreb. 얼치기완두							○		○	○	○
Fabaceae	<i>Vicia unijuga</i> A.Braun 나비나물			○					○	○	○	○
Fabaceae	<i>Vicia venosa</i> (Link) Maxim. var. <i>cuspidata</i> Maxim. 광릉갈퀴								○	○	○	○
Fabaceae	<i>Vicia villosa</i> Roth 벻치					○						○
Fabaceae	<i>Vigna angularis</i> (Willd.) Ohwi & H. Ohashi var. <i>nipponensis</i> (Ohwi) Ohwi & H. Ohashi 새팔							○	○	○	○	○
Fabaceae	<i>Vigna nakashimae</i> (Ohwi) Ohwi & H. Ohashi 좀돌팔									○	○	
Fabaceae	<i>Vigna vexillata</i> (L.) A. Rich. var. <i>tsusimensis</i> Matsum. 돌동부				I							○
Fabaceae	<i>Wisteria floribunda</i> (Willd.) DC. 등 ▼				IV				○	○	○	○
Oxalidaceae	<i>Oxalis articulata</i> Savigny 덩이팽이밥											○
Oxalidaceae	<i>Oxalis corniculata</i> L. 팽이밥					○		○	○	○	○	○
Oxalidaceae	<i>Oxalis debilis</i> Kunth var. <i>corymbosa</i> (DC.) Lourteig 자주팽이밥											○
Oxalidaceae	<i>Oxalis dillenii</i> Jacq. 들팽이밥					○			○	○	○	○
Oxalidaceae	<i>Oxalis stricta</i> L. 선팽이밥							○	○	○	○	○
Geraniaceae	<i>Geranium carolinianum</i> L. 미국취손이					○			○	○	○	○
Geraniaceae	<i>Geranium koreanum</i> Kom. 둥근이질풀				II				○			
Geraniaceae	<i>Geranium krameri</i> Franch. & Sav. 선이질풀			○							○	
Geraniaceae	<i>Geranium sibiricum</i> L. 취손이풀							○	○	○	○	○
Geraniaceae	<i>Geranium thunbergii</i> Siebold ex Lindl. & Paxton 이질풀								○	○	○	○
Euphorbiaceae	<i>Acalypha australis</i> L. 깨풀							○	○	○	○	○
Euphorbiaceae	<i>Euphorbia helioscopia</i> L. 등대풀											○
Euphorbiaceae	<i>Euphorbia humifusa</i> Willd. ex Schldt. 땅빈대							○				○
Euphorbiaceae	<i>Euphorbia hypericifolia</i> L. 큰땅빈대					○		○		○		
Euphorbiaceae	<i>Euphorbia maculata</i> L. 애기땅빈대					○		○	○	○	○	
Euphorbiaceae	<i>Glochidion chodoense</i> C.S. Lee & H.T. Im 조도만두나무 ▼	CR	○		V							○
Euphorbiaceae	<i>Mallotus japonicus</i> (L.f.) Müll. Arg. 예덕나무				I		○			○	○	○
Euphorbiaceae	<i>Neoshirakia japonica</i> (Siebold & Zucc.) Esser 사람주나무				I					○	○	
Euphorbiaceae	<i>Phyllanthus ussuriensis</i> Rupr. & Maxim. 여우주머니							○	○			○
Euphorbiaceae	<i>Ricinus communis</i> L. 피마자										○	
Euphorbiaceae	<i>Securinega suffruticosa</i> (Pall.) Rehder 광대싸리							○	○	○	○	○
Daphniphyllaceae	<i>Daphniphyllum macropodum</i> Miq. 굴거리나무 ▼				III		○			○	○	○
Rutaceae	<i>Dictamnus dasycarpus</i> Turcz. 백선			○	I					○		
Rutaceae	<i>Orixa japonica</i> Thunb. 상산				I							○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Rutaceae	<i>Phellodendron amurense</i> Rupr. 황벽나무			○	II				○		○	○
Rutaceae	<i>Poncirus trifoliata</i> (L.) Raf. 탕자나무 ▼				III							○
Rutaceae	<i>Tetradium daniellii</i> (Benn.) T.G.Hartley 쉬나무								○	○	○	○
Rutaceae	<i>Zanthoxylum ailanthoides</i> Siebold & Zucc. 머귀나무				III						○	○
Rutaceae	<i>Zanthoxylum armatum</i> DC. 개산초				I							○
Rutaceae	<i>Zanthoxylum piperitum</i> (L.) DC. 초피나무								○	○	○	○
Rutaceae	<i>Zanthoxylum schinifolium</i> Siebold & Zucc. 산초나무							○	○	○	○	○
Simaroubaceae	<i>Ailanthus altissima</i> (Mill.) Swingle 가죽나무							○	○	○	○	○
Simaroubaceae	<i>Picrasma quassioides</i> (D.Don) Benn. 소태나무								○	○	○	○
Meliaceae	<i>Melia azedarach</i> L. 멀구슬나무 ▼				III						○	○
Polygalaceae	<i>Polygala japonica</i> Houtt. 애기풀										○	○
Anacardiaceae	<i>Rhus chinensis</i> Mill. 뽕나무						○	○	○	○	○	○
Anacardiaceae	<i>Toxicodendron succedaneum</i> (L.) Kuntze 검양옻나무	DD			IV					○		○
Anacardiaceae	<i>Toxicodendron sylvestre</i> (Siebold & Zucc.) Kuntze 산검양옻나무				I					○	○	○
Anacardiaceae	<i>Toxicodendron trichocarpum</i> (Miq.) Kuntze 개옻나무						○	○	○	○	○	○
Anacardiaceae	<i>Toxicodendron vernicifluum</i> (Stokes) F.A.Barkley 옻나무									○	○	○
Aceraceae	<i>Acer buergerianum</i> Miq. 중국단풍 ▼										○	○
Aceraceae	<i>Acer komarovii</i> Pojark. 시달나무			○	III				○			
Aceraceae	<i>Acer palmatum</i> Thunb. 단풍나무 ▼				III			○	○	○	○	○
Aceraceae	<i>Acer palmatum</i> var. <i>dissectum</i> 'Dissectum Nigrum' 공작단풍 ▼								○			
Aceraceae	<i>Acer palmatum</i> cv. 'Sango-Kaku' 상고카쿠단풍 ▼									○		
Aceraceae	<i>Acer palmatum</i> cv. 'Shojo-Nomura' 홍단풍나무 ▼									○		
Aceraceae	<i>Acer pictum</i> Thunb. var. <i>mono</i> (Maxim.) Maxim. ex Franch. 고로쇠나무						○		○	○	○	○
Aceraceae	<i>Acer pseudosieboldianum</i> (Pax) Kom. 당단풍나무						○	○	○	○	○	○
Aceraceae	<i>Acer tataricum</i> L. subsp. <i>ginnala</i> (Maxim.) Wesm. 신나무							○	○	○	○	○
Aceraceae	<i>Acer tegmentosum</i> Maxim. 산겨릅나무			○	IV				○			
Aceraceae	<i>Acer triflorum</i> Kom. 복자기				III				○			
Sapindaceae	<i>Koeleruteria paniculata</i> Laxm. 모감주나무 ▼				III		○			○	○	○
Sabiaceae	<i>Meliosma myriantha</i> Siebold & Zucc. 나도밤나무				I					○	○	○
Sabiaceae	<i>Meliosma pinnata</i> (Roxb.) Maxim. var. <i>oldhamii</i> (Miq. ex Maxim.) Beusekom 합다리나무				I		○			○		○
Balsaminaceae	<i>Impatiens noli-tangere</i> L. 노랑물봉선				I				○			
Balsaminaceae	<i>Impatiens textorii</i> Miq. 물봉선							○	○	○	○	○
Balsaminaceae	<i>Impatiens textorii</i> Miq. var. <i>koreana</i> (Nakai) Nakai 흰물봉선								○			
Aquifoliaceae	<i>Ilex cornuta</i> Lindl. & Paxton 호랑가시나무	NT			III							○
Aquifoliaceae	<i>Ilex crenata</i> Thunb. 팽귤나무				III						○	○
Aquifoliaceae	<i>Ilex integra</i> Thunb. 감탕나무				III						○	○
Aquifoliaceae	<i>Ilex macropoda</i> Miq. 대팻집나무				I				○	○	○	○
Aquifoliaceae	<i>Ilex rotunda</i> Thunb. 먼나무 ▼				IV		○				○	○
Aquifoliaceae	<i>Ilex × wandoensis</i> C.F.Mill. & M.Kim 완도호랑가시나무 ▼		○									○
Celastraceae	<i>Celastrus flagellaris</i> Rupr. 풀지나무											○
Celastraceae	<i>Celastrus orbiculatus</i> Thunb. 노박덩굴							○	○	○	○	○
Celastraceae	<i>Celastrus stephanotiifolius</i> (Makino) Makino 털노박덩굴				I							○
Celastraceae	<i>Euonymus alatus</i> (Thunb.) Siebold 화살나무								○	○	○	○
Celastraceae	<i>Euonymus alatus</i> (Thunb.) Siebold f. <i>ciliato-dentatus</i> (Franch. & Sav.) Hiyama 회잎나무								○	○	○	○
Celastraceae	<i>Euonymus fortunei</i> (Turcz.) Hand.-Mazz. 쯤사철나무				I							○
Celastraceae	<i>Euonymus fortunei</i> (Turcz.) Hand.-Mazz. var. <i>radicans</i> (Siebold ex Miq.) Rehder 줄사철나무										○	○
Celastraceae	<i>Euonymus hamiltonianus</i> Wall. 참빗살나무									○	○	
Celastraceae	<i>Euonymus hamiltonianus</i> Wall. var. <i>maackii</i> (Rupr.) Kom. 쯤참빗살나무									○	○	
Celastraceae	<i>Euonymus japonicus</i> Thunb. 사철나무 ▼				I		○			○	○	○
Celastraceae	<i>Euonymus oxyphyllus</i> Miq. 참회나무								○	○	○	
Celastraceae	<i>Euonymus pauciflorus</i> Maxim. 회목나무				II					○		

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Celastraceae	<i>Euonymus sachalinensis</i> (F.Schmidt) Maxim. 회나무			○	I					○	○	
Celastraceae	<i>Tripterygium regelii</i> Sprague & Takeda 미역줄나무				II			○	○	○	○	○
Staphyleaceae	<i>Euscaphis japonica</i> (Thunb.) Kanitz 말오줌때				I		○	○		○		○
Staphyleaceae	<i>Staphylea bumalda</i> DC. 고추나무								○	○	○	
Buxaceae	<i>Buxus sinica</i> (Rehder & E.H.Wilson) M.Cheng var. <i>insularis</i> (Nakai) M.Cheng 회양목 ▼				I					○	○	○
Buxaceae	<i>Pachysandra terminalis</i> Siebold & Zucc. 수호초 ▼											○
Rhamnaceae	<i>Berchemia berchemiifolia</i> (Makino) Koidz. 망개나무 ▼	NT			IV						○	
Rhamnaceae	<i>Hovenia dulcis</i> Thunb. 헛개나무 ▼				I					○		
Rhamnaceae	<i>Rhamnus davurica</i> Pall. 갈매나무			○	IV					○		
Rhamnaceae	<i>Rhamnus taquetii</i> (H.Lév. & Vaniot) H.Lév. 좀갈매나무	CR	○		IV						○	
Rhamnaceae	<i>Rhamnus yoshinoi</i> Makino 짝자래나무									○	○	
Rhamnaceae	<i>Sageretia thea</i> (Osbeck) M.C.Johnst. 상동나무				III							○
Rhamnaceae	<i>Ziziphus jujuba</i> Mill. var. <i>inermis</i> (Bunge) Rehder 대추나무 ▼							○		○		
Vitaceae	<i>Ampelopsis glandulosa</i> (Wall.) Momiy. 털개머루										○	
Vitaceae	<i>Ampelopsis glandulosa</i> (Wall.) Momiy. var. <i>heterophylla</i> (Thunb.) Momiy. 개머루							○	○	○	○	○
Vitaceae	<i>Ampelopsis glandulosa</i> (Wall.) Momiy. var. <i>heterophylla</i> (Thunb.) Momiy. f. <i>citruroides</i> (Lebas) Momiy. 가새잎개머루							○		○	○	○
Vitaceae	<i>Causonia japonica</i> (Thunb.) Raf. 거지덩굴				I						○	○
Vitaceae	<i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch. 담쟁이덩굴							○	○	○	○	○
Vitaceae	<i>Vitis amurensis</i> Rupr. 왕머루			○					○	○	○	○
Vitaceae	<i>Vitis coignetiae</i> Pulliat ex Planch. 머루				III			○		○	○	○
Vitaceae	<i>Vitis flexuosa</i> Thunb. 새머루							○		○	○	○
Vitaceae	<i>Vitis heyneana</i> Roem. & Schult. subsp. <i>ficifolia</i> (Bunge) C.L.Li 까마귀머루									○	○	○
Tiliaceae	<i>Corchoropsis tomentosa</i> (Thunb.) Makino 수까치깨							○	○	○	○	○
Tiliaceae	<i>Grewia biloba</i> G.Don 장구밥나무				I		○			○		○
Tiliaceae	<i>Tilia amurensis</i> Rupr. 피나무			○	II		○		○	○		○
Tiliaceae	<i>Tilia mandshurica</i> Rupr. & Maxim. 찰피나무			○	II			○	○	○		
Tiliaceae	<i>Triumfetta japonica</i> Makino 고슴도치풀									○		
Malvaceae	<i>Abutilon theophrasti</i> Medik. 어저귀					○				○		○
Malvaceae	<i>Hibiscus hamabo</i> Siebold & Zucc. 황근 ▼	VU			V							○
Malvaceae	<i>Hibiscus mutabilis</i> L. 부용 ▼										○	
Malvaceae	<i>Hibiscus syriacus</i> L. 무궁화 ▼							○		○	○	
Malvaceae	<i>Hibiscus trionum</i> L. 수박풀					○						○
Malvaceae	<i>Malva sylvestris</i> L. 당아욱											○
Violaceae	<i>Viola acuminata</i> Ledeb. 줄방제비꽃			○				○	○	○	○	○
Violaceae	<i>Viola albida</i> Palib. 태백제비꽃									○	○	○
Violaceae	<i>Viola albida</i> Palib. var. <i>chaerophylloides</i> (Regel) F.Maek. ex H.Hara 남산제비꽃							○	○	○	○	○
Violaceae	<i>Viola betonicifolia</i> Sm. var. <i>albescens</i> (Nakai) F.Maek. & T.Hashim 흰들제비꽃									○		
Violaceae	<i>Viola collina</i> Besser 둥근털제비꽃							○	○	○	○	○
Violaceae	<i>Viola grypoceras</i> A.Gray 낚시제비꽃											○
Violaceae	<i>Viola hirtipes</i> S.Moore 흰털제비꽃			○					○	○	○	
Violaceae	<i>Viola japonica</i> Langsd. ex DC. 왜제비꽃											○
Violaceae	<i>Viola keiskei</i> Miq. 잔털제비꽃									○	○	
Violaceae	<i>Viola lactiflora</i> Nakai 흰젓제비꽃									○	○	
Violaceae	<i>Viola mandshurica</i> W.Becker 제비꽃			○				○	○	○	○	○
Violaceae	<i>Viola orientalis</i> (Maxim.) W.Becker 노랑제비꽃			○	II				○	○	○	○
Violaceae	<i>Viola phalacrocarpa</i> Maxim. 털제비꽃										○	
Violaceae	<i>Viola philippica</i> Cav. 호제비꽃										○	○
Violaceae	<i>Viola rossii</i> Hemsl. 고깔제비꽃								○	○	○	○
Violaceae	<i>Viola selkirkii</i> Pursh ex Goldie 외제비꽃			○						○		○
Violaceae	<i>Viola sororia</i> Willd. 종지나물									○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Violaceae	<i>Viola tokubuchiana</i> Makino var. <i>takedana</i> (Makino) F.Mack. 만동피제비꽃				II					○		
Violaceae	<i>Viola variegata</i> Fisch. ex Link 알록제비꽃			○				○	○	○	○	○
Violaceae	<i>Viola verecunda</i> A.Gray 콩제비꽃							○	○	○	○	○
Cucurbitaceae	<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai 수박										○	
Cucurbitaceae	<i>Cucumis melo</i> L. 참외									○		○
Cucurbitaceae	<i>Gynostemma pentaphyllum</i> (Thunb.) Makino 돌외				I					○	○	○
Cucurbitaceae	<i>Sicyos angulatus</i> L. 가시박					○		○			○	○
Elaeagnaceae	<i>Elaeagnus glabra</i> Thunb. 보리장나무				III						○	○
Elaeagnaceae	<i>Elaeagnus macrophylla</i> Thunb. 보리밥나무				I				○		○	○
Elaeagnaceae	<i>Elaeagnus multiflora</i> Thunb. 돌보리수 ▼							○			○	○
Elaeagnaceae	<i>Elaeagnus umbellata</i> Thunb. 보리수나무							○		○	○	○
Lythraceae	<i>Lagerstroemia indica</i> L. 배롱나무 ▼										○	○
Lythraceae	<i>Lythrum salicaria</i> L. 털부처꽃								○	○		
Lythraceae	<i>Lythrum salicaria</i> L. subsp. <i>anceps</i> (Koehne) H.Hara 부처꽃								○	○	○	
Onagraceae	<i>Circaea mollis</i> Siebold & Zucc. 털이슬										○	○
Onagraceae	<i>Epilobium pyrricholophum</i> Franch. & Sav. 비늘꽃										○	
Onagraceae	<i>Ludwigia prostrata</i> Roxb. 여뀌바늘								○			
Onagraceae	<i>Oenothera biennis</i> L. 달맞이꽃					○		○	○	○	○	○
Haloragaceae	<i>Haloragis micrantha</i> (Thunb.) R.Br. ex Siebold & Zucc. 개미탑				I						○	○
Alangiaceae	<i>Alangium platanifolium</i> (Siebold & Zucc.) Harms var. <i>trilobum</i> (Miq.) Ohwi 박쥐나무								○	○	○	○
Cornaceae	<i>Aucuba japonica</i> Thunb. 식나무 ▼				III						○	○
Cornaceae	<i>Cornus alba</i> L. 흰말채나무 ▼			○					○			
Cornaceae	<i>Cornus controversa</i> Hemsl. 층층나무						○	○	○	○	○	○
Cornaceae	<i>Cornus kousa</i> Bürger ex Hance 산딸나무						○			○	○	○
Cornaceae	<i>Cornus officinalis</i> Siebold & Zucc. 산수유 ▼									○	○	
Cornaceae	<i>Cornus walteri</i> Wangerin 말채나무								○	○	○	
Araliaceae	<i>Aralia cordata</i> Thunb. 땅두릅									○		
Araliaceae	<i>Aralia cordata</i> Thunb. var. <i>continentalis</i> (Kitag.) Y.C.Chu 독활			○					○	○	○	○
Araliaceae	<i>Aralia elata</i> (Miq.) Seem. 두릅나무							○	○	○	○	○
Araliaceae	<i>Dendropanax trifidus</i> (Thunb.) Makino ex H.Hara 황칠나무 ▼				III					○		○
Araliaceae	<i>Eleutherococcus sessiliflorus</i> (Rupr. & Maxim.) S.Y.Hu 오갈피나무 ▼			○	I			○	○	○	○	○
Araliaceae	<i>Fatsia japonica</i> (Thunb.) Decne. & Planch. 팔손이				III						○	
Araliaceae	<i>Hedera helix</i> L. 아이비										○	○
Araliaceae	<i>Hedera rhombea</i> (Miq.) Siebold & Zucc. ex Bean 송악				I					○	○	○
Araliaceae	<i>Kalopanax septemlobus</i> (Thunb.) Koidz. 음나무						○		○	○	○	○
Apiaceae	<i>Angelica amurensis</i> Schischk. 지리강활								○	○	○	
Apiaceae	<i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. & Hook.f. ex Franch. & Sav. 구릿대								○		○	
Apiaceae	<i>Angelica decursiva</i> (Miq.) Franch. & Sav. 바다나물								○	○	○	
Apiaceae	<i>Angelica gigas</i> Nakai 참당귀								○	○	○	○
Apiaceae	<i>Angelica polymorpha</i> Maxim. 궁궁이								○		○	
Apiaceae	<i>Angelica reflexa</i> B.Y.Lee 강활	DD	○						○			
Apiaceae	<i>Angelica tenuissima</i> Nakai 고본				II						○	
Apiaceae	<i>Anthriscus caucalis</i> M.Bieb. 유럽전호					○				○		
Apiaceae	<i>Anthriscus sylvestris</i> (L.) Hoffm. 전호										○	○
Apiaceae	<i>Cnidium monnieri</i> (L.) Cusson 별사상자				III							○
Apiaceae	<i>Cryptotaenia japonica</i> Hassk. 파드득나무								○	○	○	
Apiaceae	<i>Dystaenia takesimana</i> (Nakai) Kitag. 섬바디		○		IV						○	
Apiaceae	<i>Foeniculum vulgare</i> Mill. 회향										○	
Apiaceae	<i>Heracleum moellendorffii</i> Hance 어수리								○	○	○	○
Apiaceae	<i>Hydrocotyle maritima</i> Honda 선피막이				I						○	○
Apiaceae	<i>Hydrocotyle ramiflora</i> Maxim. 큰피막이											○
Apiaceae	<i>Hydrocotyle sibthorpioides</i> Lam. 피막이				IV					○	○	

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Apiaceae	<i>Oenanthe javanica</i> DC. 미나리									○		○
Apiaceae	<i>Osmorhiza aristata</i> (Thunb.) Rydb. 긴사상자								○	○	○	○
Apiaceae	<i>Ostericum grosseserratum</i> (Maxim.) Kitag. 신감채							○	○	○		
Apiaceae	<i>Ostericum sieboldii</i> (Miq.) Nakai 뿔미나리								○			
Apiaceae	<i>Peucedanum hakuunense</i> Nakai 백운기름나물	NT	○								○	
Apiaceae	<i>Peucedanum japonicum</i> Thunb. 갯기름나물				II						○	○
Apiaceae	<i>Peucedanum terebinthaceum</i> (Fisch. ex Trevir.) Fisch. ex Turcz. 기름나물			○					○	○	○	○
Apiaceae	<i>Pimpinella brachycarpa</i> (Kom.) Nakai 참나물								○	○	○	
Apiaceae	<i>Sanicula chinensis</i> Bunge 참반디								○		○	
Apiaceae	<i>Sium ninsi</i> L. 감자개발나물										○	
Apiaceae	<i>Sium suave</i> Walter 개발나물			○					○	○	○	
Apiaceae	<i>Torilis japonica</i> (Houtt.) DC. 사상자								○	○	○	○
Apiaceae	<i>Torilis scabra</i> (Thunb.) DC. 개사상자										○	○
Ericaceae	<i>Pyrola japonica</i> Klenze ex Alef. 노루발			○					○	○	○	○
Ericaceae	<i>Rhododendron brachycarpum</i> D.Don ex G.Don 만병초	NT		○	III						○	
Ericaceae	<i>Rhododendron indicum</i> (L.) Sweet 영산홍 ▼						○	○	○	○	○	○
Ericaceae	<i>Rhododendron micranthum</i> Turcz. 꼬리진달래 ▼	NT			IV				○	○	○	
Ericaceae	<i>Rhododendron mucronulatum</i> Turcz. 진달래			○		○	○	○	○	○	○	○
Ericaceae	<i>Rhododendron mucronulatum</i> Turcz. var. <i>ciliatum</i> Nakai 털진달래								○	○	○	
Ericaceae	<i>Rhododendron schlippenbachii</i> Maxim. 철쭉			○				○	○	○	○	○
Ericaceae	<i>Rhododendron yedoense</i> Maxim. f. <i>poukhanense</i> (H.Lév.) Sugim. ex T.Yamaz. 산철쭉					○	○	○	○	○	○	○
Ericaceae	<i>Vaccinium hirtum</i> Thunb. var. <i>koreanum</i> (Nakai) Kitam. 산앵도나무				III					○	○	
Ericaceae	<i>Vaccinium oldhamii</i> Miq. 청금나무				I	○				○	○	
Primulaceae	<i>Androsace umbellata</i> (Lour.) Merr. 봄맞이								○	○	○	○
Primulaceae	<i>Lysimachia barystachys</i> Bunge 까치수염			○	I					○	○	○
Primulaceae	<i>Lysimachia clethroides</i> Duby 큰까치수염							○	○	○	○	○
Primulaceae	<i>Lysimachia coreana</i> Nakai 참좁쌀풀		○		IV							○
Primulaceae	<i>Lysimachia japonica</i> Thunb. 좁가지풀											○
Primulaceae	<i>Lysimachia mauritiana</i> Lam. 갯까치수염				I						○	
Primulaceae	<i>Lysimachia pentapetala</i> Bunge 홍도까치수염	VU			IV							○
Primulaceae	<i>Lysimachia vulgaris</i> L. var. <i>davurica</i> (Ledeb.) R.Knuth 좁쌀풀				III		○	○	○	○	○	○
Plumbaginaceae	<i>Limonium tetragonum</i> (Thunb.) Bullock 갯질경											○
Ebenaceae	<i>Diospyros kaki</i> Thunb. 감나무									○	○	○
Ebenaceae	<i>Diospyros lotus</i> L. 고욤나무							○	○	○	○	○
Styracaceae	<i>Styrax japonicus</i> Siebold & Zucc. 때죽나무						○	○	○	○	○	○
Styracaceae	<i>Styrax obassia</i> Siebold & Zucc. 쪽동백나무						○	○	○	○	○	○
Symplocaceae	<i>Symplocos sawafutagi</i> Nagam. 노린재나무						○	○	○	○	○	○
Symplocaceae	<i>Symplocos tanakana</i> Nakai 검노린재나무									○	○	○
Oleaceae	<i>Abeliophyllum distichum</i> Nakai 미선나무 ▼	EN	○		V					○		
Oleaceae	<i>Chionanthus retusus</i> Lindl. & Paxton 이팝나무 ▼				III					○	○	○
Oleaceae	<i>Forsythia koreana</i> (Rehder) Nakai 개나리 ▼		○						○	○	○	○
Oleaceae	<i>Fraxinus mandshurica</i> Rupr. 들메나무			○	I				○		○	
Oleaceae	<i>Fraxinus rhynchophylla</i> Hance 물푸레나무					○	○	○	○	○	○	○
Oleaceae	<i>Fraxinus sieboldiana</i> Blume 쇠물푸레나무								○	○	○	○
Oleaceae	<i>Ligustrum foliosum</i> Nakai 섬쥐똥나무		○		IV						○	
Oleaceae	<i>Ligustrum japonicum</i> Thunb. 광나무				I	○					○	○
Oleaceae	<i>Ligustrum obtusifolium</i> Siebold & Zucc. 쥐똥나무						○	○	○	○	○	○
Oleaceae	<i>Ligustrum ovalifolium</i> Hassk. 왕쥐똥나무				III						○	
Oleaceae	<i>Osmanthus fragrans</i> (Thunb.) Lour. var. <i>aurantiacus</i> Makino 금목서 ▼											○
Oleaceae	<i>Osmanthus × fortunei</i> Carrière 은목서 ▼											○
Oleaceae	<i>Syringa oblata</i> Lindl. var. <i>dilatata</i> (Nakai) Rehder 수수꽃다리 ▼											○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Loganiaceae	<i>Buddleja davidi</i> Franch. 부들레야 ▼									○		
Loganiaceae	<i>Mitrasacme pygmaea</i> R.Br. 큰벼룩아재비							○				
Gentianaceae	<i>Gentiana scabra</i> Bunge 용담			○					○		○	
Gentianaceae	<i>Gentiana triflora</i> Pall. var. <i>japonica</i> (Kusn.) H.Hara 과남풀			○					○		○	
Gentianaceae	<i>Gentiana zollingeri</i> Fawc. 큰구슬봉이			○					○	○	○	
Gentianaceae	<i>Swertia pseudochinensis</i> H.Hara 자주쓴풀										○	○
Apocynaceae	<i>Cynanchum ascyrifolium</i> (Franch. & Sav.) Matsum. 민백미꽃				I				○		○	
Apocynaceae	<i>Cynanchum auriculatum</i> Royle ex Wight 넓은잎큰조롱										○	
Apocynaceae	<i>Cynanchum inamoenum</i> (Maxim.) Loes. ex Gilg & Loes. 선백미꽃				III				○			
Apocynaceae	<i>Cynanchum paniculatum</i> (Bunge) Kitag. ex H.Hara 산해박							○	○	○		
Apocynaceae	<i>Cynanchum wilfordii</i> (Maxim.) Maxim. ex Hook.f. 큰조롱								○	○	○	○
Apocynaceae	<i>Metaplexis japonica</i> (Thunb.) Makino 박주가리							○	○	○	○	○
Apocynaceae	<i>Nerium oleander</i> L. 협죽도 ▼											○
Apocynaceae	<i>Trachelospermum asiaticum</i> (Siebold & Zucc.) Nakai 마삭줄										○	○
Apocynaceae	<i>Trachelospermum jasminoides</i> (Lindl.) Lem. 털마삭줄				I						○	○
Rubiaceae	<i>Asperula lasiantha</i> Nakai 갈퀴아재비		○		V					○	○	
Rubiaceae	<i>Diodia teres</i> Walter 백령풀					○		○				
Rubiaceae	<i>Galium bungei</i> Steud. var. <i>trachyspermum</i> (A.Gray) Cufod. 네잎갈퀴								○	○		
Rubiaceae	<i>Galium gracilens</i> (A.Gray) Makino 좁네잎갈퀴								○			
Rubiaceae	<i>Galium maximowiczii</i> (Kom.) Pobed. 개갈퀴								○		○	
Rubiaceae	<i>Galium odoratum</i> (L.) Scop. 선갈퀴				III					○	○	
Rubiaceae	<i>Galium pogonanthum</i> Franch. & Sav. 산갈퀴								○	○	○	○
Rubiaceae	<i>Galium spurium</i> L. var. <i>echinospermum</i> (Wallr.) Desp. 갈퀴덩굴							○	○	○	○	○
Rubiaceae	<i>Galium verum</i> L. subsp. <i>asiaticum</i> (Nakai) T.Yamaz. 솔나물								○		○	○
Rubiaceae	<i>Gardenia jasminoides</i> J.Ellis 치자나무 ▼											○
Rubiaceae	<i>Paederia foetida</i> L. 계요등				I			○	○	○	○	○
Rubiaceae	<i>Rubia argyi</i> (H.Lév. & Vaniot) H.Hara ex Lauener & D.K.Ferguson 꼭두서니							○	○	○	○	○
Rubiaceae	<i>Rubia chinensis</i> Regel & Maack 큰꼭두서니			○	II					○		
Rubiaceae	<i>Rubia cordifolia</i> L. 갈퀴꼭두서니							○	○	○	○	○
Rubiaceae	<i>Rubia hexaphylla</i> (Makino) Makino 가지꼭두서니	DD									○	
Rubiaceae	<i>Serissa japonica</i> (Thunb.) Thunb. 백정화											○
Convolvulaceae	<i>Calystegia hederacea</i> Wall. 애기메꽃											○
Convolvulaceae	<i>Calystegia pubescens</i> Lindl. 메꽃							○	○	○	○	○
Convolvulaceae	<i>Calystegia soldanella</i> (L.) R.Br. 갯메꽃				II		○			○	○	○
Convolvulaceae	<i>Cuscuta australis</i> R.Br. 실새삼								○			
Convolvulaceae	<i>Cuscuta campestris</i> Yunck. 미국실새삼					○			○	○	○	○
Convolvulaceae	<i>Cuscuta japonica</i> Choisy 새삼								○			
Convolvulaceae	<i>Ipomoea lacunosa</i> L. 애기나팔꽃					○		○				
Convolvulaceae	<i>Ipomoea nil</i> (L.) Roth 나팔꽃					○				○	○	
Convolvulaceae	<i>Ipomoea purpurea</i> (L.) Roth 둥근잎나팔꽃					○		○		○	○	○
Convolvulaceae	<i>Ipomoea hederacea</i> Jacq. 미국나팔꽃					○		○		○		
Convolvulaceae	<i>Quamoclit coccinea</i> (L.) Moench 둥근잎유홍초					○			○	○		○
Boraginaceae	<i>Argusia sibirica</i> (L.) Dandy 모래지치				II					○		○
Boraginaceae	<i>Bothriospermum zeylanicum</i> (J.Jacq.) Druce 꽃반이							○	○	○	○	○
Boraginaceae	<i>Brachybotrys paridiformis</i> Maxim. ex Oliv. 당개지치			○	III				○			
Boraginaceae	<i>Lithospermum erythrorhizon</i> Siebold & Zucc. 지치			○					○	○		
Boraginaceae	<i>Lithospermum zollingeri</i> A.DC. 반디지치				I					○		○
Boraginaceae	<i>Myosotis scorpioides</i> L. 물망초			○								○
Boraginaceae	<i>Symphytum officinale</i> L. 컴프리									○		
Boraginaceae	<i>Trigonotis icumae</i> (Maxim.) Makino 덩굴꽃마리				I				○			
Boraginaceae	<i>Trigonotis peduncularis</i> (Trevis.) Benth. ex Baker & S.Moore 꽃마리							○	○	○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Boraginaceae	<i>Trigonotis radicans</i> (Turcz.) Steven var. <i>sericea</i> (Maxim.) H.Hara 참꽃마리								○	○	○	○
Verbenaceae	<i>Callicarpa dichotoma</i> (Lour.) Raeusch. ex K.Koch 좁작살나무				III					○	○	○
Verbenaceae	<i>Callicarpa japonica</i> Thunb. 작살나무							○	○	○	○	○
Verbenaceae	<i>Callicarpa japonica</i> Thunb. var. <i>luxurians</i> Rehder 왕작살나무										○	
Verbenaceae	<i>Clerodendrum trichotomum</i> Thunb. 누리장나무							○		○	○	○
Verbenaceae	<i>Verbena officinalis</i> L. 마편초				III							○
Verbenaceae	<i>Vitex negundo</i> L. var. <i>incisa</i> (Lam.) C.B.Clarke 좁목형				III					○		
Verbenaceae	<i>Vitex rotundifolia</i> L.f. 순비기나무				II		○				○	○
Lamiaceae	<i>Agastache rugosa</i> (Fisch. & C.A.Mey.) Kuntze 배초향							○	○	○	○	○
Lamiaceae	<i>Ajuga decumbens</i> Thunb. 금창초				I						○	○
Lamiaceae	<i>Ajuga multiflora</i> Bunge 조개나물							○	○	○		
Lamiaceae	<i>Amethystea caerulea</i> L. 개차즈기								○			
Lamiaceae	<i>Clinopodium chinense</i> (Benth.) Kuntze var. <i>parviflorum</i> (Kudô) H.Hara 층층이꽃							○	○	○	○	○
Lamiaceae	<i>Clinopodium gracile</i> (Benth.) Kuntze 애기탑꽃									○	○	
Lamiaceae	<i>Clinopodium multicaule</i> (Maxim.) Kuntze var. <i>shibetschense</i> (H.Lév.) Melnikov 산층층이									○	○	○
Lamiaceae	<i>Elsholtzia ciliata</i> (Thunb.) Hyl. 향유								○	○	○	○
Lamiaceae	<i>Elsholtzia splendens</i> Nakai ex F.Maek. 꽃향유							○	○	○	○	○
Lamiaceae	<i>Glechoma longituba</i> (Nakai) Kuprian. 긴병꽃풀							○		○		○
Lamiaceae	<i>Isodon excisus</i> (Maxim.) Kudô 오리방풀			○					○	○	○	○
Lamiaceae	<i>Isodon inflexus</i> (Thunb.) Kudô 산박하						○	○	○	○	○	○
Lamiaceae	<i>Isodon japonicus</i> (Burm.f.) H.Hara 방아풀										○	
Lamiaceae	<i>Lamium album</i> L. subsp. <i>barbatum</i> (Siebold & Zucc.) Mennema 광대수염									○		○
Lamiaceae	<i>Lamium amplexicaule</i> L. 광대나물								○	○	○	○
Lamiaceae	<i>Lamium purpureum</i> L. 자주광대나물					○					○	
Lamiaceae	<i>Leonurus japonicus</i> Houtt. 익모초							○	○	○	○	○
Lamiaceae	<i>Leonurus macranthus</i> Maxim. 송장풀			○					○		○	
Lamiaceae	<i>Lycopus lucidus</i> Turcz. ex Benth. 습싸리							○	○	○	○	○
Lamiaceae	<i>Meehania urticifolia</i> (Miq.) Makino 별개덩굴								○	○	○	
Lamiaceae	<i>Mentha arvensis</i> L. var. <i>piperascens</i> Malinv. ex Holmes 박하								○	○		
Lamiaceae	<i>Mentha spicata</i> L. 녹양박하									○		
Lamiaceae	<i>Mentha suaveolens</i> Ehrh. 애플민트 ▼									○		
Lamiaceae	<i>Mosla dianthera</i> (Buch.-Ham. ex Roxb.) Maxim. 쥐깨풀							○	○	○	○	○
Lamiaceae	<i>Mosla japonica</i> (Benth. ex Oliv.) Maxim. 산들깨										○	
Lamiaceae	<i>Mosla scabra</i> (Thunb.) C.Y.Wu & H.W.Li 들깨풀							○	○	○	○	○
Lamiaceae	<i>Perilla frutescens</i> (L.) Britton 들깨							○	○	○	○	○
Lamiaceae	<i>Perilla frutescens</i> (L.) Britton var. <i>crispa</i> (Benth.) W.Deane 소엽								○	○		○
Lamiaceae	<i>Phlomis umbrosa</i> Turcz. 속단									○		
Lamiaceae	<i>Prunella vulgaris</i> L. subsp. <i>asiatica</i> (Nakai) H.Hara 꿀풀								○	○	○	○
Lamiaceae	<i>Salvia chanryoenica</i> Nakai 참배암차즈기		○		IV				○			
Lamiaceae	<i>Salvia plebeia</i> R.Br. 배암차즈기							○	○	○	○	○
Lamiaceae	<i>Scutellaria indica</i> L. 골무꽃								○	○	○	○
Lamiaceae	<i>Scutellaria indica</i> L. var. <i>tsusimensis</i> (H.Hara) Ohwi 떡잎골무꽃										○	○
Lamiaceae	<i>Scutellaria pkinensis</i> Maxim. var. <i>transitra</i> (Makino) H.Hara 산골무꽃								○	○	○	○
Lamiaceae	<i>Scutellaria strigillosa</i> Hemsl. 참골무꽃			○	I					○		○
Lamiaceae	<i>Stachys riederi</i> Cham. var. <i>japonica</i> (Miq.) H.Hara 석잠풀										○	
Lamiaceae	<i>Thymus quinquecostatus</i> Čelak. var. <i>magnus</i> (Nakai) Kitam. 섬백리향	CR	○								○	
Solanaceae	<i>Physalis alkekengi</i> L. 파리								○			
Solanaceae	<i>Scopolia parviflora</i> (Dunn) Nakai 미치광이풀		○		III				○	○		
Solanaceae	<i>Solanum americanum</i> Mill. 미국까마중					○			○	○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Solanaceae	<i>Solanum carolinense</i> L. 도깨비가지					○			○		○	
Solanaceae	<i>Solanum lyratum</i> Thunb. 배풍등								○	○	○	○
Solanaceae	<i>Solanum nigrum</i> L. 까마중					○		○	○	○	○	○
Scrophulariaceae	<i>Gratiola officinalis</i> L. 유럽큰고추풀					○		○				
Scrophulariaceae	<i>Lindernia procumbens</i> (Krock.) Philcox 발톱외풀									○	○	
Scrophulariaceae	<i>Mazus pumilus</i> (Burm.f.) Steenis 주름잎							○	○	○	○	○
Scrophulariaceae	<i>Melampyrum roseum</i> Maxim. 꽃머느리밥풀			○					○	○	○	○
Scrophulariaceae	<i>Melampyrum roseum</i> Maxim. var. <i>ovalifolium</i> (Nakai) Nakai ex Beauverd 알머느리밥풀										○	
Scrophulariaceae	<i>Paulownia coreana</i> Uyeki 오동나무 ▼		○						○	○	○	○
Scrophulariaceae	<i>Paulownia tomentosa</i> (Thunb.) Steud. 참오동나무								○			
Scrophulariaceae	<i>Pedicularis resupinata</i> L. 송이풀			○					○		○	
Scrophulariaceae	<i>Phtheirospermum japonicum</i> (Thunb.) Kanitz 나도송이풀			○				○	○		○	
Scrophulariaceae	<i>Pseudolysimachion linariifolium</i> (Pall. ex Link) Holub 꼬리풀										○	
Scrophulariaceae	<i>Pseudolysimachion longifolium</i> (L.) Opiz 긴산꼬리풀				II				○			
Scrophulariaceae	<i>Pseudolysimachion rotundum</i> (Nakai) Holub var. <i>subintegrum</i> (Nakai) T.Yamaz. 산꼬리풀										○	
Scrophulariaceae	<i>Scrophularia koraiensis</i> Nakai 토현삼		○		IV				○	○	○	
Scrophulariaceae	<i>Siphonostegia chinensis</i> Benth. 절국대										○	○
Scrophulariaceae	<i>Verbascum thapsus</i> L. 우단담배풀 ▼									○	○	
Scrophulariaceae	<i>Veronica anagallis-aquatica</i> L. 큰물칭개나물					○				○		
Scrophulariaceae	<i>Veronica arvensis</i> L. 선개불알풀					○		○	○	○	○	○
Scrophulariaceae	<i>Veronica hederifolia</i> L. 눈개불알풀					○						○
Scrophulariaceae	<i>Veronica peregrina</i> L. 문모초					○			○	○	○	○
Scrophulariaceae	<i>Veronica persica</i> Poir. 큰개불알풀					○			○	○	○	○
Scrophulariaceae	<i>Veronica polita</i> Fr. 개불알풀					○						○
Bignoniaceae	<i>Catalpa bignonioides</i> Walter 꽃개오동								○			
Bignoniaceae	<i>Catalpa ovata</i> G.Don. 개오동									○		○
Acanthaceae	<i>Justicia procumbens</i> L. 쥐꼬리망초									○	○	○
Pedaliaceae	<i>Sesamum indicum</i> L. 참깨							○				
Orobanchaceae	<i>Orobanche coerulescens</i> Stephan ex Willd. 초종용			○	II						○	
Phrymaceae	<i>Phryma leptostachya</i> L. var. <i>oblongifolia</i> (Koidz.) Honda 파리풀								○	○	○	○
Plantaginaceae	<i>Plantago asiatica</i> L. 질경이							○	○	○	○	○
Plantaginaceae	<i>Plantago depressa</i> Willd. 털질경이			○					○			
Plantaginaceae	<i>Plantago lanceolata</i> L. 창질경이					○						○
Plantaginaceae	<i>Plantago major</i> L. var. <i>japonica</i> (Franch. & Sav.) Kuntze 왕질경이								○		○	○
Caprifoliaceae	<i>Abelia × grandiflora</i> (Rovelli ex André) Rehder 꽃댕강나무 ▼									○		○
Caprifoliaceae	<i>Lonicera harae</i> Makino 길마가지나무											○
Caprifoliaceae	<i>Lonicera × heckrottii</i> Rehder 붉은인동 ▼									○		
Caprifoliaceae	<i>Lonicera insularis</i> Nakai 섬괴불나무	DD	○		IV						○	
Caprifoliaceae	<i>Lonicera japonica</i> Thunb. 인동덩굴							○	○	○	○	○
Caprifoliaceae	<i>Lonicera maackii</i> (Rupr.) Maxim. 괴불나무			○	I				○			
Caprifoliaceae	<i>Lonicera praeflorens</i> Batalin 울괴불나무			○					○	○	○	○
Caprifoliaceae	<i>Sambucus racemosa</i> L. subsp. <i>pendula</i> (Nakai) H.I.Lim & Chin S.Chang 말오줌나무		○		IV						○	
Caprifoliaceae	<i>Sambucus williamsii</i> Hance 딱총나무			○				○	○	○	○	○
Caprifoliaceae	<i>Viburnum carlesii</i> Hemsl. 분꽃나무											○
Caprifoliaceae	<i>Viburnum dilatatum</i> Thunb. 가막살나무								○	○	○	○
Caprifoliaceae	<i>Viburnum erosum</i> Thunb. 덜팽나무						○	○	○	○	○	○
Caprifoliaceae	<i>Viburnum odoratissimum</i> Ker Gawl. ex Rümpler var. <i>awabuki</i> (K.Koch) Zabel ex Rümpler 아왜나무 ▼				III		○				○	○
Caprifoliaceae	<i>Viburnum opulus</i> L. var. <i>calvescens</i> (Rehder) H.Hara 백당나무				I				○			
Caprifoliaceae	<i>Weigela florida</i> (Bunge) A.DC. 붉은병꽃나무				II				○	○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Caprifoliaceae	<i>Weigela florida</i> 'Foliis Purpureis' 자엽병꽃나무 ▼										○	
Caprifoliaceae	<i>Weigela florida</i> 'Variegata' 무늬병꽃나무 ▼										○	
Caprifoliaceae	<i>Weigela hortensis</i> (Siebold & Zucc.) K.Koch 골병꽃나무 ▼								○	○	○	○
Caprifoliaceae	<i>Weigela olympiade</i> 'Golden Rubidor' 황금병꽃나무 ▼										○	
Caprifoliaceae	<i>Weigela subsessilis</i> (Nakai) L.H.Bailey 병꽃나무		○				○	○	○	○	○	○
Valerianaceae	<i>Patrinia rupestris</i> (Pall.) Juss. 돌마타리			○	IV					○		
Valerianaceae	<i>Patrinia scabiosifolia</i> Fisch. ex Trevir. 마타리								○		○	○
Valerianaceae	<i>Patrinia villosa</i> (Thunb.) Juss. 똑갈							○	○	○	○	○
Valerianaceae	<i>Valeriana dageletiana</i> Nakai ex F.Maek. 넓은잎쥐오줌풀		○		IV						○	
Valerianaceae	<i>Valeriana fauriei</i> Briq. 쥐오줌풀								○	○	○	○
Campanulaceae	<i>Adenophora grandiflora</i> Nakai 도라지모시대											○
Campanulaceae	<i>Adenophora polyantha</i> Nakai 수원잔대											○
Campanulaceae	<i>Adenophora triphylla</i> (Thunb.) A.DC. 층층잔대								○		○	
Campanulaceae	<i>Adenophora triphylla</i> (Thunb.) A.DC. var. <i>japonica</i> (Regel) H.Hara 잔대							○	○	○	○	○
Campanulaceae	<i>Adenophora verticillata</i> Fisch. var. <i>hirsuta</i> F.Schmidt 털잔대								○			
Campanulaceae	<i>Asyneuma japonicum</i> (Miq.) Briq. 영아자			○					○			
Campanulaceae	<i>Campanula punctata</i> Lam. 초롱꽃			○	I			○	○	○	○	
Campanulaceae	<i>Campanula takesimana</i> Nakai 섬초롱꽃		○		IV						○	
Campanulaceae	<i>Codonopsis lanceolata</i> (Siebold & Zucc.) Benth. & Hook.f. ex Trautv. 더덕								○	○	○	○
Campanulaceae	<i>Lobelia chinensis</i> Lour. 수염가래꽃								○			
Campanulaceae	<i>Lobelia sessilifolia</i> Lamb. 숫잔대			○	II				○		○	
Campanulaceae	<i>Platycodon grandiflorus</i> (Jacq.) A.DC. 도라지								○	○	○	○
Asteraceae	<i>Achillea alpina</i> L. 톱풀				II				○		○	
Asteraceae	<i>Achillea millefolium</i> L. 서양톱풀								○			○
Asteraceae	<i>Adenocaulon himalaicum</i> Edgew. 멸가치								○	○		
Asteraceae	<i>Ageratina altissima</i> (L.) R.M.King & H.Rob. 서양등골나물					○		○	○		○	
Asteraceae	<i>Ainsliaea acerifolia</i> Sch.Bip. 단풍취						○		○	○	○	○
Asteraceae	<i>Ainsliaea apiculata</i> Sch.Bip. 좁막취				I					○		
Asteraceae	<i>Ambrosia artemisiifolia</i> L. 돼지풀					○		○	○	○	○	○
Asteraceae	<i>Ambrosia trifida</i> L. 단풍잎돼지풀					○		○	○	○	○	○
Asteraceae	<i>Artemisia annua</i> L. 개똥쑥							○	○	○	○	
Asteraceae	<i>Artemisia argyi</i> H.Lév. & Vaniot 황해쑥											○
Asteraceae	<i>Artemisia capillaris</i> Thunb. 사철쑥							○	○	○	○	○
Asteraceae	<i>Artemisia caruifolia</i> Buch.-Ham. ex Roxb. 개사철쑥				I				○	○	○	
Asteraceae	<i>Artemisia codonocephala</i> Diels 참쑥								○			○
Asteraceae	<i>Artemisia fukudo</i> Makino 큰비쑥				I						○	
Asteraceae	<i>Artemisia indica</i> Willd. 쑥							○	○	○	○	○
Asteraceae	<i>Artemisia japonica</i> Thunb. 제비쑥							○	○	○	○	○
Asteraceae	<i>Artemisia keiskeana</i> Miq. 맑은대쑥							○	○	○	○	○
Asteraceae	<i>Artemisia lancea</i> Vaniot 뽕쑥			○					○	○	○	
Asteraceae	<i>Artemisia littoralis</i> Kitam. 갯제비쑥				IV						○	
Asteraceae	<i>Artemisia montana</i> (Nakai) Pamp. 산쑥									○	○	
Asteraceae	<i>Artemisia rubripes</i> Nakai 덩굴쑥			○	I				○	○	○	○
Asteraceae	<i>Artemisia sacrorum</i> Ledeb. var. <i>iwayomogi</i> (Kitam.) M.S.Park & G.Y.Chung 더위지기							○	○	○	○	
Asteraceae	<i>Artemisia scoparia</i> Waldst. & Kit. 비쑥							○		○	○	○
Asteraceae	<i>Artemisia selengensis</i> Turcz. ex Besser 물쑥										○	
Asteraceae	<i>Artemisia stolonifera</i> (Maxim.) Kom. 넓은잎외잎쑥							○	○	○	○	○
Asteraceae	<i>Aster ageratoides</i> Turcz. 까실쑥부쟁이								○	○	○	○
Asteraceae	<i>Aster hispidus</i> Thunb. 갯쑥부쟁이							○	○	○	○	○
Asteraceae	<i>Aster incisus</i> Fisch. 가새쑥부쟁이									○	○	○
Asteraceae	<i>Aster koraiensis</i> Nakai 벌개미취 ▼		○					○	○	○	○	○
Asteraceae	<i>Aster meyerendorffii</i> (Regel & Maack) Voss 개쑥부쟁이							○	○	○	○	○
Asteraceae	<i>Aster pekinensis</i> (Hance) F.H.Chen 가는쑥부쟁이								○		○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Asteraceae	<i>Aster pseudoglehnii</i> Y.S.Lim, Hyun & H.Shin 섬쭈부쟁이		○		IV						○	
Asteraceae	<i>Aster scaber</i> Thunb. 참취							○	○	○	○	○
Asteraceae	<i>Aster spathulifolius</i> Maxim. 해국				I		○				○	○
Asteraceae	<i>Aster tataricus</i> L.f. 개미취							○	○	○	○	○
Asteraceae	<i>Aster yomena</i> (Kitam.) Honda 쭈부쟁이					○	○	○	○	○	○	○
Asteraceae	<i>Atractylodes ovata</i> (Thunb.) DC. 삼주							○	○	○	○	○
Asteraceae	<i>Bidens bipinnata</i> L. 도깨비바늘							○	○	○	○	○
Asteraceae	<i>Bidens biternata</i> (Lour.) Merr. & Sherff ex Sherff 털도깨비바늘								○		○	○
Asteraceae	<i>Bidens frondosa</i> L. 미국가막사리					○		○	○	○	○	○
Asteraceae	<i>Bidens parviflora</i> Willd. 까치발								○	○		
Asteraceae	<i>Bidens pilosa</i> L. 울산도깨비바늘					○		○	○	○	○	○
Asteraceae	<i>Bidens tripartita</i> L. 가막사리								○		○	
Asteraceae	<i>Breca segeta</i> (Bunge) Kitam. 조뱅이										○	○
Asteraceae	<i>Carduus crispus</i> L. 지느러미영경귀					○		○	○	○	○	
Asteraceae	<i>Carpesium abrotanoides</i> L. 담배풀							○	○	○	○	○
Asteraceae	<i>Carpesium cernuum</i> L. 좀담배풀							○	○			
Asteraceae	<i>Carpesium divaricatum</i> Siebold & Zucc. 긴담배풀									○		
Asteraceae	<i>Carpesium macrocephalum</i> Franch. & Sav. 여우오줌			○	I					○		
Asteraceae	<i>Centaurea cyanus</i> L. 수레국화								○	○	○	○
Asteraceae	<i>Centipeda minima</i> (L.) A.Braun & Asch. 중대가리풀									○	○	○
Asteraceae	<i>Chrysanthemum boreale</i> (Makino) Makino 산국						○	○	○	○	○	○
Asteraceae	<i>Chrysanthemum indicum</i> L. 감국							○	○	○	○	○
Asteraceae	<i>Cirsium chanroenicum</i> (Nakai) Nakai 정영영경귀									○	○	
Asteraceae	<i>Cirsium japonicum</i> Fisch. ex DC. var. <i>maackii</i> (Maxim.) Matsum. 영경귀						○	○	○	○	○	○
Asteraceae	<i>Cirsium japonicum</i> Fisch. ex DC. var. <i>spinossimum</i> Kitam. 가시영경귀								○			○
Asteraceae	<i>Cirsium pendulum</i> Fisch. ex DC. 큰영경귀			○	I			○	○	○	○	
Asteraceae	<i>Cirsium setidens</i> (Dunn) Nakai 고려영경귀		○		I				○		○	○
Asteraceae	<i>Conyza bonariensis</i> (L.) Cronquist 실망초					○				○	○	○
Asteraceae	<i>Conyza canadensis</i> (L.) Cronquist 망초					○		○	○	○	○	○
Asteraceae	<i>Coreopsis lanceolata</i> L. 큰금계국							○	○	○	○	○
Asteraceae	<i>Coreopsis tinctoria</i> Nutt. 가생초								○	○	○	○
Asteraceae	<i>Cosmos bipinnatus</i> Cav. 코스모스							○	○	○	○	○
Asteraceae	<i>Cosmos sulphureus</i> Cav. 노랑코스모스									○		
Asteraceae	<i>Crassocephalum crepidioides</i> (Benth.) S.Moore 주홍서나물					○		○	○	○	○	○
Asteraceae	<i>Crepidiastrum chelidoniifolium</i> (Makino) J.H.Pak & Kawano 까치고들빼기								○	○	○	
Asteraceae	<i>Crepidiastrum denticulatum</i> (Houtt.) J.H.Pak & Kawano 이고들빼기							○	○	○	○	○
Asteraceae	<i>Crepidiastrum sonchifolium</i> (Bunge) J.H.Pak & Kawano 고들빼기							○	○	○	○	○
Asteraceae	<i>Dendranthema zawadskii</i> (Herbich) Tzvelev 산구절초			○				○	○	○	○	○
Asteraceae	<i>Dendranthema zawadskii</i> (Herbich) Tzvelev var. <i>latiloba</i> (Maxim.) Kitam. 구절초						○	○	○	○	○	○
Asteraceae	<i>Eclipta thermalis</i> Bunge 한련초					○					○	○
Asteraceae	<i>Erechtites hieraciifolius</i> (L.) Raf. ex DC. 붉은서나물					○		○	○	○	○	○
Asteraceae	<i>Erigeron annuus</i> (L.) Pers. 개망초					○		○	○	○	○	○
Asteraceae	<i>Erigeron floribundus</i> (Kunth) Sch.Bip. 큰망초					○			○	○	○	○
Asteraceae	<i>Erigeron philadelphicus</i> L. 봄망초					○			○	○	○	
Asteraceae	<i>Erigeron strigosus</i> Muhl. ex Willd. 주걱개망초					○			○	○	○	
Asteraceae	<i>Euchiton japonicus</i> (Thunb.) Holub 풀솜나물											○
Asteraceae	<i>Eupatorium japonicum</i> Thunb. 등골나물							○	○	○	○	○
Asteraceae	<i>Eupatorium lindleyanum</i> DC. 골등골나물								○	○	○	○
Asteraceae	<i>Eupatorium makinoi</i> Kawah. & Yahara var. <i>oppositifolium</i> (Koidz.) Kawah. & Yahara 별등골나물									○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Asteraceae	<i>Eupatorium tripartitum</i> (Makino) Murata & H.Koyama 향등골나물									○	○	○
Asteraceae	<i>Euthamia graminifolia</i> (L.) Nutt. 미역취아재비					○		○				
Asteraceae	<i>Farfugium japonicum</i> (L.) Kitam. 털머위 ▼				III						○	○
Asteraceae	<i>Galinsoga quadriradiata</i> Ruiz & Pav. 털별꽃아재비					○		○	○		○	
Asteraceae	<i>Gamochaeta calviceps</i> (Fernald) Cabrera 선풀솜나물					○						○
Asteraceae	<i>Gnaphalium uliginosum</i> L. 왜떡쑥											○
Asteraceae	<i>Helianthus tuberosus</i> L. 뽕판지							○	○	○	○	○
Asteraceae	<i>Hemisteptia lyrata</i> (Bunge) Fisch. & C.A.Mey 지칭개							○	○	○	○	○
Asteraceae	<i>Hieracium umbellatum</i> L. 조밥나물							○	○		○	○
Asteraceae	<i>Hypochaeris radicata</i> L. 서양금혼초					○					○	○
Asteraceae	<i>Inula japonica</i> Thunb. 금불초									○		
Asteraceae	<i>Inula linariifolia</i> Turcz. 가는금불초											○
Asteraceae	<i>Ixeridium dentatum</i> (Thunb.) Tzvelev 씬바귀							○	○	○	○	○
Asteraceae	<i>Ixeridium dentatum</i> (Thunb.) Tzvelev f. <i>albiflora</i> (Makino) H.Hara 흰쌔바귀							○			○	
Asteraceae	<i>Ixeris chinensis</i> (Thunb.) Nakai 노랑선쌔바귀									○	○	○
Asteraceae	<i>Ixeris japonica</i> (Burm.f.) Nakai 벌쌔바귀								○			
Asteraceae	<i>Ixeris polycephala</i> Cass. 벌쌔바귀								○	○	○	○
Asteraceae	<i>Ixeris repens</i> (L.) A.Gray 갯쌔바귀				II							○
Asteraceae	<i>Ixeris stolonifera</i> A.Gray 좁쌔바귀							○	○		○	○
Asteraceae	<i>Ixeris strigosa</i> (H.Lév. & Vaniot) J.H.Pak & Kawano 선쌔바귀							○	○	○	○	○
Asteraceae	<i>Lactuca indica</i> L. 왕고들빼기							○	○	○	○	○
Asteraceae	<i>Lactuca raddeana</i> Maxim. 산쌔바귀								○		○	○
Asteraceae	<i>Lactuca serriola</i> L. 가시상추					○		○	○	○	○	○
Asteraceae	<i>Lapsana communis</i> L. 서양개보리쟁이					○					○	
Asteraceae	<i>Leibnitzia anandria</i> (L.) Turcz. 솜나물									○	○	
Asteraceae	<i>Leucanthemum</i> × <i>superbum</i> (Bergmans ex J.W.Ingram) D.H.Kent 샤스타데이지 ▼							○	○	○	○	○
Asteraceae	<i>Ligularia fischeri</i> (Ledeb.) Turcz. 곰취				II					○	○	○
Asteraceae	<i>Parasenecio auriculatus</i> (DC.) J.R.Grant var. <i>matsumurana</i> (Nakai) M.Kim 박취나물								○			
Asteraceae	<i>Parasenecio hastatus</i> (L.) H.Koyama var. <i>orientalis</i> (Kitam.) H.Koyama 민박취나물				III				○			
Asteraceae	<i>Petasites japonicus</i> (Siebold & Zucc.) Maxim. 머위							○	○	○	○	○
Asteraceae	<i>Picris hieracioides</i> L. subsp. <i>japonica</i> (Thunb.) Hand.-Mazz. 쇠서나물										○	○
Asteraceae	<i>Pseudognaphalium affine</i> (D.Don) Anderb. 떡쑥									○	○	○
Asteraceae	<i>Rudbeckia bicolor</i> Nutt. 원추천인국								○	○	○	
Asteraceae	<i>Rudbeckia laciniata</i> L. 삼잎국화									○	○	
Asteraceae	<i>Saussurea gracilis</i> Maxim. 은분취									○		
Asteraceae	<i>Saussurea maximowiczii</i> Herder 버들분취			○						○		
Asteraceae	<i>Saussurea pulchella</i> (Fisch.) Fisch. ex Colla 각시취			○					○		○	
Asteraceae	<i>Saussurea seoulensis</i> Nakai 분취		○					○				
Asteraceae	<i>Senecio inaequidens</i> DC. 가는잎금방망이					○		○				
Asteraceae	<i>Senecio vulgaris</i> L. 개쑥갓					○				○	○	○
Asteraceae	<i>Serratula coronata</i> L. 북방산비장이										○	
Asteraceae	<i>Serratula coronata</i> L. subsp. <i>insularis</i> (Iljin) Kitam. 산비장이			○					○		○	○
Asteraceae	<i>Sigesbeckia glabrescens</i> (Makino) Makino 진득찰							○	○	○	○	○
Asteraceae	<i>Sigesbeckia orientalis</i> L. subsp. <i>pubescens</i> (Makino) H.Koyama 털진득찰									○	○	○
Asteraceae	<i>Solidago gigantea</i> Aiton 미국미역취									○		
Asteraceae	<i>Solidago virgaurea</i> L. subsp. <i>asiatica</i> (Nakai ex H.Hara) Kitam. ex H.Hara 미역취							○	○	○	○	○
Asteraceae	<i>Sonchus asper</i> (L.) Hill 큰방가지동					○		○	○	○	○	○
Asteraceae	<i>Sonchus brachyotus</i> DC. 사데풀			○							○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Asteraceae	<i>Sonchus oleraceus</i> L. 방가지뚥					○		○	○	○	○	○
Asteraceae	<i>Stemmacantha uniflora</i> (L.) Dittrich 뽕꼭채				I				○			○
Asteraceae	<i>Symphyotrichum expansum</i> (Poepp. ex Spreng.) G.L.Nesom 큰비짜루국화					○					○	○
Asteraceae	<i>Symphyotrichum pilosum</i> (Willd.) G.L.Nesom 미국쑥부쟁이					○		○	○	○	○	○
Asteraceae	<i>Syneilesis palmata</i> (Thunb.) Maxim. 우산나물								○	○	○	○
Asteraceae	<i>Symurus deltoides</i> (Aiton) Nakai 수리취			○					○		○	○
Asteraceae	<i>Tagetes minuta</i> L. 만수국아재비					○			○			○
Asteraceae	<i>Taraxacum coreanum</i> Nakai 흰민들레			○					○	○		
Asteraceae	<i>Taraxacum erythrospermum</i> Andr. ex Besser 붉은씨서양민들레					○			○	○		
Asteraceae	<i>Taraxacum officinale</i> F.H.Wigg. 서양민들레					○		○	○	○	○	○
Asteraceae	<i>Taraxacum ohwianum</i> Kitam. 산민들레										○	
Asteraceae	<i>Taraxacum platycedidum</i> Diels 흰털민들레								○			
Asteraceae	<i>Tephrosieris kirilowii</i> (Turcz. ex DC.) Holub 솜방망이			○							○	○
Asteraceae	<i>Tragopogon dubius</i> Scop. 쇠채아재비					○					○	
Asteraceae	<i>Xanthium orientale</i> L. 큰도꼬마리					○						○
Asteraceae	<i>Xanthium strumarium</i> L. 도꼬마리					○				○		○
Asteraceae	<i>Youngia japonica</i> (L.) DC. 뽕리뱅이							○	○	○	○	○
Alismataceae	<i>Sagittaria trifolia</i> L. 벼풀								○			
Liliaceae	<i>Aletis spicata</i> (Thunb.) Franch. 쥐꼬리풀				III							○
Liliaceae	<i>Allium dumebuchum</i> H.J.Choi 두메부추	CR	○					○				
Liliaceae	<i>Allium macrostemon</i> Bunge 산달래								○	○	○	○
Liliaceae	<i>Allium thunbergii</i> G.Don 산부추			○					○	○	○	○
Liliaceae	<i>Allium ulleungense</i> H.J.Choi & N.Friesen 울릉산마늘	EN	○		IV						○	
Liliaceae	<i>Asparagus cochinchinensis</i> (Lour.) Merr. 천문동				III							○
Liliaceae	<i>Asparagus oligoclonus</i> Maxim. 방울비짜루				I				○	○		○
Liliaceae	<i>Asparagus schoberioides</i> Kunth 비짜루								○	○	○	○
Liliaceae	<i>Asparagus rigidulus</i> Nakai 노간주비짜루											○
Liliaceae	<i>Barnardia japonica</i> (Thunb.) Schult.f. 무릇							○	○	○	○	○
Liliaceae	<i>Convallaria keiskei</i> Miq. 은방울꽃								○	○	○	
Liliaceae	<i>Disporum smilacinum</i> A.Gray 애기나리			○			○	○	○	○	○	○
Liliaceae	<i>Disporum uniflorum</i> Baker 윤판나물										○	○
Liliaceae	<i>Disporum viridescens</i> (Maxim.) Nakai 큰애기나리			○					○		○	
Liliaceae	<i>Heloniopsis koreana</i> Fuse, N.S.Lee & M.N.Tamura 처녀치마		○		II				○	○		
Liliaceae	<i>Hemerocallis fulva</i> (L.) L. 원추리							○	○	○	○	○
Liliaceae	<i>Hemerocallis fulva</i> (L.) L. f. kwanso (Regel) Kitam. 왕원추리							○				
Liliaceae	<i>Hemerocallis hakuensis</i> Nakai 백운산원추리		○					○	○	○	○	○
Liliaceae	<i>Hemerocallis hongdoensis</i> M.G.Chung & S.S.Kang 홍도원추리		○		III							○
Liliaceae	<i>Hemerocallis middendorffii</i> Trautv. & C.A.Mey. 큰원추리			○	IV						○	
Liliaceae	<i>Hosta capitata</i> (Koidz.) Nakai 일월비비추				I				○	○	○	
Liliaceae	<i>Hosta longipes</i> (Franch. & Sav.) Matsum. 비비추							○	○	○	○	○
Liliaceae	<i>Hosta minor</i> (Baker) Nakai 쯤비비추		○		I						○	
Liliaceae	<i>Hosta plantaginea</i> (Lam.) Asch. 옥잠화 ▼									○	○	
Liliaceae	<i>Lilium amabile</i> Palib. 털중나리								○	○	○	
Liliaceae	<i>Lilium concolor</i> Salisb. 하늘나리			○	I						○	○
Liliaceae	<i>Lilium distichum</i> Nakai ex Kamib. 말나리			○	III							○
Liliaceae	<i>Lilium lancifolium</i> Thunb. 참나리									○	○	○
Liliaceae	<i>Lilium leichtlinii</i> Hook.f. subsp. <i>maximowiczii</i> (Regel) J.Compton 중나리			○	IV					○	○	
Liliaceae	<i>Lilium tsingtauense</i> Gilg 하늘말나리								○	○	○	
Liliaceae	<i>Liriope muscari</i> (Decne.) L.H.Bailey 맥문동							○	○	○	○	○
Liliaceae	<i>Liriope spicata</i> (Thunb.) Lour. 개맥문동								○	○	○	○
Liliaceae	<i>Lloydia triflora</i> (Ledeb.) Baker 나도개감채			○	II				○	○		
Liliaceae	<i>Maianthemum bifolium</i> (L.) F.W.Schmidt 두루미꽃			○	II					○		
Liliaceae	<i>Maianthemum japonicum</i> (A.Gray) LaFrankie 풀솜데									○		
Liliaceae	<i>Ophiopogon japonicus</i> (Thunb.) Ker Gawl. 소엽맥문동				I							○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Liliaceae	<i>Paris verticillata</i> M.Bieb. 샛갓나물			○					○	○		
Liliaceae	<i>Polygonatum humile</i> Fisch. ex Maxim. 각시동굴레			○					○			
Liliaceae	<i>Polygonatum inflatum</i> Kom. 통등굴레			○					○	○		○
Liliaceae	<i>Polygonatum infundiflorum</i> Y.S.Kim, B.U.Oh & C.G.Jang 늦등굴레		○								○	
Liliaceae	<i>Polygonatum involucratum</i> (Franch. & Sav.) Maxim. 용등굴레			○					○	○	○	○
Liliaceae	<i>Polygonatum lasianthum</i> Maxim. 죽대									○	○	○
Liliaceae	<i>Polygonatum odoratum</i> (Mill.) Druce var. <i>pluriflorum</i> (Miq.) Ohwi 등굴레							○	○	○	○	○
Liliaceae	<i>Polygonatum thunbergii</i> C.Morren & Decne. 산등굴레									○	○	
Liliaceae	<i>Smilax china</i> L. 청미래덩굴							○	○	○	○	○
Liliaceae	<i>Smilax nipponica</i> Miq. 선밀나물							○	○	○	○	○
Liliaceae	<i>Smilax riparia</i> A.DC. 말나물								○	○	○	
Liliaceae	<i>Smilax sieboldii</i> Miq. 청가시덩굴							○	○	○	○	○
Liliaceae	<i>Smilax sieboldii</i> Miq. f. <i>inermis</i> (Nakai) H.Hara 민청가시덩굴										○	
Liliaceae	<i>Tricyrtis macropoda</i> Miq. 뽕꼭나리				I					○		○
Liliaceae	<i>Tulipa edulis</i> (Miq.) Baker 산자고										○	
Liliaceae	<i>Veratrum maackii</i> Regel var. <i>japonicum</i> (Baker) Shimizu 여로				III				○	○	○	
Liliaceae	<i>Veratrum oxysepalum</i> Turcz. 박새			○	I				○			
Liliaceae	<i>Veratrum versicolor</i> Nakai 흰여로								○		○	
Liliaceae	<i>Yucca filamentosa</i> L. 실유카 ▼											○
Amaryllidaceae	<i>Lycoris radiata</i> (L'Hér.) Herb. 석산 ▼										○	○
Amaryllidaceae	<i>Narcissus tazetta</i> L. subsp. <i>chinensis</i> (M.Roem.) Masam. & Yanagih. 수선화 ▼										○	
Dioscoreaceae	<i>Dioscorea coreana</i> (Prain & Burkill) R.Knuth 푸른마		○						○	○	○	
Dioscoreaceae	<i>Dioscorea japonica</i> Thunb. 참마								○	○	○	○
Dioscoreaceae	<i>Dioscorea nipponica</i> Makino 부채마								○	○	○	○
Dioscoreaceae	<i>Dioscorea polystachya</i> Turcz. 마							○	○	○	○	○
Dioscoreaceae	<i>Dioscorea quinquelobata</i> Thunb. 단풍마								○	○	○	○
Dioscoreaceae	<i>Dioscorea septemloba</i> Thunb. 국화마										○	○
Dioscoreaceae	<i>Dioscorea tokoro</i> Makino ex Miyabe 도꼬로마									○		
Iridaceae	<i>Iris domestica</i> (L.) Goldblatt & Mabb. 범부채				I			○	○	○		○
Iridaceae	<i>Iris ensata</i> Thunb. 꽃창포			○	II				○		○	○
Iridaceae	<i>Iris pseudacorus</i> L. 노랑꽃창포 ▼											○
Iridaceae	<i>Iris rossii</i> Baker 각시붓꽃								○	○	○	○
Iridaceae	<i>Iris sanguinea</i> Donn ex Hornem. 붓꽃			○				○	○	○	○	
Iridaceae	<i>Iris setosa</i> Pall. ex Link 부채붓꽃	EN		○	IV					○	○	○
Juncaceae	<i>Juncus decipiens</i> (Buchenau) Nakai 골풀							○	○	○	○	○
Juncaceae	<i>Juncus krameri</i> Franch. & Sav. 비녀골풀			○							○	
Juncaceae	<i>Juncus papillosus</i> Franch. & Sav. 청비녀골풀			○					○		○	○
Juncaceae	<i>Juncus prismatocarpus</i> R.Br. subsp. <i>leschenaultii</i> (Gay ex Laharpe) Kirschner 참비녀골풀								○			
Juncaceae	<i>Juncus setchuensis</i> Buchenau 푸른갯골풀											○
Juncaceae	<i>Juncus tenuis</i> Willd. 길골풀							○	○	○	○	○
Juncaceae	<i>Luzula capitata</i> (Miq. ex Franch. & Sav.) Kom. 평의밥									○	○	○
Juncaceae	<i>Luzula multiflora</i> (Ehrh.) Lej. 산평의밥				II							○
Juncaceae	<i>Luzula rufescens</i> Fisch. ex E.Mey. 새밥								○			
Commelinaceae	<i>Commelina communis</i> L. 닭의장풀							○	○	○	○	○
Commelinaceae	<i>Commelina communis</i> L. var. <i>angustifolia</i> Nakai 좁닭의장풀										○	○
Commelinaceae	<i>Pollia japonica</i> Thunb. 나도생강	NT			III							○
Commelinaceae	<i>Streptolirion volubile</i> Edgew. 덩굴닭의장풀								○		○	
Eriocaulaceae	<i>Eriocaulon decemflorum</i> Maxim. 쑥개수염								○		○	
Poaceae	<i>Achnatherum pekinense</i> (Hance) Ohwi 나래새							○	○	○	○	
Poaceae	<i>Agrostis clavata</i> Trin. 산겨이삭								○	○		
Poaceae	<i>Agrostis clavata</i> Trin. var. <i>nukabo</i> Ohwi 겨이삭							○	○	○	○	○
Poaceae	<i>Alopecurus aequalis</i> Sobol. 독새풀							○	○	○	○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Poaceae	<i>Alopecurus pratensis</i> L. 큰뚝새풀					○			○			
Poaceae	<i>Andropogon virginicus</i> L. 나도솔새					○				○	○	○
Poaceae	<i>Arthraxon hispidus</i> (Thunb.) Makino 조개풀								○	○	○	○
Poaceae	<i>Arundinaria simonii</i> (Carrière) Rivière & C.Rivière 해장죽										○	
Poaceae	<i>Arundinella hirta</i> (Thunb.) Tanaka 털새							○	○	○	○	○
Poaceae	<i>Arundinella hirta</i> (Thunb.) Tanaka var. <i>ciliata</i> (Thunb.) Koidz. 새						○	○	○	○	○	○
Poaceae	<i>Avena fatua</i> L. 메귀리					○					○	○
Poaceae	<i>Beckmannia syzigachne</i> (Steud.) Fernald 개피			○				○	○		○	
Poaceae	<i>Bothriochloa ischaemum</i> (L.) Keng 바랭이새							○		○		
Poaceae	<i>Brachypodium sylvaticum</i> (Huds.) P.Beauv. 숲개밀								○	○		
Poaceae	<i>Bromus catharticus</i> Vahl 큰이삭풀					○					○	○
Poaceae	<i>Bromus ciliatus</i> L. 빗새귀리									○		
Poaceae	<i>Bromus commutatus</i> Schrad. 털큰참새귀리					○		○		○		○
Poaceae	<i>Bromus hordeaceus</i> L. 털참새귀리					○			○			
Poaceae	<i>Bromus inermis</i> Leyss. 좁참새귀리									○	○	
Poaceae	<i>Bromus japonicus</i> Thunb. 참새귀리							○	○	○	○	○
Poaceae	<i>Bromus secalinus</i> L. 큰참새귀리					○					○	
Poaceae	<i>Bromus tectorum</i> L. 털빚새귀리					○				○	○	○
Poaceae	<i>Calamagrostis arundinacea</i> (L.) Roth 실새풀							○	○	○	○	○
Poaceae	<i>Calamagrostis epigejos</i> (L.) Roth 산조풀								○		○	○
Poaceae	<i>Calamagrostis purpurea</i> (Trin.) Trin. 산새풀	DD									○	
Poaceae	<i>Capillipedium parviflorum</i> (R.Br.) Stapf 나도기름새											○
Poaceae	<i>Cleistogenes hackelii</i> (Honda) Honda 대새풀							○	○	○	○	
Poaceae	<i>Cymbopogon goeringii</i> (Steud.) A.Camus 개솔새						○	○	○	○	○	○
Poaceae	<i>Dactylis glomerata</i> L. 오리새					○		○	○	○	○	○
Poaceae	<i>Diarrhena fauriei</i> (Hack.) Ohwi 광릉웅수염			○					○	○		
Poaceae	<i>Digitaria ciliaris</i> (Retz.) Koeler 바랭이							○	○	○	○	○
Poaceae	<i>Digitaria violascens</i> Link 민바랭이										○	
Poaceae	<i>Diplachne fusca</i> (L.) P.Beauv. ex Roem. & Schult. subsp. <i>fascicularis</i> (Lam.) P.M.Peterson & N.Snow 갯드렁새					○						○
Poaceae	<i>Echinochloa crus-galli</i> (L.) P.Beauv. 돌피							○	○	○	○	○
Poaceae	<i>Echinochloa crus-galli</i> (L.) P.Beauv. var. <i>echinatum</i> (Willd.) Honda 물피									○		
Poaceae	<i>Echinochloa glabrescens</i> Munro ex Hook.f. 대만피										○	
Poaceae	<i>Echinochloa oryzicola</i> (Vasinger) Vasinger 논피									○	○	
Poaceae	<i>Eleusine indica</i> (L.) Gaertn. 왕바랭이							○	○	○	○	○
Poaceae	<i>Elymus ciliaris</i> (Trin. ex Bunge) Tzvelev 속털개밀							○	○	○	○	○
Poaceae	<i>Elymus repens</i> (L.) Gould 구주개밀					○			○			○
Poaceae	<i>Elymus tsukushiensis</i> Honda var. <i>transiens</i> (Hack.) K.Osada 개밀							○	○	○	○	○
Poaceae	<i>Eragrostis curvula</i> (Schrud.) Nees 능수참새그렁					○			○	○	○	○
Poaceae	<i>Eragrostis ferruginea</i> (Thunb.) P.Beauv. 그렁							○	○	○	○	○
Poaceae	<i>Eragrostis multicaulis</i> Steud. 비노리								○			
Poaceae	<i>Eriochloa villosa</i> (Thunb.) Kunth 나도개피							○	○	○	○	○
Poaceae	<i>Festuca arundinacea</i> Schreb. 큰김의털					○		○	○	○	○	○
Poaceae	<i>Festuca heterophylla</i> Lam. 사방김의털					○			○	○	○	○
Poaceae	<i>Festuca japonica</i> Makino 산목새	DD			IV						○	
Poaceae	<i>Festuca ovina</i> L. 김의털									○	○	○
Poaceae	<i>Festuca parvigluma</i> Steud. 김의털아재비								○	○	○	○
Poaceae	<i>Festuca pratensis</i> Huds. 넓은김의털					○				○	○	
Poaceae	<i>Festuca rubra</i> L. 왕김의털				IV						○	○
Poaceae	<i>Glyceria leptolepis</i> Ohwi 왕미꾸리광이			○	II				○		○	
Poaceae	<i>Hemarthria sibirica</i> (Gand.) Ohwi 쇠치기풀							○		○		
Poaceae	<i>Hierochloa odorata</i> (L.) P.Beauv. 향모											○
Poaceae	<i>Imperata cylindrica</i> (L.) Raeusch. 띠						○				○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Poaceae	<i>Isachne globosa</i> (Thunb.) Kuntze 기장대풀										○	
Poaceae	<i>Ischaemum antheophoroides</i> (Steud.) Miq. 갯쇠보리				I							○
Poaceae	<i>Ischaemum aristatum</i> L. var. <i>glaucum</i> (Honda) T.Koyama 쇠보리										○	○
Poaceae	<i>Koeleria macrantha</i> (Ledeb.) Schult. 도랭이피								○			
Poaceae	<i>Leymus mollis</i> (Trin.) Pilg. 갯그렁				II							○
Poaceae	<i>Lolium multiflorum</i> Lam. 쥐보리					○		○	○	○	○	○
Poaceae	<i>Lolium perenne</i> L. 호밀풀					○		○	○	○		○
Poaceae	<i>Lophatherum gracile</i> Brongn. 조릿대풀				III					○		○
Poaceae	<i>Microstegium japonicum</i> (Miq.) Koidz. 민바랭이새							○	○		○	
Poaceae	<i>Microstegium vimineum</i> (Trin.) A.Camus 나도바랭이새							○	○	○	○	○
Poaceae	<i>Microstegium vimineum</i> (Trin.) A.Camus var. <i>polystachyum</i> (Franch. & Sav.) Ohwi 큰덤성이삭새							○	○	○	○	○
Poaceae	<i>Milium effusum</i> L. 나도겨이삭									○		○
Poaceae	<i>Miscanthus sacchariflorus</i> (Maxim.) Benth. & Hoo!f. ex Franch. 물억새			○							○	
Poaceae	<i>Miscanthus sinensis</i> Andersson 참억새							○	○	○	○	○
Poaceae	<i>Miscanthus sinensis</i> Andersson var. <i>purpurascens</i> (Andersson) Matsum. 억새 ▼						○	○	○	○	○	○
Poaceae	<i>Molinia japonica</i> Hack. 진퍼리새								○		○	
Poaceae	<i>Oplismenus burmanni</i> (Retz.) P.Beauv. 민주름조개풀									○	○	○
Poaceae	<i>Oplismenus undulatifolius</i> (Ard.) P.Beauv. 주름조개풀							○	○	○	○	○
Poaceae	<i>Panicum bisulcatum</i> Thunb. 개기장							○	○	○	○	○
Poaceae	<i>Panicum dichotomiflorum</i> Michx. 미국개기장					○		○	○	○	○	○
Poaceae	<i>Panicum miliaceum</i> L. 기장								○			
Poaceae	<i>Paspalum dilatatum</i> Poir. 큰참새피					○			○			○
Poaceae	<i>Paspalum thunbergii</i> Kunth ex Steud. 참새피								○	○		○
Poaceae	<i>Pennisetum alopecuroides</i> (L.) Spreng. 수크령							○	○	○	○	○
Poaceae	<i>Phaenosperma globosum</i> Munro ex Benth. 산기장				I				○			
Poaceae	<i>Phalaris arundinacea</i> L. 갈풀								○		○	○
Poaceae	<i>Phleum pratense</i> L. 큰조아재비					○			○			
Poaceae	<i>Phragmites australis</i> (Cav.) Trin. ex Steud. 갈대									○		○
Poaceae	<i>Phragmites japonicus</i> Steud. 달뿌리풀							○	○	○	○	○
Poaceae	<i>Phyllostachys reticulata</i> (Rupr.) K.Koch. 왕대											○
Poaceae	<i>Poa acroleuca</i> Steud. 실폐아풀									○	○	
Poaceae	<i>Poa annua</i> L. 새포아풀							○	○	○	○	○
Poaceae	<i>Poa compressa</i> L. 좁포아풀					○				○	○	
Poaceae	<i>Poa hisauchi</i> Honda 구내풀											○
Poaceae	<i>Poa pratensis</i> L. 왕포아풀					○		○	○	○	○	○
Poaceae	<i>Poa sphondylodes</i> Trin. 포아풀							○	○	○	○	○
Poaceae	<i>Poa trivialis</i> L. 큰새포아풀					○		○		○		
Poaceae	<i>Pseudosasa japonica</i> (Siebold & Zucc. ex Steud.) Makino ex Nakai 이대									○	○	○
Poaceae	<i>Sacciolepis indica</i> (L.) Chase 쯔물뚝새							○			○	
Poaceae	<i>Sacciolepis indica</i> (L.) Chase var. <i>oryztorum</i> (Makino) Ohwi 뚝새							○			○	
Poaceae	<i>Sasa borealis</i> (Hack.) Makino & Shibata 조릿대								○	○	○	○
Poaceae	<i>Schizachyrium brevifolium</i> (Sw.) Nees ex Büse 쇠풀							○			○	○
Poaceae	<i>Setaria chondrachne</i> (Steud.) Honda 조아재비				I						○	
Poaceae	<i>Setaria faberi</i> R.A.W.Herrm. 가을강아지풀							○	○	○	○	○
Poaceae	<i>Setaria pumila</i> (Poir.) Roem. & Schult. 금강아지풀							○	○	○	○	○
Poaceae	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pallide-fusca</i> (Schumach.) B.K.Simon 가는금강아지풀									○	○	
Poaceae	<i>Setaria viridis</i> (L.) P.Beauv. 강아지풀							○	○	○	○	○
Poaceae	<i>Setaria viridis</i> (L.) P.Beauv. subsp. <i>pycnocoma</i> (Steud.) Tzvelev 수강아지풀										○	○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^V	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Poaceae	<i>Setaria viridis</i> (L.) P.Beauv. var. <i>pachystachys</i> (Franch. & Sav.) Masamura & Nemoto 갯강아지풀										○	○
Poaceae	<i>Sibirotrisetum bifidum</i> (Thunb.) Barberá 잡자리피								○	○	○	○
Poaceae	<i>Sorghum × drummondii</i> (Nees ex. Steud.) Millsp. & Chase 수단그라스 ▼									○		
Poaceae	<i>Spodiopogon cotulifer</i> (Thunb.) Hack. 기름새							○	○	○	○	○
Poaceae	<i>Spodiopogon sibiricus</i> Trin. 큰기름새			○				○	○	○	○	○
Poaceae	<i>Sporobolus fertilis</i> (Steud.) Clayton 쥐꼬리새풀									○	○	○
Poaceae	<i>Themeda triandra</i> Forssk. 솔새							○	○	○	○	○
Poaceae	<i>Vulpia myuros</i> (L.) C.C.Gmel. 들묵새					○				○	○	
Poaceae	<i>Zoysia japonica</i> Steud. 잔디						○	○	○	○	○	○
Araceae	<i>Trachycarpus fortunei</i> (Hook.) H.Wendl. 종려나무											○
Araceae	<i>Acorus calamus</i> L. 창포				II						○	
Araceae	<i>Arisaema amurense</i> Maxim. 둥근잎천남성								○	○	○	○
Araceae	<i>Arisaema amurense</i> Maxim. f. <i>serratum</i> (Nakai) Kitag. 천남성								○	○	○	
Araceae	<i>Arisaema ringens</i> (Thunb.) Schott 큰천남성				I					○		
Araceae	<i>Arisaema serratum</i> (Thunb.) Schott 점박이천남성								○	○	○	○
Araceae	<i>Arisaema takesimensis</i> Nakai 섬남성	NT	○		IV						○	
Araceae	<i>Pinellia ternata</i> (Thunb.) Breitenb. 반하								○	○	○	
Araceae	<i>Symplocarpus nipponicus</i> Makino 애기얇은부채				III				○			
Lemnaceae	<i>Lemna perpusilla</i> Torr. 좁개구리밥								○			
Typhaceae	<i>Sparganium glomeratum</i> (Laest. Ex Beurl.) Beurl. 두메흑삼릉	DD							○			
Typhaceae	<i>Typha angustifolia</i> L. 애기부들							○	○	○		○
Typhaceae	<i>Typha orientalis</i> C.Presl 부들							○	○	○	○	○
Cyperaceae	<i>Carex appendiculata</i> (Trautv. & C.A.Mey.) Kük. 툇사초	DD		○	IV					○	○	
Cyperaceae	<i>Carex arenicola</i> F.Schmidt 진퍼리사초	DD			IV						○	
Cyperaceae	<i>Carex biwensis</i> Franch. 솔잎사초								○			
Cyperaceae	<i>Carex boottiana</i> Hook. & Arn. 밀사초							○		○		○
Cyperaceae	<i>Carex bostrychostigma</i> Maxim. 길툇사초									○	○	
Cyperaceae	<i>Carex breviculmis</i> R.Br. 청사초							○	○	○	○	○
Cyperaceae	<i>Carex chungii</i> Z.P.Wang 큰청사초	DD									○	
Cyperaceae	<i>Carex ciliato-marginata</i> Nakai 털대사초								○	○	○	
Cyperaceae	<i>Carex dimorpholepis</i> Steud. 이삭사초								○		○	
Cyperaceae	<i>Carex doniana</i> Spreng. 흰사초	DD			I							○
Cyperaceae	<i>Carex forficula</i> Franch. & Sav. 산툇사초								○	○	○	○
Cyperaceae	<i>Carex fusanensis</i> Ohwi 부산사초		○								○	
Cyperaceae	<i>Carex gibba</i> Wahlenb. 나도별사초									○	○	
Cyperaceae	<i>Carex heterolepis</i> Bunge 산비늘사초			○					○			
Cyperaceae	<i>Carex humilis</i> Leyss. var. <i>nana</i> (H.Lév. & Vaniot) Ohwi 가는잎그늘사초						○	○	○	○	○	○
Cyperaceae	<i>Carex ischnostachya</i> Steud. 염주사초	NT			I					○		
Cyperaceae	<i>Carex jaluensis</i> Kom. 참삿갓사초			○	II				○			
Cyperaceae	<i>Carex japonica</i> Thunb. 개찌버리사초							○	○	○	○	○
Cyperaceae	<i>Carex laevissima</i> Nakai 애팽이사초			○					○	○	○	○
Cyperaceae	<i>Carex lanceolata</i> Boott 그늘사초							○	○	○	○	○
Cyperaceae	<i>Carex lasiolepis</i> Franch. 난사초				III				○			
Cyperaceae	<i>Carex leiophylla</i> C.A.Mey. 산팽이사초			○				○	○	○	○	○
Cyperaceae	<i>Carex maackii</i> Maxim. 타래사초			○					○		○	
Cyperaceae	<i>Carex maximowiczii</i> Miq. 왕비늘사초							○	○		○	
Cyperaceae	<i>Carex neurocarpa</i> Maxim. 팽이사초			○				○	○	○	○	○
Cyperaceae	<i>Carex okamotoi</i> Ohwi 지리대사초		○		I				○	○	○	○
Cyperaceae	<i>Carex pauciflora</i> Lightf. 산비늘사초			○					○			
Cyperaceae	<i>Carex pediformis</i> C.A.Mey. 넓은잎그늘사초			○							○	
Cyperaceae	<i>Carex planiculmis</i> Kom. 그늘흰사초			○	II				○			
Cyperaceae	<i>Carex polyschoena</i> H.Lév. & Vaniot 가지청사초									○	○	○
Cyperaceae	<i>Carex pumila</i> Thunb. 좁보리사초											○

Appendix 2. Continued

Family name	Scientific and Korean name	A ^Z	B ^Y	C ^X	D ^W	E ^V	F ^U	G ^T	H ^S	I ^R	J ^Q	K ^P
Cyperaceae	<i>Carex sabynensis</i> Less. ex Kunth 실청사초								○	○	○	
Cyperaceae	<i>Carex scabrifolia</i> Steud. 천일사초											○
Cyperaceae	<i>Carex siderosticta</i> Hance 대사초						○	○	○	○	○	○
Cyperaceae	<i>Carex stipata</i> Muhl. ex Willd. 양덕사초				IV				○			
Cyperaceae	<i>Carex tristachya</i> Thunb. 반들사초				I							○
Cyperaceae	<i>Cyperus amuricus</i> Maxim. 방동사니							○	○	○	○	○
Cyperaceae	<i>Cyperus difformis</i> L. 알방동사니							○			○	
Cyperaceae	<i>Cyperus iria</i> L. 참방동사니								○		○	○
Cyperaceae	<i>Cyperus microiria</i> Steud. 금방동사니							○	○	○	○	○
Cyperaceae	<i>Cyperus orthostachyus</i> Franch. & Sav. 쇠방동사니								○			
Cyperaceae	<i>Eleocharis pellucida</i> J.Presl & C.Presl var. <i>japonica</i> (Miq.) Tang & F.T.Wang 바늘골								○			
Cyperaceae	<i>Eleocharis wichurae</i> Boeckeler 줄네모골			○					○			
Cyperaceae	<i>Eriophorum gracile</i> Koch 작은황새풀	EN		○	V				○			
Cyperaceae	<i>Fimbristylis complanata</i> (Retz.) Link f. <i>exaltata</i> T.Koyama 어른지گی										○	
Cyperaceae	<i>Fimbristylis dichotoma</i> (L.) Vahl 하늘지گی										○	
Cyperaceae	<i>Kyllinga brevifolia</i> Rottb. var. <i>leirolepis</i> (Franch. & Sav.) H.Hara 파대가리								○			○
Cyperaceae	<i>Pycnus sanguinolentus</i> (Vahl) Nees 방동사니대가리										○	
Cyperaceae	<i>Schoenoplectiella hotarui</i> (Ohwi) J.Jung & H.K.Choi 줄올챙이골								○			
Cyperaceae	<i>Schoenoplectiella triangulata</i> (Roxb.) J.D.Jung & H.K.Choi 송이고랭이										○	
Cyperaceae	<i>Scirpus karuisawensis</i> Makino 솔방울고랭이								○			
Cyperaceae	<i>Scirpus radicans</i> Schkuhr 도루박이			○						○		
Cyperaceae	<i>Scirpus wichurae</i> Boeck. 방울고랭이								○		○	
Orchidaceae	<i>Cephalanthera falcata</i> (Thunb.) Blume 금난초				III					○		
Orchidaceae	<i>Cephalanthera longibracteata</i> Blume 은대난초								○	○	○	
Orchidaceae	<i>Cymbidium goeringii</i> (Rchb.f.) Rchb.f. 보춘화				I					○		○
Orchidaceae	<i>Epipactis thunbergii</i> A.Gray 닭의난초				II				○			
Orchidaceae	<i>Liparis kumokiri</i> F.Maek. 옥잠난초								○		○	○
Orchidaceae	<i>Oreorchis patens</i> (Lindl.) Lindl. 감자난초								○	○		
Orchidaceae	<i>Platanthera chlorantha</i> (Custer) Rchb. 제비난초								○	○		
Orchidaceae	<i>Spiranthes sinensis</i> (Pers.) Ames 타래난초										○	○

^ZA: Red-list designated by Korea Forest Service (CR: Critically endangered, EN: Endangered, VU: Vulnerable, NT: Near threatened, DD: Data deficient), ^YB: Korean endemic plants, ^XC: Northern lineage plants on Korean Peninsula, ^WD: Floristic target plants (I~V), ^VE: Alien plants, ^UF: Native plants for forest restoration, ^TG: capital area (Incheon & Gyeonggi), ^SH: Gangwon area, ^RI: Chungchung area, ^QJ: Gyeongsang area, ^PK: Jeolla area, ▼: Planted plant.